

2007 CODES**DESCRIPTION****1. Cut Plate: Carbon & Alloy (Discrete Plate - Excluding HGHR)**

7208511000	Flat prod roll 4 faces i/nas nic hr <= 1 250mm wide > 10mm thick
7208519191	Flat rolled prod i/nas nic hr >10mm thk => 600 but <= 1 525mm wide mfr ships/wells
7208519192	Flat rolled prod i/nas nic hr >10mm thick >1 525 but <=1 830mm wd mfr ships/wells
7208519193	Flat rolled prod i/nas nic hr >10mm thick >1 830 but <=2 450mm wd mfr ships/wells
7208519194	Flat rolled prod i/nas nic hr >10mm thick >2 450 but <=3 050mm wd mfr ships/wells
7208519195	Flat rolled prod i/nas nic hr > 10mm thick > 3 050mm wide mfr ships/wells
7208519991	Flat rolled prod i/nas nic hr >10mm thk =>600 but <=1 525mm wide nes
7208519992	Flat rolled prod i/nas nic hr >10mm thk >1 525 but <=1 830mm wide nes
7208519993	Flat rolled prod i/nas nic hr >10mm thk >1 830mm but <=2 450mm wide nes
7208519994	Flat rolled prod i/nas nic hr >10mm thk >2 450mm but <=3 050mm wide nes
7208519995	Flat rolled prod i/nas nic hr >10mm thk >3 050mm wide nes
7208521100	Flat prod roll 4 faces i/nas nic hr =>4.75mm thk <=1 250mm wd myp 355MPa use ships
7208521900	Flat prod roll 4 faces i/nas nic hr =>4.75mm thk <=1.250mm wide myp 355MPa nes
7208529091	Flat rolled prod i/nas nic hr =>4.75<=10mm thk =>600<=1 525mm wide nes
7208529092	Flat rolled prod i/nas nic hr =>4.75 <=10mm thk >1 525 <=1 830mm wide nes
7208529093	Flat rolled prod i/nas nic hr =>4.75 <=10mm thk >1 830 <=2 450mm wide nes
7208529094	Flat rolled prod i/nas nic hr =>4.75 <=10mm thk >2 450<=3 050mm wide nes
7208529095	Flat rolled prod i/nas nic hr =>4.75 <=10mm thk >3 050mm wide nes
7211130000	Flat rolled products rolled 4 faces i/nas hr >150mm <600mm wide =>4mm thk
7211140010	Flat rolled prod i/nas hr not in coils => 4.75mm thick < 600mm wide

2. Cut Plate: Heat Treated & Alloy (Discrete Plate - Excluding HGHR)

7208519110	Flat rolled prod i/nas nic hr heat-treated =>600mm wide >10mm thk mfr ships/wells
7208519910	Flat rolled prod i/nas nic hr heat-treated =>600mm wide >10mm thk nes
7208529010	Flat rolled prod i/nas nic hr heat-treated =>600mm wide =>4.75 but <=10mm thk ne
7225403000	Flat rolled prod of high speed steel nfw than hr, nic =>600mm wide
7225409110	Flat roll prod as o/t ss nic nfw hr =>600 <=15 25mm wide use ships/mfr saws
7225409120	Flat roll prod as o/t ss nic nfw hr >1 525 <=1 830mm wide use ships/mfr saws
7225409130	Flat rolled prod as o/t ss nic nfw hr >1 830 <=2 450mm wide use ships/mfr saws
7225409140	Flat rolled prod as o/t ss nic nfw hr >2 450mm wide use ships/mfr saws
7225409911	Flat rolled prod mold steel heat-treated nic nfw than hr => 600mm wide
7225409919	Flat rolled prod a/s other than ss heat-treated nic nfw than hr =>600mm wide nes
7225409922	Flat rolled prod tool steel nfw than hr => 600mm wide > 4.75mm thick nes
7225409991	Flat rolled prod as o/t stainless nic nfw than hr =>600 but <=1 525mm wide nes
7225409992	Flat rolled prod as o/t stainless nic nfw than hr >1 525 b <=1 830mm wide nes
7225409993	Flat rolled prod as o/t stainless nic nfw than hr >1 830 but <=2 450mm wide nes
7225409994	Flat rolled prod as o/t stainless nic nfw than hr >2 450mm wide nes
7226200092	Flat rolled prod of high speed steel <600mm wide >4.75mm thk nes
7226919040	Flat rolled prod tool steel nfw than hr <600mm wide >4.75mm thk

3. Floor Plate

7208100010 Flat rolled prod i/nas in coil hr w patterns in relief =>600 but <=1 525mm wide
7208100020 Flat rolled prod i/nas in coil hr with patt in relief exceeding 1 525mm wide
7208401010 Flat rolled prod i/nas nic hr h-trtd >10mm thk =>600 <=1 525 mm wide use in ships
7208401020 Flat rolled prod i/nas nic hr h-trtd >10mm thk >1 525 <=2 450mm wide use in ships
7208401030 Flat rolled prod i/nas nic hr heat-treated >10mm thk >2 450mm wide use in ships
7208409110 Flat roll prod i/nas not in coil hr heat-treated =>4.75 <=10mm thk myp <355 MPa
7208409120 Flat rolled prod i/nas nic hr heat-treated >10mm thk w patterns in relief
7208409910 Flat rolled prod i/nas nic hr >10mm thk =>600 <=1 525mm wide w pat in relief nes
7208409920 Flat rolled prod i/nas nic hr >10mm >1 525mm <=2 450mm nes
7208409930 Flat rolled prod i/nas nic hr > 10mm thk > 2 450mm wide nes

4. H.R. Sheets: Carbon & Alloy (including HGHR)

7208251010 Flat roll prod i/nas hr pkld =>4.75mm thk =>600 but <=1 525mm wd nat gas/oil wells
7208251020 Flat roll prod i/nas hr pkld =>4.75mm thk >1 525 but <=1 830mm wd nat gas/oil well
7208251030 Flat roll prod i/nas hr pkld =>4.75mm thk >1 830 but <=2 450mm wd nat gas/oil well
7208251040 Flat rolled prod i/nas hr pickled =>4.75mm thk >2 450mm wide nat gas/oil wells
7208259010 Flat roll prod i/nas in coil hr pickled =>4.75mm thick =>600 but <=1 525mm wide ne
7208259020 Flat rolled prod i/nas in coil hr pkld =>4.75mm thk >1 525 but <=1 830mm wide nes
7208259030 Flat rolled prod i/nas in coil hr pkld =>4.75mm thk >1 830 but <=2 450mm wide nes
7208259040 Flat rolled prod i/nas in coil hr pickled =>4.75mm thk >2 450mm wide nes
7208261010 Flat roll prod i/nas coil hr pkld =>3 mm<4.75mm thk =>600mm <=1 525mm wide mfr saw
7208261020 Flat roll prod i/nas coil hr pkld =>3 <4.75mm thk >1 525mm<=1 830mm wide mfr saws
7208261030 Flat roll prod i/nas coil hr pkld =>3 <4.75mm thk >1 830mm <=2 450mm wide mfr saws
7208261040 Flat rolled prod i/nas coil hr pickled =>3mm <4.75mm thk >2 450mm wide mfr saws
7208269010 Flat rolled prod i/nas coil hr pickled =>3 <4.75mm thick =>600mm <=1 525mm wide ne
7208269020 Flat rolled prod i/nas coil hr pkld =>3mm <4.75mm thk >1 525mm <=1 830mm wide nes
7208269030 Flat rolled prod i/nas coil hr pkld =>3 mm <4.75mm thk >1 830mm <=2 450mm wide nes
7208269040 Flat rolled prod i/nas coil hr pickled =>3mm <4.75mm thk >2 450mm wide nes
7208271010 Flat roll prod i/nas coil hr pickled <3mm thick =>600mm<=1 525mm wide f mfr saws
7208271020 Flat roll prod i/nas coil hr pickled <3mm thk >1 525mm<=1 830mm wide f mfr saws
7208271030 Flat roll prod i/nas coil hr pickled <3mm thk >1 830 mm <=2 450mm wide f mfr saws
7208271040 Flat rolled prod i/nas coil hr pickled <3mm thk >2 450mm wide f mfr saws
7208279010 Flat rolled prod i/nas coil hr pickled <3mm thick =>600mm <=1525mm wide nes
7208279020 Flat rolled prod i/nas coil hr pickled <3mm thk >1525mm <=1830mm wide nes
7208279030 Flat rolled prod i/nas coil hr pickled <3mm thk >1830 mm <=2450mm wide nes
7208279040 Flat rolled prod i/nas coil hr pickled <3mm thk >2450mm wide nes
7208360010 Flat rolled prod i/nas in coil hr >10mm thk =>600 but <=1 525mm wide nes
7208360020 Flat rolled prod i/nas in coil hr >10mm thk >1 525 but <=1 830mm wide nes
7208360030 Flat rolled prod i/nas in coil hr >10mm thk >1 830 but <=2 450mm wide nes
7208360040 Flat rolled prod i/nas in coil hr >10mm thk >2 450mm wide nes

7208371010 Flat roll prod i/nas coil hr =>4.75 <=10mm thk =>600 <=1 525mm wd nat gas/oil well

7208371020 Flat roll prod i/nas coil hr =>4.75<=10mm thk >1 525 <=1 830mm wd nat gas/oil well

7208371030 Flat roll prod i/nas coil hr =>4.75<=10mm thk >1 830<=2 450mm wd nat gas/oil wells

7208371040 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk >2 450mm wd nat gas/oil wells

7208379010 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk =>600 <=1 525mm wide nes

7208379020 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk >1 525 <=1 830mm wide nes

7208379030 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk >1 830 <=2 450mm wide nes

7208379040 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk >2 450mm wide nes

7208381010 Flat rolled prod i/nas coil hr =>3 <4.75mm thk =>600 <=1 525mm wide mfr saws

7208381020 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >1 525 <=1 830mm wide mfr saws

7208381030 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >1 830 <=2 450mm wide mfr saws

7208381040 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >2 450mm wide mfr saws

7208389010 Flat rolled prod i/nas coil hr =>3 <4.75mm thk =>600 <=1 525mm wide nes

7208389020 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >1 525 <=1 830mm wide nes

7208389030 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >1 830 <=2 450mm wide nes

7208389040 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >2 450mm wide nes

7208390010 Flat rolled prod i/nas coil hr <3mm thk =>600 <=1 525mm wide nes

7208390020 Flat rolled prod i/nas coil hr <3mm thk >1 525 <=1 830mm wide nes

7208390030 Flat rolled prod i/nas coil hr <3mm thk >1 830 <=2 450mm wide nes

7208390040 Flat rolled prod i/nas coil hr <3mm thk >2 450mm wide nes

7208530010 Flat rolled prod i/nas nic hr =>3<4.75mm thk =>600<=1 525mm wide nes

7208530020 Flat rolled prod i/nas nic hr =>3<4.75mm thk >1 525<=1 830mm wd nes

7208530030 Flat rolled prod i/nas nic hr =>3<4.75mm thk >1 830<=2 450mm wide nes

7208530040 Flat rolled prod i/nas nic hr =>3<4.75mm thk >2 450mm wide nes

7208540010 Flat rolled products i/nas nic hr <3mm thk =>600<=1 525mm wide nes

7208540020 Flat rolled products i/nas nic hr <3mm thk >1 525 <=1 830mm wide nes

7208540030 Flat rolled products i/nas nic hr <3mm thk >1 830<=2 450mm wide nes

7208540040 Flat rolled products i/nas nic hr <3mm thk >2 450mm wide nes

7208900000 Flat rolled prod i/nas not further worked than hot rolled nes

7211140090 Flat rolled products i/nas hr => 4.75mm thickness < 600mm wide nes

7211191000 Flat rolled products i/nas hr not hardened/tempered/ground < 600mm wide mfr saws

7211199010 Flat rolled prod iron/non alloy steel hr not in coils < 600mm wide

7211199090 Flat rolled products iron or non-alloy steel hr less than 600mm wide nes

7225302000 Flat rolled prod of high speed steel nfw than hr, in coils =>600mm wide

7225309100 Flat roll prod ot al st nfw hr coils cut to shape not hardened etc mfr saws

7225309900 Flat rolled prod as o/t stainless in coils nfw than hr =>600mm wide nes

7225409921 Flat rolled prod tool steel nfw than hr => 600mm wide <= 4.75mm thick

7226919020 Flat rolled prod mold steel nfw than hr <600mm wide

7226919090 Flat rolled prod as o/t stainless nfw than hr <600mm wide nes

5. C.R. Sheets: Carbon & Alloy

7209150010 Flat rolled prod i/nas in coil cr =>3mm thk =>600mm but <=1 525mm wide myp 355MP

7209150020 Flat rolled prod i/nas in coil cr =>3mm thk >1 525mm <=2 030mm wide myp 355 MPa

7209150030 Flat rolled prod i/nas in coil cr =>3mm thk >2 030mm wide myp 355 MPa

7209161010 Flat roll prod i/nas coil cr >1<3mm thk =>600 <=1 525mm wd mfr automotive jacks

7209161020 Flat roll prod i/nas coil cr >1<3mm thk >1 525 <=2 030mm wd mfr automotive jacks

7209161030 Flat roll products i/nas coil cr >1 <3mm thk >2 030mm wide mfr automotive jacks

7209169110 Flat rolled prod i/nas in coil cr >1 <3mm thk =>600 but <=1 525mm wide myp 275MPa

7209169120 Flat rolled prod i/nas in coil cr >1 <3mm thk >1 525 <=2 030mm wide myp 275MPa

7209169130 Flat rolled products i/nas in coil cr >1 <3mm thk >2 030mm wide myp 275MPa

7209169910 Flat rolled prod i/nas in coil cr >1 <3mm thk =>600 but <=1 525mm wide nes

7209169920 Flat rolled products i/nas in coil cr >1 <3mm thk >1 525 <=2 030mm wide nes

7209169930 Flat rolled products i/nas in coil cr >1 <3mm thk >2 030mm wide nes

7209171010 Flat roll prod i/nas coil cr =>0.5<=1mm thk =>600 <=1 525mm wd mfr magnetic core l

7209171020 Flat roll prod i/nas coil cr =>0.5<=1mm thk >1 525<=2 030mm wd mfr magnt core lam

7209171030 Flat roll prod i/nas in coil cr =>0.5 <=1mm thk >2 030mm wide fab magnt core lam

7209179110 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk =>600 <=1 525mm wide myp 275MPa

7209179120 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk >1 525 <=2 030mm wd myp 275MPa

7209179130 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk >2 030mm wide myp 275MPa

7209179910 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk =>600 but <=1 525mm wide n

7209179920 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk >1525 <=2 030mm wide nes

7209179930 Flat rolled products i/nas in coil cr =>0.5 <=1mm thk >2 030mm wide nes

7209181010 Flat roll prod i/nas in coil cr <0.5mm thk =>600 <=1 525mm wide mfr valves/tubes

7209181020 Flat rolled prod i/nas in coil cr <0.5mm thk >1525 <=2 030mm wd mfr valves/tubes

7209181030 Flat rolled prod i/nas in coil cr <0.5mm thk >2 030mm wide mfr valves/tubes

7209189110 Flat rolled prod i/nas in coil cr <0.5mm thk =>600 <=1 525mm wide myp 275MPa

7209189120 Flat rolled prod i/nas in coil cr <0.5mm thk >1 525 <=2 030mm wide myp 275MPa

7209189130 Flat rolled prod i/nas in coil cr <0.5mm thk >2 030mm wide myp 275MPa

7209189910 Flat rolled products i/nas in coil cr <0.5mm thk =>600 <=1 525mm wide nes

7209189920 Flat rolled products i/nas in coil cr <0.5mm thk >1525 <=2 030mm wide nes

7209189930 Flat rolled products i/nas in coil cr <0.5mm thk >2 030mm wide nes

7209250010 Flat rolled products i/nas nic cr =>3mm thk =>600 <=1 525mm wide nes

7209250020 Flat rolled products i/nas nic cr =>3mm thk >1 525 <=2 030mm wide nes

7209250030 Flat rolled products i/nas nic cr =>3mm thk >2 030mm wide nes

7209260010 Flat rolled prod i/nas not in coil cr >1 <3mm thk =>600 <=1 525mm wide

7209260020 Flat rolled prod i/nas not in coil cr >1 <3mm thk >1 525 <=2 030mm wide

7209260030 Flat rolled prod i/nas nic cr >1 but <3mm thk >2 030mm wide

7209270010 Flat rolled prod i/nas not in coil cr =>0.5 <=1mm thk =>600 <=1 525mm wide

7209270020 Flat rolled prod i/nas not in coil cr =>0.5 <=1mm thk >1 525 <=2 030mm wide

7209270030 Flat rolled products i/nas not in coil cr =>0.5 <=1mm thk >2 030mm wide

7209280010 Flat rolled products i/nas not in coil cr <0.5mm thk =>600 <=1 525mm wide

7209280020 Flat rolled products i/nas not in coil cr <0.5mm thk >1 525 <=2 030mm wide

7209280030 Flat rolled products i/nas not in coil cr <0.5mm thk >2 030mm wide

7209900010 Perforated flat rolled prod i/nas width =>600mm cr not clad plated or coated nes

7209900090 Flat rolled prod i/nas o/t perforated width =>600mm cr not clad pltd or ctd nes

7211231000 Flat roll prod i/nas cr hardened/tempered/ground < 600mm wide cntg <0.25% carbon

7211239000 Flat rolled prod i/nas cr < 600mm wide cntg by wt < 0.25% carbon nes

7211291000 Flat roll prod i/nas cr f mfr knit mach needle sp valve/tube saw & sp blades

7211299000 Flat rolled products i/nas cold rolled or cold reduced < 600mm wide nes

7211901000 Flat roll prod i/nas not hrd/temp/ground =>5mm thk <600mm wd mfr dies/saws

7211909010 Flat rolled prod perforated i/nas not clad plated or coated < 600mm wide nes

7211909090 Flat rolled prod i/nas o/t perforated not clad plated or coated < 600 mm wd nes

7225110010 Flat roll prod al stl cr/cd of sil-elect stl =>600mm wd <=4.75mm thk grain-oriented

7225110090 Flat rolled prod al st of silicon-elect steel => 600mm wide grain-oriented nes

7225190010 Flat rolled prod al stl cr/cd silicon-elect stl => 600mm wide <= 4.75mm thk nes

7225190090 Flat rolled prod alloy stl of silicon-electrical steel =>600mm wide nes

7225502000 Flat rolled prod of high speed steel =>600mm wide cr/cd <=4.75mm thk

7225509100 Flat rolled products of alloy steel nfw cr => 600 mm wide use in ships

7225509911 Flat rolled prod tool steel nfw than cr => 600mm wide <=4.75mm thk nes

7225509919 Flat rolled prod as o/t stainless nfw than cr =>600mm wide <=4.75mm thk nes

7225509921 Flat rolled prod tool steel nfw than cr =>600mm wide >4.75mm thk nes

7225509929 Flat rolled prod as o/t stainless nfw than cr =>600mm wide >4.75mm thk nes

7226110000 Flat rolled prod al stl o/t ss of silicon-elect steel grain-oriented<600mm wide

7226190010 Flat rolled prod of silicon-electrical steel cr <600mm wide <=4.75mm thk

7226190090 Flat rolled products of silicon-electrical steel <600mm wide nes

7226200010 Flat rolled prod of high speed steel <600mm wide cr <=4.75mm thk

7226929011 Flat rolled prod tool steel nfw than cr <600mm wide <=4.75mm thk

7226929019 Flat rolled prod as o/t stainless nfw than cr <600mm wide <=4.75mm thk nes

7226929021 Flat rolled prod tool steel nfw than cr <600mm wide >4.75mm thk

7226929029 Flat rolled prod as o/t stainless nfw than cr <600mm wide >4.75mm thk nes

7226999100 Flat rolled prod alloy steel nfw cr not hardened etc mfr saws/cutting dies

7226999900 Flat rolled products as o/t stainless <600mm wide nes

6. Galvanized Steel Sheets

7210300000 Flat rolled products steel electrolytically pltd or coated w zinc =>600mm wide

7210410000 Corrugated flat rolled prod i/nas o/w plated/coated w zinc =>600mm wide nes

7210490010 Flat rolled prod i/nas o/w pltd/ctd w zinc o/t corrugated wd =>600mm tkns <0.5mm

7210490020 Flat rolled prod i/nas o/w pltd/ctd w zinc o/t corr wd =>600mm tkns >0.5mm < 1mm

7210490030 Flat rolled prod i/nas o/w pltd/ctd w zinc o/t corrugated wd =>600mm tkns > 1 mm

7212200000 Flat roll prod i/nas <600mm wide electrolytically plated or coated with zinc

7212300000 Flat rolled prod i/nas <600mm wide o/w plated or coated with zinc

7225910000 Flat rolled prod as o/t stainless electrolytically pltd/ctd w zinc => 600mm wide

7225920000 Flat rolled prod as o/t stainless plated/coated w zinc => 600mm wide nes

7226992000 Flat rolled prod as o/t stainless plated or coated w zinc < 600mm wd nes

7. Pre-Painted

7210700000 Flat rolled prod i/nas painted varnished or plast coated =>600mm wide
7212400000 Flat rolled prod i/nas <600mm wide painted varnished or plast coated

8. OCTG - Seamless

7304220000 Drill pipe of stainless steel seamless for use in drilling for oil or gas
7304230011 Drill pipe new of iron/nas seamless for use in drilling for oil or gas
7304230012 Drill pipe new of alloy steel seamless for use in drilling for oil or gas
7304230091 Drill pipe used of iron/nas seamless for use in drilling for oil or gas
7304230092 Drill pipe used of alloy steel seamless for use in drilling for oil or gas
7304240000 Casing, tubing and drill pipe of stainless steel, used for drilling for oil or gas
7304290011 Casing i/s ext diam >114.3 but <=177.8mm API H-40 J-55/K-55 used in drill oil/gas
7304290019 Casing i/s ext diam >114.3 b <=177.8mm o/t API H-40 J-55/K-55 drill oil/gas nes
7304290021 Casing i/s ext diam >177.8 b <=298.5mm API H-40 J-55/K-55 used drill for oil/gas
7304290029 Casing i/s ext diam >177.8 b <=298.5mm o/t API H-40 J-55/K-55 drill oil/gas nes
7304290031 Casing i/s ext diam >298.5mm API H-40 J-55/K-55 used in drilling for oil/gas
7304290039 Casing i/s ext diam >298.5mm o/t API H-40 J-55/K-55 used in drill oil/gas nes
7304290041 Tubing i/s ext diam <=60.2mm API H-40/J-55 used in drilling for oil/gas
7304290049 Tubing i/s ext diam <=60.2mm o/t API H-40/J-55 used in drill for oil/gas nes
7304290051 Tubing i/s ext diam 60.3mm API H-40/J-55 used in drilling for oil/gas
7304290059 Tubing i/s ext diam 60.3mm o/t API H-40/J-55 used in drill for oil/gas nes
7304290061 Tubing i/s ext diam >60.3 but <=73mm API H-40/J-55 used for drill oil/gas
7304290069 Tubing i/s ext diam >60.3 b <=73mm o/t API H-40/J-55 used drill oil/gas nes
7304290071 Tubing i/s ext diam >73mm API H-4/J-55 used in drilling for oil/gas
7304290079 Tubing i/s ext diam >73mm o/t API H-40/J-55 used in drill for oil/gas nes

9. OCTG - Welded

7305200000 Casings iron/steel int/ext circ c-sect wld ext diam >406.4 oil/gas drill nes
7306291011 Casing i/s wld etc API H40 J55 K55 f mfr oil/gas drill ext diam >114.3b<=177.8mm
7306291019 Casing i/s wld riveted/sim clos f mfr oil/gas drill ext diam >114.3b<=177.8mm nes
7306291021 Casing i/s welded etc API H40 J55 K55 f mfr oil/gas drill ext diam>177.8<=298.4mm
7306291029 Casing i/s wld riveted/sim clos f mfr oil/gas drill ext diam >177.8<=298.4mm nes
7306291031 Casing iron/steel welded API H40 J55 K55 f mfr oil/gas drill ext diam >298.4mm
7306291039 Casing iron/steel wld riveted/sim clos f mfr oil/gas drill ext diam >298.4mm nes
7306291041 Tubing iron/steel welded riveted/sim closed API H40 or J55 f mf oil/gas drill
7306291049 Tubing iron/steel welded riveted/sim closed f mrf oil/gas drilling nes
7306299011 Casing iron/steel wld API H40 J55 K55 ext diam >114.3b<=177.8mm nes
7306299019 Casing i/s wld rivet/sim clos ext diam >114.3 but <=177.8mm nes
7306299021 Casing iron/steel wld API H40 J55 K55 ext diam >177.8<=298.4mm nes
7306299029 Casing iron/steel welded ext diam >177.8 but <=298.4mm nes
7306299031 Casing iron/steel welded API H40 J55K55 ext diam =>298.4mm nes
7306299039 Casing iron/steel wld riveted/sim clos ext diam >298.4mm nes
7306299041 Tubing iron/steel welded riveted/sim closed API H40 or J55 nes

7306299049 Tubing iron/steel welded riveted/sim closed nes

10. Line Pipe for Oil & Gas Pipelines: < or = 16"

7304110000 Line pipe of stainless steel seamless ext diam >265mm used for oil/gas pipelines
7304191000 Line pipe iron or non alloy steel smls ext diam <=265mm used for natural gas
7304199011 Line pipe iron or non alloy steel seamless ext diam=>265mm for oil/gas pipeline
7304199012 Line pipe of alloy steel seamless ext diam >=265mm used for oil/gas pipelines
7304199021 Line pipe iron or non alloy steel smls ext diam<=265mm used for oil/gas pipelines
7304199022 Line pipes of alloy steel seamless ext diam <=265mm used for oil/gas pipelines
7306190010 Pipe line iron/steel welded riveted/sim closed API <=X52 for oil/gas pipeline
7306190090 Pipe line iron/steel welded riveted or sim closed for oil/gas pipeline nes

11. Line Pipe for Oil & Gas Pipelines: > 16"

7305110011 Pipe line i/s longitud subm arc wld sect API <=X52 diam <=609.6mm oil/gas pipeline
7305110021 Pipe line i/s longitud subm arc wld sect API<=X52 diam >609.6mm oil/gas pipeline
7305110029 Pipe line i/s longitud subm arc wld circ sect diam >609.6mm oil/gas pipeline nes
7305120011 Pipe line i/s longitud welded circ sect API <=X52 diam >609.6mm oil/gas pipeline
7305120019 Pipe line i/s longitud welded circ sect ext diam <609.6mm oil/gas pipeline nes
7305120020 Pipe line i/s longitud welded circ sect ext diam >609.6mm oil/gas pipeline nes
7305190011 Pipe line i/s API <=X52 circ cross-sect ext diam <=609.6mm oil/gas pipeline nes
7305190019 Pipe line i/s int/ext circ cross-sect ext diam <=609.6 mm oil/gas pipeline nes
7305190021 Pipe line i/s circ cross-sect API <=X52 ext diam >609.6 mm oil/gas pipeline nes
7305190029 Pipe line i/s int/ext circ cross-sect ext diam >609.6mm oil/gas pipeline nes

12. Standard & Other Pipe

7306301011 Tubes & pipes iron/nas galvanized mech weld of circ cross-sect ext diam <=114.3mm
7306301014 Standard pipe iron/nas galv welded of circ cross-section ext diam <=114.3 mm
7306301019 Tubes pipes & hollow profiles i/nas galv wld of circ c-sect ext diam<=114.3mm nes
7306301024 Standard pipe iron/nas welded of circ cross-section ext diam <=114.3 mm nes
7306301032 Tubes & pipes pressure iron/nas welded of circ c-sect ext diam >114.3 mm
7306301034 Standard pipe iron/nas welded of circular cross-section ext diam >114.3 mm
7306301039 Tubes pipes & hollow profiles iron/nas wld of circ c-sect ext diam >114.3mm nes
7306309014 Standard pipe iron/nas galv welded of circ cross-section ext diam <=114.3 mm
7306309019 Tubes pipes & hollow profiles i/nas galv wld of circ c-sect ext diam<=114.3mm nes
7306309021 Tubes & pipes mechanical iron/nas weld of circ cross-sect ext diam <=114.3 mm nes
7306309022 Tubes & pipes pressure iron/nas welded of circ cross-sect ext diam <=114.3 mm nes
7306309024 Standard pipe iron/nas welded of circ cross-section ext diam <=114.3 mm nes
7306309029 Tubes pipes & hollow profiles i/nas wld of circ c-sect ext diam<=114.3mm nes
7306309034 Standard pipe iron/nas welded of circular cross-section ext diam >114.3 mm
7306309039 Tubes pipes & hollow profiles iron/nas wld of circ c-sect ext diam >114.3mm nes
7306500090 Tubes pipes & hollow profiles alloy steel(o/t stain) welded of circ c-sect nes

7306619019 Other tube & pipe & hollow profiles iron/nas of welded sq or retang c-sect nes
 7306619029 Tube&pipe(o/t mech)&hollow profile(o/t struct sect) al/s of wld sq or rectang c-sect nes
 7306699019 Other tube & pipe & hollow profiles iron/nas wld non circ c-sect nes
 7306699029 Tube&pipe(o/t mech)&hollow profile(o/t struct sect) al/s wld non circ c-sect nes
 7306901000 Tubes pipes shells i/s wld used in pneumatically breaking the face of the mine
 7306909010 Tubes pipes & hollow profiles iron/non-alloy steel welded nes
 7306909020 Tubes pipes & hollow profiles alloy steel welded nes

13. Hollow Structural Section

7306301013 Hollow structural sect iron/nas galv weld of circ cross-sect ext diam <=114.3mm
 7306301023 Hollow structural sect iron/nas welded of circ cross-sect ext diam <=114.3 mm nes
 7306301033 Hollow structural sections iron/nas wld of circ c-sect ext diam >114.3 mm
 7306309013 Hollow structural sect iron/nas galv weld of circ cross-sect ext diam <=114.3mm
 7306309023 Hollow structural sect iron/nas welded of circ cross-sect ext diam <=114.3 mm nes
 7306309033 Hollow structural sections iron/nas wld of circ c-sect ext diam >114.3 mm
 7306500030 Hollow structural sections alloy steel(o/t stainless) welded of circ c-sect nes
 7306619012 Hollow structural sections iron/nas of welded non sq or rectang cross-section nes
 7306619022 Hollow structural sections alloy steel of welded sq or rectang cross-section nes
 7306699012 Hollow structural sections iron/nas welded of non circular cross-section nes
 7306699022 Hollow structural sections alloy steel welded of non circular cross-section nes

14. Rebar

7213100000 Bars & rods i/nas hr in irreg wound coil cntg indent ribs etc prod during rp
 7214200000 Bars & rods i/nas hr hd or he cntg indent ribs etc prod during rp/tar nes

15. Wire Rod: Carbon & Alloy

7213201010 Wire rods free cutting steel hr irreg wound coils use in CDN manufactures
 7213209010 Wire rods of free cutting steel hr in irreg wound coils nes
 7213911010 Wire rods i/nas hr irreg wound coils circ c sect <= 9.525mm diam < 0.25% carbon
 7213911020 Wire rods i/nas hr irreg wound coil cc sect<=9.525mm cntg by wt =>0.25% <0.6% carb
 7213911030 Wire rods i/nas hr irreg wound coils <= 9.525mm dia cntg by wt =>0.6% carbon
 7213919011 Wire rods i/nas hr irreg wound coils circ c sect >9.525 <14mm diam <0.25% carbon
 7213919021 Wire rods i/nas hr irreg wnd coil cc sect >9.525<14mm dia cntg =>0.25% <0.6% carb
 7213919031 Wire rods i/nas hr irreg wound coils >9.525 <14mm dia cntg by wt =>0.6% carbon
 7213991010 Bars & rods i/nas hr irreg wound coils dia <=9.525mm cntg by wt <0.25% carbon
 7213991020 Bars & rods i/nas hr irreg wound coils dia <=9.525mm cntg =>0.25% <0.6% carbon
 7213991030 Bars & rods(o/t wire rods) i/nas hr irreg wound coils dia <=9.525mm =>0.6% carbon
 7213999110 Wire rods i/nas hr in irreg wound coils cntg by wt <0.25% carbon nes
 7213999130 Wire rods i/nas hr irreg wound coils cntg by wt =>0.25% but <0.6% carbon nes
 7213999910 Wire rods i/nas hr irreg wound coils cntg by wt =>0.6% carbon nes
 7227901000 Bars & rods alloy steel ot ss hr irreg wound coils dia <=9.525mm mfr wire

7227909010

Wire rods as o/t stainless hot rolled in irreg wound coils nes

16. H.R. Steel Bars: Carbon

7213201091

Rounds free cutting steel hr irreg wound coils diameter ≤ 75 mm use in CDN mfr

7213201092

Hexagons of free cutting steel hr in irreg wound coils use in CDN manufactures

7213201093

Squares of free cutting steel hr in irreg wound coils use in CDN manufactures

7213201099

Bars & rods free cutting steel hr in irreg wound coils use in CDN manufactures

7213209091

Rounds of free cutting steel hr in irreg wound coils diameter ≤ 75 mm

7213209092

Hexagons of free cutting steel hr in irreg wound coils nes

7213209093

Squares of free cutting steel hr in irreg wound coils nes

7213209099

Bars & rods of free cutting steel hr in irreg wound coils nes

7213919019

Bars & rods i/nas hr in irreg wound coils cc sect < 14 mm diam $< 0.25\%$ carbon nes

7213919029

Bars & rods i/nas hr irreg wound coils cc sect < 14 mm $\Rightarrow 0.25\%$ b $< 0.6\%$ carbon nes

7213919039

Bars & rods i/nas hr irreg wound coils cc sect < 14 mm dia $\Rightarrow 0.6\%$ carbon nes

7213999121

Rounds i/nas hr irreg wound coils diameter $\Rightarrow 14 \leq 35$ mm cntg by wt $< 0.25\%$ carbon

7213999122

Rounds of i/nas hr irreg wound coils diameter > 35 mm cntg $< 0.25\%$ carbon nes

7213999123

Hexagons i/nas hr in irreg wound coils ctg by wt $< 0.25\%$ carbon nes

7213999124

Squares i/nas hr in irreg wound coils cntg by weight $< 0.25\%$ carbon nes

7213999129

Bars & rods i/nas hr in irreg wound coils cntg by weight $< 0.25\%$ carbon nes

7213999141

Rounds i/nas hr irreg wound coils dia $\Rightarrow 14$ mm but ≤ 35 mm by wt $\Rightarrow .25\%$ b $< .6\%$ carb nes

7213999142

Rounds i/nas hr irreg wound coils dia > 35 mm by wt $\Rightarrow .25\%$ but $< 0.6\%$ carbon nes

7213999149

Bars & rods i/nas hr irreg wound coils cntg by wt $\Rightarrow 0.25\%$ but $< 0.6\%$ carbon nes

7213999921

Rounds i/nas hr irreg wound coils diam $\Rightarrow 14$ but ≤ 35 mm cntg by wt $\Rightarrow 0.6\%$ carb nes

7213999922

Rounds i/nas hr irreg wound coils diam > 35 mm cntg by wt $\Rightarrow 0.6\%$ carbon nes

7213999929

Bars & rods(o/t wire rods) i/nas hr irreg wound coils $\Rightarrow 0.6\%$ carbon nes

7214100000

Forged bars and rods of iron or non-alloy steel hot rolled

7214301000

Bar & rod free-cut steel wt $\Rightarrow 0.15\%$ $\leq 0.35\%$ lead $\Rightarrow 0.05\%$ $\leq 0.4\%$ bismuth f Cdn mfr

7214309011

Flat bars free cutting steel hr hd he ≤ 75 mm wide incl flat grader blade sections

7214309012

Flat bars free cutting steel hd he > 75 mm < 150 mm wd incl flat grader blade sect

7214309013

Flat bars free cutting steel hr hd he $\Rightarrow 150$ mm wide incl flat grader blade sect

7214309021

Rounds of free cutting steel hot rolled/drawn/extruded ≤ 75 mm in diameter

7214309022

Rounds of free cutting steel hot-rolled/drawn/extruded > 75 mm in diameter

7214309030

Hexagons of free cutting steel hot rolled drawn or extruded

7214309040

Squares of free cutting steel hot rolled drawn or extruded

7214309090

Bars & rods of free cutting steel hot rolled drawn or extruded nes

7214911010

Flat bars i/nas hr/drawn/extruded rect o/t sq cross sect ≤ 75 mm wide use in ships

7214911020

Flat bars i/nas hr/hd/he rect o/t sq cross sect > 75 mm < 150 mm wide use in ships

7214911030

Flat bars i/nas hot rolled/drawn/extruded width of a 150mm or more use in ships

7214919010

Flat bars i/nas hot rolled/drawn/extruded rect o/t sq cross sect ≤ 75 mm wide nes

7214919020

Flat bars i/nas hot roll/drawn/extruded rect o/t sq cross sect > 75 < 150 mm wd nes

7214919030

Flat bars i/nas hot rolled/drawn or extruded of a width of 150mm or more nes

7214991011

Rounds iron or non-alloy steel hot roll/drawn/extruded dia ≤ 75 mm use in ships

7214991012 Rounds iron or non-alloy steel hot roll/drawn/extruded dia >75 mm use in ships
7214991020 Hexagons iron or non-alloy steel hot rolled/drawn/extruded use in ships
7214991030 Squares iron or non- alloy steel hot rolled/drawn/extruded use in ships
7214991090 Bars & rods iron or non-alloy steel hot rolled/drawn or extruded use in ships
7214999011 Rounds iron or non-alloy steel hot rolled/drawn/extruded dia <= 75mm nes
7214999012 Rounds iron or non-alloy steel hot rolled/drawn/extruded diameter > 75 mm nes
7214999020 Hexagons iron or non-alloy steel hot rolled/drawn or extruded nes
7214999030 Squares iron or non- alloy steel hot rolled/drawn or extruded nes
7214999090 Bars & rods iron or non-alloy steel hot rolled/drawn or extruded nes
7220201030 Flat roll prod ss cr type 321or cntg =>18<=22% ni/chrm =>2.3mm thk mfr tubes/pipes
7219131030 Flat roll prod ss hr in coil =>3mm <4.75 mm thk >1 525mm wide mfr tubes/pipes

17. H.R. Steel Bars: Alloy

7219141030 Flat rolled prod stainless steel hr in coil <3mm thk >1 525mm wd mfr tubes/pipes
7227100000 Bars & rods of high speed steel hot-rolled in irregularly wound coils nes
7227200000 Bars & rods silico-manganese steel hr in irregular wound coils
7227909091 Flat bars as o/t stainless hr in irreg wound coils nes
7227909092 Rounds as o/t stainless hr in irreg wound coils nes
7227909093 Squares as o/t stainless hr in irreg wound coils nes
7227909099 Bars & rods alloy steel o/t stainless hot rolled in irreg wound coils nes
7228101000 Bars & rods high speed steel mfr metalworking tools
7228109100 Bars & rods of high speed steel not further worked than hot rolled
7228109900 Bars & rods of high speed steel nes
7228201010 Flat bars of silico-manganese steel nfw than hr nes
7228201020 Rounds of silico-manganese steel nfw than hr nes
7228201030 Squares of silico-manganese steel nfw than hr nes
7228201090 Bars & rods of silico-manganese steel nfw than hr nes
7228209090 Bars & rods of silico-manganese steel nes
7228301011 Flat bars mold steel nfw than hot-rolled/drawn/extruded use in ships etc
7228301012 Flat bars tool steel nfw than hot-rolled/drawn/extruded use in ships etc
7228301019 Flat bars as o/t stainless nfw than hot-rolled/drawn/extruded use in ships etc
7228301021 Rounds mold steel nfw than hot-rolled/drawn/extruded use in ships etc
7228301022 Rounds tool steel nfw than hot-rolled/drawn/extruded use in ships etc
7228301029 Rounds as o/t stainless nfw than hot-rolled/drawn/extruded use in ships etc
7228301031 Squares mold steel nfw than hot-rolled/drawn/extruded use in ships etc
7228301032 Squares tool steel nfw than hot-rolled/drawn/extruded use in ships etc
7228301039 Squares as o/t stainless nfw than hot-rolled/drawn/extruded use in ships etc
7228301091 Bars & rods mold steel nfw than hot-rolled/drawn/extruded use in ships etc
7228301092 Bars & rods tool steel nfw than hot-rolled/drawn/extruded use in ships etc
7228309011 Flat bars mold steel nfw than hot-rolled/drawn/extruded nes
7228309012 Flat bars tool steel nfw than hot-rolled/drawn/extruded nes
7228309019 Flat bars as o/t stainless nfw than hot-rolled/drawn/extruded nes

7228309021	Rounds mold steel nfw than hot-rolled/drawn/extruded nes
7228309022	Rounds tool steel nfw than hot-rolled/drawn/extruded nes
7228309029	Rounds as o/t stainless nfw than hot-rolled/drawn/extruded nes
7228309031	Squares mold steel nfw than hot-rolled/drawn/extruded nes
7228309032	Squares tool steel nfw than hot-rolled/drawn/extruded nes
7228309039	Squares as o/t stainless nfw than hot-rolled/drawn/extruded nes
7228309091	Bars & rods mold steel nfw than hot-rolled/drawn/extruded nes
7228309092	Bars & rods tool steel nfw than hot-rolled/drawn/extruded nes
7228309099	Bars & rods as o/t stainless nfw than hot-rolled/drawn/extruded nes
7228600010	Bars & rods mold steel nes
7228600020	Bars & rods tool steel nes
7228600090	Bars & rods as o/t stainless nes

18. Light Structurals Carbon Steel Hot Rolled

7216100011	U sections American standard i/nas nfw than hr/hd/extru height <80mm
7216100012	U sections for motor vehicles or ships i/nas nfw than hr/hd/extru height <80mm
7216100019	U sections i/nas nfw than hr/hd/extruded height <80mm nes
7216211010	L sections equal legs i/nas nfw than hr/hd/extru height <80mm use in ships
7216211020	L sections unequal legs i/nas nfw than hr/hd/extru height <80mm use in ships
7216219010	L sections equal legs i/nas nfw than hr/hd/extruded height <80mm nes
7216219020	L sections unequal legs i/nas nfw than hr/hd/extruded height <80mm nes

19. Medium & Heavy Structurals Carbon Steel Hot Rolled

7216311010	U sections i/nas nfw than hr/hd/extruded hght =>80 b <=152.4mm use in ships
7216311020	U sections i/nas nfw than hot-rolled/drawn/extruded ht >152.4mm use in ships
7216319011	U sections American standard i/nas nfw than hr/hd/extru hght =>80 b <=152.4mm
7216319012	U sections i/nas nfw than hr/hd/extruded hght =>80 b <=152.4mm for motor vehicles
7216319019	U sections i/nas nfw than hr/hd/extruded height =>80 but <=152.4mm nes
7216319021	U sections American standard i/nas nfw than hot-roll/drawn/extruded ht >152.4mm
7216319022	U sections i/nas nfw than hot-roll/drawn/extruded ht >152.4mm for motor vehicles
7216319029	U sections i/nas nfw than hot rolled/drawn/extruded height >152.4mm nes
7216321010	I sections i/nas nfw than hr/hd/extru height =>80mm but <=152.4mm use in ships etc
7216321020	I sections i/nas nfw than hr/hd/extruded height >152.4mm use in ships etc
7216329010	I sections i/nas nfw than hot-roll/drawn/extruded height =>80mm but <=152.4mm nes
7216329020	I sections i/nas nfw than hot-rolled/drawn/extruded of a height >152.4mm nes
7216331011	H sections wide flange i/nas nfw than hr/hd/extruded ht <=150mm use in ships
7216331012	H sections wide flange i/nas nfw than hr/hd/extru ht >150 <=355mm use in ships
7216331013	H sections wide flange i/nas nfw than hr/hd/extru ht>355 but <=635mm use in ships
7216331014	H sections wide flange i/nas nfw than hr/hd/extru ht >635mm use in ships
7216331020	H sections bearing pile i/nas nfw than hot-rolled/drawn/extruded use in ships
7216331091	H sections i/nas nfw than hr/hdrawn/extrued ht =>80 but <=152.4mm use in ships
7216331092	H sections i/nas nfw than hot-roll/drawn/extrued ht >152.4mm use in ships

7216339011 H sections wide flange i/nas nfw than hot-roll/drawn/extruded ht <=150mm nes
7216339012 H sections wide flange i/nas nfw than hr/hd/extruded ht >150 but <=355mm nes
7216339013 H sections wide flange i/nas nfw than hr/hd/extruded ht >355 but <=635mm nes
7216339014 H sections wide flange i/nas nfw than hot-roll/drawn/extruded ht >635mm nes
7216339020 H sections bearing pile i/nas nfw than hot-roll/drawn/extruded nes
7216339091 H sections i/nas nfw than hot-rolled/drawn/extruded ht =>80 but <=152.4mm nes
7216339092 H sections iron/non alloy steel nfw than hot-rolled/drawn/extru ht >152.4mm nes
7216400011 L sections equal legs i/nas nfw than hr drawn/extru ht =>80 but <=152.4mm
7216400012 L sections equal legs i/nas nfw than hr drawn/extru ht >152.4mm
7216400021 L section unequal leg i/nas nfw than hr draw/extru lrg leg ht =>80 b <=152.4mm
7216400022 L sections unequal legs i/nas nfw than hr draw/extru lrg leg ht >152.4mm
7216400030 T sections i/nas nfw than hot-rolled hot-drawn or extruded of a height =>80mm

20. Tinplate and tin-free steel

7210110000 Flat rolled prod i/nas plated or coated with tin =>600mm wide =>0.5mm thk
7210120000 Flat rolled prod i/nas plated or coated with tin =>600mm wide <0.5mm thk
7210500000 Flat rolled prod i/nas pltd or ctd w chrom oxides/chrom w chrom oxides =>600mm
7212100000 Flat rolled prod i/nas < 600mm wide plated or coated with tin nes