


Saskatchewan - 2007 percent of seeded acres by crop reporting district



Districts used in tables:



Saskatchewan - 2007 Percent of seeded acres by crop reporting district



Canada Western Red Spring

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
5400 IP	0.5	0.0	3.7	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.6	2.1	0.8	0.0	0.0	0.0	0.1	0.6	0.2	0.0	0.0
5500 HR	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
5600 HR	0.1	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
5602 HR	0.4	1.5	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.3	1.0	0.0	0.4	0.6	0.0	0.1	0.8
AC Abbey	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.9	2.7	4.6	0.9	0.0	0.6	0.9	0.1	2.8	0.4	0.0	0.0	0.0	0.0
AC Barrie	12.5	16.9	17.8	21.5	9.1	9.4	10.7	13.7	19.6	3.1	2.6	9.6	10.6	6.4	13.1	13.9	16.1	16.8	9.7	14.5	8.5
AC Cadillac	3.7	13.8	7.3	8.1	3.8	0.0	0.5	2.2	0.9	1.0	0.0	2.2	4.5	1.4	5.2	0.7	9.2	1.5	0.4	2.8	1.4
AC Domain	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AC Eatonia	2.8	0.0	0.0	0.4	0.0	0.0	0.9	3.6	5.9	5.2	46.5	0.0	0.0	0.0	1.4	7.4	1.6	0.0	0.0	0.5	0.0
AC Elsa	4.2	4.3	11.9	0.7	2.5	5.5	6.8	4.0	1.8	0.0	0.0	3.0	1.3	0.5	4.7	1.0	4.2	1.1	9.4	3.9	12.5
AC Intrepid	3.8	0.0	0.0	3.0	2.3	0.0	0.2	0.0	1.0	0.0	0.0	2.3	6.9	2.6	1.3	0.0	4.0	11.2	3.4	12.3	23.5
AC Splendor	2.9	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.4	5.2	0.0	0.4	0.0	2.3	15.1	3.4	12.6	13.3
CDC Alsask	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4
CDC Bounty	0.7	0.2	2.9	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	1.5	1.2	0.0	0.0	0.5	0.8	0.1	1.0	0.5
CDC Go	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.0	0.0
CDC Imagine	3.7	3.7	1.7	0.0	7.2	2.8	4.9	4.0	4.8	0.0	2.8	6.5	6.5	3.7	2.8	0.6	1.8	5.7	6.1	3.7	3.0
CDC Osler	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.7	0.0
CDC Teal	1.9	2.6	2.4	0.0	8.5	0.6	2.0	1.6	1.5	0.0	2.2	3.8	4.5	0.8	1.3	0.0	0.0	3.6	1.9	1.9	1.1
Columbus	2.2	4.0	0.0	4.1	0.4	1.6	3.0	1.6	0.0	0.0	5.7	0.3	0.0	2.8	1.8	6.0	5.3	0.0	2.0	0.9	1.6
Harvest	2.2	0.0	0.9	0.0	0.0	0.0	0.0	0.1	1.9	0.0	0.0	2.4	16.3	0.2	1.5	0.0	1.3	2.5	1.0	7.4	8.1
Infinity	2.2	0.2	1.9	0.0	0.4	0.9	0.8	4.5	0.0	0.0	0.0	7.0	2.0	1.3	0.5	0.0	3.0	11.4	1.9	0.6	1.4
Journey	0.0	0.0	0.2	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lillian	19.1	5.4	7.7	16.3	31.5	18.3	16.5	27.7	32.1	48.8	22.1	15.0	1.0	48.7	19.4	37.9	19.9	0.1	20.6	9.6	4.3
Lovitt	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0
McKenzie	12.4	27.7	18.4	17.4	13.5	17.5	14.6	9.9	6.5	22.8	2.2	7.7	4.1	16.7	13.4	11.8	11.5	7.1	11.6	8.3	8.3
Other	4.0	0.0	1.2	0.9	4.8	11.0	3.2	3.7	8.9	10.3	9.3	1.4	1.2	1.1	5.6	8.3	4.5	1.8	3.1	3.0	3.2
Peace	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0
Prodigy	6.5	7.9	2.3	4.2	2.2	15.4	6.7	2.2	0.2	2.8	1.5	4.5	1.0	5.3	18.2	3.2	8.3	4.6	11.8	4.8	3.8
Somerset	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
Superb	13.0	9.0	19.4	22.1	13.4	16.3	28.4	19.5	12.2	1.4	3.5	21.7	25.8	6.0	8.4	5.3	5.5	14.9	11.8	10.9	4.2
% of CWRS	100.0	5.0	4.4	2.0	3.3	3.2	8.0	5.2	3.0	2.1	3.2	4.8	4.8	6.0	10.3	5.0	9.6	6.4	4.2	5.0	4.3

Saskatchewan - 2007 Percent of seeded acres by crop reporting district



Canada Western Amber Durum

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
AC Avonlea	20.6	0.4	14.5	12.5	17.7	18.6	9.5	31.7	30.5	19.8	31.8	28.9	30.7	24.0	13.9	16.1	25.1	0.0	63.2	0.0	0.0
AC Commander	1.5	0.0	0.0	0.0	1.9	8.8	2.7	0.0	0.8	0.0	0.0	0.0	0.0	4.5	1.2	0.2	0.0	0.0	0.0	0.0	0.0
AC Morse	0.9	0.0	32.3	1.5	1.2	0.2	0.3	0.5	0.8	2.5	0.5	0.0	0.0	0.5	1.2	1.3	0.0	0.0	0.0	0.0	0.0
AC Navigator	10.9	41.5	33.8	3.2	10.2	9.9	10.1	11.9	13.9	13.3	13.4	0.0	0.0	15.5	2.9	6.7	19.2	0.0	0.0	0.0	0.0
AC Strongfield	42.7	27.5	0.0	47.4	46.2	30.3	29.3	45.6	35.9	47.2	41.7	48.4	0.0	46.6	56.6	66.2	40.4	0.0	33.4	100.0	100.0
Kyle	21.2	30.3	19.4	32.2	21.1	31.8	44.3	7.5	15.7	14.4	11.0	13.9	0.0	7.7	22.9	9.1	13.3	0.0	0.0	0.0	0.0
Napoleon	1.1	0.3	0.0	1.5	1.3	0.4	1.6	1.3	1.1	0.0	0.9	8.7	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0
Other	1.2	0.0	0.0	1.6	0.4	0.0	2.2	1.6	1.3	2.8	0.7	0.0	69.3	1.2	0.0	0.4	2.0	0.0	3.4	0.0	0.0
% of CWAD	100.0	1.8	0.3	5.2	8.5	5.8	19.6	16.5	9.6	3.6	9.1	0.8	0.0	3.1	3.7	11.4	0.5	0.0	0.3	0.0	0.0

Canada Western Hard White Spring

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
Snowbird	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
% of CWHWS	100.0	3.6	4.3	4.9	8.6	1.9	11.6	11.1	19.6	0.0	2.6	4.9	7.0	3.5	5.5	3.5	2.6	0.9	0.9	1.2	1.7

Canada Prairie Spring Red

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
5700 PR	36.4	100.0	62.4	0.0	0.0	0.0	89.7	0.0	0.0	0.0	0.0	0.0	41.6	0.0	0.0	0.0	16.7	55.0	73.6	66.1	63.7
5701 PR	14.6	0.0	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.8	24.0	30.5	90.4	25.5	0.0	0.0	13.2	18.9	13.6
AC Crystal	44.3	0.0	26.8	100.0	100.0	100.0	10.3	100.0	0.0	0.0	0.0	48.1	25.7	69.5	0.0	63.1	72.7	45.0	0.0	15.0	22.7
AC Foremost	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.6	0.0	10.6	0.0	13.2	0.0	0.0
AC Taber	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	8.7	0.0	0.0	11.4	0.0	0.0	0.0	0.0	0.0
% of CPSR	100.0	2.5	8.6	2.0	3.9	2.8	4.5	2.4	0.0	0.0	0.0	2.6	5.7	3.1	2.6	16.3	11.5	5.5	3.7	9.1	13.2

Saskatchewan - 2007 Percent of seeded acres by crop reporting district



Canada Western Red Winter

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
AC Bellatrix	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.6	51.1	72.3	0.0	0.8	7.0	0.0	7.8	39.3	0.0	0.0	0.0	30.8
AC Tempest	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Buteo	44.9	62.2	27.0	44.3	78.2	63.5	55.1	58.7	36.3	27.4	23.7	34.3	47.5	19.5	70.0	92.2	46.2	62.1	48.4	62.5	11.3
CDC Clair	11.5	21.6	9.2	55.7	0.0	25.8	0.0	10.1	0.0	0.0	0.0	17.2	19.8	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Falcon	5.4	3.8	30.1	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	6.9	12.6	1.6	0.0	0.0	0.0	8.9	0.0	0.0	0.0
CDC Harrier	1.7	0.0	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	0.5	3.0	0.0	0.0	0.0	0.0	8.3	0.0	0.0
CDC Kestrel	2.1	0.0	5.8	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	3.4	2.5	0.0	0.0	14.5	4.8	0.0	11.5	0.0
CDC Osprey	4.9	0.0	0.0	0.0	8.4	0.0	7.3	31.2	14.4	0.0	0.0	2.9	0.0	5.6	0.0	0.0	0.0	0.0	38.8	0.0	0.0
CDC Raptor	16.7	12.4	22.1	0.0	13.4	0.0	34.0	0.0	9.2	15.3	0.0	29.0	15.5	23.3	30.0	0.0	0.0	22.5	0.0	26.0	57.9
McClintock	0.8	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0
Norstar	0.2	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0
Radiant	1.9	0.0	0.0	0.0	0.0	2.1	0.0	0.0	6.5	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
% of CWRW	100.0	5.4	8.3	0.8	5.4	4.4	6.2	2.4	8.5	3.7	2.9	9.0	11.1	14.2	0.6	5.8	2.0	3.8	2.5	1.2	1.8

Malting -- Two-Row

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
AC Metcalfe	57.9	56.6	61.2	71.1	55.7	74.8	72.6	29.5	43.8	55.5	34.3	54.7	65.6	54.5	56.2	42.9	68.7	64.3	61.1	64.3	69.7
Calder	0.5	0.0	1.8	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.3	0.0	0.0
CDC Copeland	18.1	26.4	10.2	8.9	22.5	12.2	9.5	25.4	0.0	5.1	34.6	30.0	16.3	28.0	21.7	7.7	6.1	22.5	18.0	25.2	12.2
CDC Kendall	15.6	0.0	3.9	5.9	19.4	10.2	9.9	25.6	33.2	24.0	14.7	10.5	15.2	15.0	16.0	44.3	15.9	9.0	12.8	7.5	10.0
CDC Select	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Harrington	2.7	0.0	3.6	2.9	1.5	0.9	3.4	8.7	17.0	11.3	5.9	0.1	0.8	0.2	1.6	4.1	4.2	3.7	0.0	1.2	0.0
Merit	0.6	1.0	0.0	1.9	0.0	0.0	2.0	1.9	6.0	0.0	0.0	0.0	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Newdale	2.9	14.2	9.4	6.9	0.9	0.0	0.0	2.9	0.0	4.1	4.6	2.2	0.8	1.5	0.6	1.0	3.4	0.5	6.2	1.8	2.8
Other	1.4	1.9	9.9	2.4	0.0	1.8	1.6	1.6	0.0	0.0	0.0	0.6	0.6	0.1	2.3	0.0	1.7	0.0	0.6	0.0	5.4
Stein	0.2	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
% of Malting 2R	100.0	4.0	4.8	2.1	5.0	2.4	5.6	4.4	3.9	1.1	1.4	8.7	6.6	11.1	4.9	6.7	7.4	4.6	8.3	3.9	3.1

Saskatchewan - 2007 Percent of seeded acres by crop reporting district



Malting -- Six-Row

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
CDC Battleford	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	3.4	0.0	0.0	0.0
CDC Laurence	0.2	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Sisler	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Yorkton	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Excel	7.3	2.9	0.0	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0	11.8	4.1	0.0	0.0	0.0	0.0	10.8	7.7	9.4	48.5
Lacey	6.1	59.1	15.7	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	3.3	7.7	6.1	4.9
Legacy	55.7	3.4	26.7	34.8	92.3	0.0	0.0	52.2	0.0	0.0	0.0	40.7	52.4	40.5	0.0	0.0	100.0	65.1	71.7	60.4	40.8
Other	1.3	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.6	0.0	4.6	0.0
Robust	2.7	9.4	19.7	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	3.5	5.6	0.0	3.0	0.0	0.0	2.2	0.0	0.0	5.8
Tradition	25.5	19.9	37.9	65.2	2.0	0.0	0.0	41.4	0.0	0.0	0.0	40.5	33.4	53.3	97.0	100.0	0.0	14.6	12.9	19.5	0.0
% of Malting 6R	100.0	3.5	3.6	0.3	4.9	0.0	0.0	0.7	0.0	0.0	0.0	10.7	11.2	11.9	0.4	0.3	0.6	21.8	17.3	11.4	1.3

Feed Barley -- Two-Row

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
Bridge	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	53.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Bold	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	2.3	0.0	5.0	0.0	0.0	0.0	0.0
CDC Dolly	15.5	39.2	3.0	0.0	19.0	47.3	3.4	19.5	42.3	5.1	7.1	12.1	4.2	6.5	45.6	0.2	7.3	0.0	0.0	4.6	50.8
CDC Helgalson	2.3	0.0	0.0	0.0	0.0	0.0	11.8	0.0	0.0	0.0	0.0	20.3	4.5	0.0	0.0	3.7	0.0	0.0	0.0	4.7	0.0
CDC Trey	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	8.7	0.0	0.0	0.0	0.0	36.0	17.0	24.9	19.6
Conlon	7.6	0.0	24.0	0.0	11.5	0.0	9.9	11.7	0.0	0.0	6.8	7.6	16.3	12.5	0.0	0.0	3.1	0.0	9.6	22.2	0.0
Mcleod	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other	2.6	0.0	17.0	0.0	1.0	0.0	3.3	0.0	0.0	6.4	1.7	6.9	0.0	0.0	2.1	0.0	2.7	25.2	9.3	0.0	0.0
Ponoka	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Seebe	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Xena	63.7	60.8	56.0	0.0	68.5	52.7	71.6	66.9	50.5	28.6	84.3	42.5	66.5	78.9	50.0	96.0	81.9	38.8	64.1	43.7	29.5
% of Feed Barley 2R	100.0	1.8	4.7	0.0	3.3	3.0	6.8	13.0	3.6	5.6	5.3	4.0	5.2	11.2	6.2	9.6	3.9	1.4	2.4	3.0	5.9

Saskatchewan - 2007 Percent of seeded acres by crop reporting district



Feed Barley -- Six-Row

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
AC Harper	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AC Lacombe	4.8	0.0	0.0	0.0	11.1	0.0	0.0	0.0	0.0	0.0	100.0	10.3	0.0	0.0	0.0	0.0	0.0	0.0	17.4	16.2	15.5
AC Ranger	19.8	10.4	64.9	24.1	46.6	7.5	18.7	70.4	0.0	74.8	0.0	17.4	0.0	6.8	26.3	48.5	0.0	5.2	0.0	22.4	7.4
AC Rosser	37.2	89.6	0.0	75.9	0.0	24.1	11.0	0.0	30.5	25.2	0.0	35.8	72.0	39.2	64.5	51.5	0.0	68.8	59.1	29.6	13.0
Brier	10.2	0.0	0.0	0.0	0.0	0.0	67.6	0.0	18.6	0.0	0.0	0.0	0.0	0.0	3.5	0.0	44.7	0.0	0.0	0.0	14.1
Bronco	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other	7.2	0.0	35.1	0.0	29.2	42.2	0.0	2.7	0.0	0.0	0.0	16.3	28.0	8.4	0.0	0.0	22.4	0.0	0.0	11.5	0.0
Stander	12.2	0.0	0.0	0.0	0.0	26.2	2.7	0.0	0.0	0.0	0.0	7.9	0.0	0.0	5.7	0.0	0.0	26.0	23.5	20.3	50.1
Trochu	1.7	0.0	0.0	0.0	0.0	0.0	0.0	26.9	0.0	0.0	0.0	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Virden	2.8	0.0	0.0	0.0	13.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	0.0	32.9	0.0	0.0	0.0	0.0
% of Feed Barley 6R	100.0	6.0	2.2	3.5	3.6	3.5	7.6	3.1	3.1	3.3	0.1	6.6	1.3	6.9	11.8	3.6	5.3	6.1	4.8	5.5	12.1