

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

Table of Contents

Household Smoking (HS).....	2
Person Age (PA).....	3
Smoking Status (SS).....	4
Past Smoking (PS).....	5
Weekly Pattern (WP).....	6
Smoking Behaviour (SB).....	7
Cigarette Brand (CB).....	8
Smoking Cessation (SC).....	9
Cessation Methods (CM).....	12
Other Cessation Methods (OM).....	13
Health Professionals (HP).....	15
Smoking and Pregnancy (SP).....	16
Tobacco Products (TP).....	17
Opinions on Smoking (OS).....	19
Language and Education (LA).....	19
Labour Force (LF).....	20
Student Income (SI).....	21
Postal Code (PC).....	22
Marijuana Use (MU).....	23

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

Notes:

- 1 Question text in **Bold** font is read to the respondent. Text in normal font is not read to the respondent. Interviewer instructions are prefaced by the word 'INTERVIEWER', and are not read aloud.
- 2 Unless otherwise specified, flow goes to the next question.
- 3 The options Don't Know (DK) and Refusal (RF) are allowed on every question except for "Other - Specify". However, the response categories are shown in this document only when the flow from these responses is not to the next question.
- 4 The survey introduction, household roster and demographics are part of the Entry/Exit block.

Section: Household Smoking (HS)

HS_BEG Beginning of Section

Note: This block requires number of people in the household (HHSIZE).

HS_Q10 **^DoAnyE smoke cigarettes?**

- 1 Yes
- 2 No

Note: If HHSIZE=1, then ^DoAnyE = "Do you"
Otherwise, ^DoAnyE = "Does anyone in your household"

HS_Q20 **How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.**

___ (2 spaces) [Min: 0 Max: 15]

HS_C30 If HS_Q20=0 or HS_Q20=DK or HS_Q20=RF, go to HS_Q40
Otherwise, go to HS_Q30

HS_Q30 **On a typical day, how many cigarettes are smoked inside your home?**

- 1 1 to 10 cigarettes
- 2 11 to 20 cigarettes
- 3 21 to 30 cigarettes
- 4 31 to 40 cigarettes
- 5 41 or more cigarettes

Default: (Go to HS_Q50)

HS_Q40 **Is smoking cigarettes allowed inside your home?**

- 1 Yes
- 2 No (Go to HS_END)
DK, RF (Go to HS_END)

HS_Q50 **Is smoking cigarettes inside your home restricted in any way?**

- 1 Yes
- 2 No (Go to HS_END)
DK, RF (Go to HS_END)

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

HS_Q60 **How is smoking cigarettes restricted inside your home?**

INTERVIEWER: Read categories to respondent. Mark all that apply.

- 1 **Allowed in certain rooms only**
- 2 **Restricted in the presence of young children**
- 3 **Allowed only if windows are open or with other type of ventilation**
- 4 **Other restriction(s)**

HS_END End of Section

Section: Person Age (PA)

PA_BEG Beginning of Section

Notes: This block requires roster age.
A header consisting of the name, sex and the age of the selected person should be displayed at the top of the screen. For example:

Household Respondent: John
Gender: Male
Age: 25

PA_Q01 For statistical purposes only, may we confirm your age, as of today?

___ (3 spaces) [Min: 0 Max: 130]
DK, RF (Go to PA_C01)

PA_C01 AGE=PA_Q01. If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age), go to PA_C02
Otherwise, go to PA_E01

PA_E01 The respondent's age is different from roster age. Please verify age entered in PA_Q01.

Note: Trigger soft edit if PA_Q01 is a response equal to or greater than 15 years and the entered age is different by more than three (3) years from the roster age. Pop up a soft edit with the following text: 'The respondent's age is different from roster age. Please verify age entered in PA_Q01'. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Question involved: PA_Q01.

PA_E02 The respondent's age is less than 15. Please verify age entered in PA_Q01. If the respondent is less than 15, a CTUMS Questionnaire will not be completed. Enter <X> to accept the answer and continue or return to PA_Q01 and correct.

Note: Trigger soft edit if PA_Q01 is equal to a response <15 years. Pop up a soft edit with the following text: 'The respondent's age is less than 15. Please verify age entered in PA_Q01. If the respondent is less than 15, a CTUMS Questionnaire will not be completed.' Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Question involved: PA_Q01.

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

PA_C02 If the respondent's age is <15, go to End of person roster. If SEL=1, go to Thank You 3 and End of Interview. The outcome code will be auto coded. If SEL=2, go to start PMSR.

PA_END End of Section

Section: Smoking Status (SS)

SS_BEG Beginning of Section

SS_R10 **I am going to start with questions about cigarette smoking. Include cigarettes that are bought ready-made as well as cigarettes that you make yourself.**

INTERVIEWER: Press <Enter> to continue.

SS_Q10 **At the present time, do you smoke cigarettes every day, occasionally or not at all?**

 1 Every day (Go to SS_C30)

 2 Occasionally

 3 Not at all

SS_Q20 **In the past 30 days, did you smoke any cigarettes?**

 1 Yes

 2 No

SS_E20 Potentially inconsistent answers have been entered. Please confirm.

Note: Trigger soft edit if (SS_Q10=3 (Not at all)) and (SS_Q20=1(Yes)).

SS_C30 If SS_Q10=1 (Daily smoker) or SS_Q20=1 (Smoked in past 30 days), go to SS_Q30
 Otherwise, go to SS_Q40

SS_Q30 **During the past 30 days, did you smoke every day?**

 1 Yes

 2 No

SS_Q40 **Have you smoked at least 100 cigarettes in your life?**

 1 Yes

 2 No

SS_D40 Create variable SS_Stat

 If SS_Q10 = 1, then SS_Stat = 1 (Daily smoker)

 Else, if SS_Q10 = 2, then SS_Stat = 2 (Occasional smoker)

 Else, if SS_Q10 = 3 and SS_Q40 = 1, then SS_Stat = 3 (Former smoker)

 Else, if SS_Q10 = 3 and SS_Q40 = 2, then SS_Stat = 4 (Never smoked)

 Otherwise, SS_Stat = 5 (Not determined)

SS_END End of Section

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

Section: Past Smoking (PS)

PS_BEG Beginning of Section

Note: This block requires SS_Stat and PA_Q01. AGE=PA_Q01. If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age).

PS_C10 If SS_Stat = 4 (Never smoked), go to PS_Q10
Otherwise, go to PS_C20

PS_Q10 **Have you ever smoked a whole cigarette?**

1 Yes
2 No

PS_C20 If SS_Stat = 2 (Occasional) or SS_Stat = 3 (Former), go to PS_Q20
Otherwise, go to PS_C30

PS_Q20 **Have you ever smoked cigarettes daily?**

1 Yes
2 No

PS_C30 If SS_Stat = 1 (Daily) or SS_Stat = 2 (Occasional) or SS_Stat = 3 (Former) or
PS_Q10 = 1 (Yes), go to PS_Q30
Otherwise, go to PS_END

PS_Q30 **At what age did you smoke your first cigarette?**

___ (2 spaces) [Min: 04 Max: 94]

PS_E30 The age in PS_Q30 should not be greater than age of respondent. Please confirm.

Note: Trigger soft edit if PS_Q30>AGE of respondent.
Questions Involved: PS_Q30 and PA_Q01. AGE=PA_Q01. If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age).

PS_C40 If SS_Stat = 1 (Daily) or PS_Q20 = 1 (Yes), go to PS_Q40
Otherwise, go to PS_END

PS_Q40 **At what age did you begin to smoke cigarettes daily?**

___ (2 spaces) [Min: 04 Max: 94]

PS_E40A The age in PS_Q40 should not be greater than age of respondent. Please confirm.

Note: Trigger soft edit if PS_Q40>AGE of respondent.
Questions Involved: PS_Q40 and PA_Q01. AGE=PA_Q01. If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age).

PS_E40B The age in PS_Q40 should not be less than the age given in PS_Q30. Please confirm.

Note: Trigger soft edit if PS_Q40<PS_Q30.
Questions Involved: PS_Q30 and PS_Q40.

**Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004**

PS_END End of Section

Section: Weekly Pattern (WP)

WP_BEG Beginning of Section

Note: This block requires SS_Stat and SS_Q20.

WP_C010 If SS_Stat=1 (Daily) or SS_Q20=1 (Smoked in past 30 days), go to WP_D10
Otherwise, go to WP_END

WP_D010 Create variables to fill day of week in WP_Q10A to WP_Q10G: For example, if today is
Monday, then Day1 = yesterday (Sunday), Day2 = Saturday, Day3 = Friday, etc.

WP_Q10A **Some people smoke more or less depending upon the day of the week.
So, thinking back over the past 7 days, starting with yesterday, how many
cigarettes did you smoke:**

... yesterday (^Day1)?

__ (2 spaces) [Min: 0 Max: 90]
DK, RF (Go to WP_END)

WP_Q10B **... on ^Day2?**

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91]
91, DK, RF (Go to WP_END)

WP_Q10C **... on ^Day3?**

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91]
91, DK, RF (Go to WP_END)

WP_Q10D **... on ^Day4?**

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91]
91, DK, RF (Go to WP_END)

WP_Q10E **... on ^Day5?**

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91]
91, DK, RF (Go to WP_END)

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

WP_Q10F ... on ^Day6?

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91]
91, DK, RF (Go to WP_END)

WP_Q10G ... on ^Day7?

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91]
91, DK, RF (Go to WP_END)

WP_END End of Section

Section: Smoking Behaviour (SB)

SB_BEG Beginning of Section

Note: This block requires SS_Stat.

SB_C10 If SS_Stat = 1 (Daily), go to SB_Q10
Else if SS_Stat = 2 (Occasional), go to SB_Q20
Otherwise, go to SB_END

SB_Q10 **How soon after you wake up do you smoke your first cigarette?**

- 1 Within 5 minutes
- 2 6 to 30 minutes
- 3 31 to 60 minutes
- 4 More than 60 minutes

SB_Q20 **What strength of cigarettes do you usually smoke?**

INTERVIEWER: Read categories to respondent.

- 1 **Ultra or extra light**
- 2 **Light**
- 3 **Ultra or extra mild**
- 4 **Mild**
- 5 **Regular** (Go to SB_END)
DK, RF (Go to SB_END)

SB_Q30 **Do you smoke light or mild cigarettes because:**

... you believe they reduce the risks of smoking without having to actually give up smoking?

- 1 Yes
- 2 No

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

SB_Q40 ... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

- 1 Yes
- 2 No

SB_Q50 ... you believe they reduce the risk to your health, compared to regular cigarettes?

- 1 Yes
- 2 No

SB_END End of Section

Section: Cigarette Brand (CB)

CB_BEG Beginning of Section

Note: This block requires SS_Stat.

CB_C10 If SS_Stat=1 (Daily) or if SS_Stat=2 (Occasional), go to CB_Q10
Otherwise, go to CB_END

For information only

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

SC_Q010 **When did you stop smoking?**

INTERVIEWER: Read categories to respondent.

- | | | |
|---|------------------------------|-----------------|
| 1 | Less than 1 year ago | |
| 2 | 1 to 2 years ago | (Go to SC_Q040) |
| 3 | 3 to 5 years ago | (Go to SC_Q040) |
| 4 | More than 5 years ago | (Go to SC_Q040) |
| | DK, RF | (Go to SC_Q040) |

SC_Q020 **In what month did you stop smoking?**

INTERVIEWER: Select the month.

- | | | | |
|----|----------|----|-----------|
| 01 | January | 07 | July |
| 02 | February | 08 | August |
| 03 | March | 09 | September |
| 04 | April | 10 | October |
| 05 | May | 11 | November |
| 06 | June | 12 | December |

SC_Q030 **What was your main reason to quit smoking?**

INTERVIEWER: Read categories to respondent.

- | | | |
|---|---|-----------------|
| 1 | Health | |
| 2 | Pregnancy or a baby in the household | |
| 3 | Less stress in life | |
| 4 | Cost of cigarettes | |
| 5 | Smoking is less socially acceptable | |
| 6 | Some other reason | (Go to SC_S030) |

Default: (Go to SC_Q040)

SC_S030 What was your main reason to quit smoking?

INTERVIEWER: Specify.

_____ (80 spaces)

SC_Q040 **How many attempts to quit did you make, approximately, before you quit smoking for good?**

__ (2 spaces) [Min: 01 Max: 94]

SC_Q050 **On average, how many cigarettes were you smoking per day at the time you quit?**

__ (2 spaces) [Min: 01 Max: 94]

SC_C060 If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional), go to SC_Q060
Otherwise, go to SC_C080

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

Section: Cessation Methods (CM)

CM_BEG Beginning of Section

Note: This block requires SS_Stat and SC_Q010.

CM_C10 If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional), go to CM_Q10
Else if SS_Stat=3 (Former) and (SC_Q010=1 or SC_Q010=2), go to CM_R20
Otherwise, go to CM_END

CM_Q10 **Have you tried to quit smoking in the past 2 years?**

- 1 Yes
- 2 No (Go to CM_END)
DK, RF (Go to CM_END)

CM_R20 **Now, I am going to ask you about methods you might have used to quit smoking in the past 2 years.**

INTERVIEWER: Press <Enter> to continue.

CM_Q20 **In the past 2 years, did you use a nicotine patch?**

- 1 Yes
- 2 No (Go to CM_Q40)
DK, RF (Go to CM_Q40)

CM_Q30 **Was this useful in helping you quit?**

- 1 Yes
- 2 No

CM_Q40 **In the past 2 years, did you use nicotine gum such as "Nicorette"?**

- 1 Yes
- 2 No (Go to CM_Q60)
DK, RF (Go to CM_Q60)

CM_Q50 **Was this useful in helping you quit?**

- 1 Yes
- 2 No

CM_Q60 **In the past 2 years, did you use a product such as "Zyban"?**

- 1 Yes
- 2 No (Go to CM_C80)
DK, RF (Go to CM_C80)

CM_Q70 **Was this useful in helping you quit?**

- 1 Yes
- 2 No

**Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004**

CM_C80 If CM_Q20=2 and CM_Q40=2 and CM_Q60=2 (did not use patch, gum, or a product like Zyban), go to CM_Q80
Otherwise, go to CM_END

CM_Q80 **What were your reasons for not using either a patch, nicotine gum or a product such as "Zyban" to help you quit smoking?**

INTERVIEWER: Read categories to respondent. Mark all that apply.

- 1 **You were concerned about possible side effects**
- 2 **You didn't believe these products work**
- 3 **You didn't have enough information about these products**
- 4 **They cost too much**
- 5 **Some other reason**

CM_END End of Section

Section: Other Cessation Methods (OM)

OM_BEG Beginning of Section

Note: This block requires SS_Stat, SC_Q10, CM_Q10, CM_Q20, CM_Q40 and CM_Q60.

OM_C010 If (((SS_Stat=1 (Daily) or SS_Stat=2 (Occasional)) and CM_Q10 = 1) or (SS_Stat=3 (Former) and ((SC_Q010 = 1 or SC_Q10 = 2) (former smoker quit in last 2 years))), go to OM_Q010
Otherwise, go to OM_END

OM_Q010 **Did you use hypnosis or acupuncture?**

- 1 Yes
- 2 No (Go to OM_Q030)
DK, RF (Go to OM_Q030)

OM_Q020 **Was this useful in helping you quit?**

- 1 Yes
- 2 No

OM_Q030 **Did you make a deal with a friend or family member to quit smoking together?**

- 1 Yes
- 2 No (Go to OM_Q050)
DK, RF (Go to OM_Q050)

OM_Q040 **Was this useful in helping you quit?**

- 1 Yes
- 2 No

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

Section: Health Professionals (HP)

HP_BEG Beginning of Section

Note: This block requires SS_Stat.

HP_C010 If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional), go to HP_R010
Otherwise, go to HP_END

HP_R010 **Now, I'd like to ask you about your visits with health professionals.**

INTERVIEWER: Press <Enter> to continue.

HP_Q010 **In the past 12 months, did you see a doctor?**

- 1 Yes
- 2 No (Go to HP_Q040)
- DK, RF (Go to HP_Q040)

HP_Q020 **Did the doctor advise you to reduce or quit smoking?**

- 1 Yes
- 2 No (Go to HP_Q040)
- DK, RF (Go to HP_Q040)

HP_Q030 **Did the doctor provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?**

- 1 Yes
- 2 No

HP_Q040 **In the past 12 months, did you see a dentist or dental hygienist?**

- 1 Yes
- 2 No (Go to HP_Q070)
- DK, RF (Go to HP_Q070)

HP_Q050 **Did the dentist or dental hygienist advise you to reduce or quit smoking?**

- 1 Yes
- 2 No (Go to HP_Q070)
- DK, RF (Go to HP_Q070)

HP_Q060 **Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?**

- 1 Yes
- 2 No

HP_Q070 **In the past 12 months, did you see a nurse for treatment?**

- 1 Yes
- 2 No (Go to HP_Q100)
- DK, RF (Go to HP_Q100)

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

HP_Q080	Did the nurse advise you to reduce or quit smoking?
1	Yes
2	No (Go to HP_Q100) DK, RF (Go to HP_Q100)
HP_Q090	Did the nurse provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?
1	Yes
2	No
HP_Q100	In the past 12 months, did you talk with a pharmacist?
1	Yes
2	No (Go to HP_Q130) DK, RF (Go to HP_Q130)
HP_Q110	Did the pharmacist advise you to reduce or quit smoking?
1	Yes
2	No (Go to HP_Q130) DK, RF (Go to HP_Q130)
HP_Q120	Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?
1	Yes
2	No
HP_Q130	In the past 12 months, did you see a respiratory therapist?
1	Yes
2	No (Go to HP_END) DK, RF (Go to HP_END)
HP_Q140	Did the therapist advise you to reduce or quit smoking?
1	Yes
2	No (Go to HP_END) DK, RF (Go to HP_END)
HP_Q150	Did the therapist provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?
1	Yes
2	No
HP_END	End of Section
Section:	Smoking and Pregnancy (SP)
SP_BEG	Beginning of Section

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

Note: This block requires SEX, PA_Q01, SS_Stat and SC_Q010. AGE=PA_Q01.
If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age).

SP_C10 If SEX=2 (Female) and (AGE>=20 and AGE<=44), go to SP_R10
Otherwise, go to SP_END

SP_R10 **Now, a few questions about smoking and pregnancy.**

INTERVIEWER: Press <Enter> to continue.

SP_Q10 **Have you been pregnant in the past 5 years (that is since ^5YearsAgo)?**

1	Yes	(Go to SP_C20)
2	No	(Go to SP_END)
	DK, RF	(Go to SP_END)

Note: Create variable called ^5YearsAgo
This will be the system month and system year minus 5, e.g. February 1999

SP_C20 If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional) or (SS_Stat=3 (Former) and SC_Q010=1 or 2 or 3 (former smokers who quit less than 5 years ago)), go to SP_Q20
Otherwise, go to SP_Q30

SP_Q20 **During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?**

1	Yes
2	No

SP_Q30 **During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?**

1	Yes
2	No
3	Not applicable (no spouse / partner)

SP_END End of Section

Section: Tobacco Products (TP)

TP_BEG Beginning of Section

TP_R010 **Now, a couple of questions about tobacco products, other than cigarettes.**

INTERVIEWER: Press <Enter> to continue.

TP_Q010 **Have you ever tried smoking a cigar or cigarillos?**

1	Yes	
2	No	(Go to TP_Q030)
	DK, RF	(Go to TP_Q030)

Canadian Tobacco Use Monitoring Survey (CTUMS)
Cycle 1 2004

LF_R30 **The next questions are about your ^CurrentPastMain.**

INTERVIEWER: If person currently holds more than one job then report on the job for which the number of hours worked per week is the greatest. If person does not currently work, but had more than one job in the past 12 months, then report on the job with the most hours worked.

INTERVIEWER: Press <Enter> to continue.

Note: If LF_Q20 =1 then ^CurrentPastMain= "current job or business."
 Else ^CurrentPastMain= "main job or business in the past 12 months."

LF_Q30 **What kind of work ^AreWere you doing? (For example:
babysitting in own home, factory worker, forestry technician)**

_____ (50 spaces)

Note: If LF_Q20 =1 then ^AreWere = "are";
 Else ^AreWere = "were";

LF_Q40 **What ^AreWere your most important activities or duties? (For
example: caring for children, stamp press machine operator, forest examiner)**

_____ (50 spaces)

Note: If LF_Q20 =1 then ^AreWere = "are";
 Else ^AreWere = "were";

LF_Q50 **At your place of work, what ^AreWere the restrictions on smoking?**

INTERVIEWER: Read categories to respondent.

- 1 **Restricted completely**
- 2 **Allowed in designated areas**
- 3 **Restricted only in certain places**
- 4 **Not restricted at all**

Note: If LF_Q20 =1 then ^AreWere = "are";
 Else ^AreWere = "were";

LF_END End of Section

Section: Student Income (SI)

SI_BEG Beginning of Section

Note: This block requires PA_Q01. AGE=PA_Q01. If PA_Q01 is DK or RF then
AGE=ANDB_Q01 (Roster Age).

SI_C10 If AGE<25, go to SI_Q10
 Otherwise, go to SI_END

