

Leading injury mechanisms, Canada, 1997, females. (<1 year)

Numbers of deaths and rates/100,000

Unintentional injuries

See Last Page for ICD-9 Codes used

Total	19	11.0
Motor vehicle traffic	8	4.6
<i>MVT - Occupant</i>	6	3.5
<i>MVT - Unspecified</i>	1	0.6
Suffocation	8	4.6
<i>Choking on food</i>	2	1.2
<i>Choking on non-food object</i>	3	1.7
<i>Suffocation in bed or cradle</i>	2	1.2
Drowning	1	0.6
<i>Drowning in bathtub</i>	1	0.6
Unspecified	2	1.2

Leading injury mechanisms, Canada, 1997, females. (1-4 years)

Numbers of deaths and rates/100,000

Unintentional injuries

See Last Page for ICD-9 Codes used

Total	52	6.8
Motor vehicle traffic	16	2.1
<i>MVT - Occupant</i>	12	1.6
<i>MVT - Unspecified</i>	4	0.5
Drowning	12	1.6
<i>Drowning in bathtub</i>	2	0.3
Suffocation	8	1.0
<i>Choking on food</i>	3	0.4
<i>Choking on non-food object</i>	1	0.1
<i>Hanging ex in bed or cradle</i>	4	0.5
Fire/burn	6	0.8
<i>Fire/flame</i>	6	0.8
<i>Conflagration in private home</i>	6	0.8
Pedestrian, other	2	0.3
Poisoning	2	0.3
<i>Medication</i>	1	0.1
Transport, other	1	0.1
<i>Other off-road vehicle</i>	1	0.1
Natural/environmental factors	1	0.1
<i>Bites & stings</i>	1	0.1
Other specified and classifiable	2	0.3
Other specified, NEC	1	0.1
Unspecified	1	0.1

Leading injury mechanisms, Canada, 1997, females. (5-9 years)

Numbers of deaths and rates/100,000

Unintentional injuries

See Last Page for ICD-9 Codes used

Total	44	4.4
Motor vehicle traffic	21	2.1
<i>MVT - Occupant</i>	7	0.7
<i>MVT - Pedal Cyclist</i>	1	0.1
<i>MVT - Pedestrian</i>	11	1.1
<i>MVT - Unspecified</i>	2	0.2
Drowning	13	1.3
<i>Drowning in bathtub</i>	1	0.1
Suffocation	3	0.3
<i>Choking on food</i>	1	0.1
<i>Choking on non-food object</i>	1	0.1
<i>Hanging ex in bed or cradle</i>	1	0.1
Fire/burn	2	0.2
<i>Fire/flame</i>	2	0.2
<i>Conflagration in private home</i>	2	0.2
Transport, other	1	0.1
<i>Water transport</i>	1	0.1
Fall	1	0.1
Struck by, against	1	0.1
Machinery	1	0.1
<i>Agricultural machinery</i>	1	0.1
Other specified and classifiable	1	0.1

Leading injury mechanisms, Canada, 1997, females. (10-14 years)
Numbers of deaths and rates/100,000
Unintentional injuries

See Last Page for ICD-9 Codes used

Total	46	4.7
Motor vehicle traffic	32	3.3
<i>MVT - Occupant</i>	14	1.4
<i>MVT - Pedal Cyclist</i>	5	0.5
<i>MVT - Pedestrian</i>	8	0.8
<i>MVT - Unspecified</i>	3	0.3
Poisoning	3	0.3
Fire/burn	3	0.3
<i>Fire/flame</i>	3	0.3
<i>Conflagration in private home</i>	2	0.2
Transport, other	2	0.2
<i>Air & space transport</i>	2	0.2
Machinery	2	0.2
<i>Agricultural machinery</i>	2	0.2
Suffocation	1	0.1
<i>Hanging ex in bed or cradle</i>	1	0.1
Cut/pierce	1	0.1
Struck by, against	1	0.1
Unspecified	1	0.1

Leading injury mechanisms, Canada, 1997, females. (15-19 years)
Numbers of deaths and rates/100,000
Unintentional injuries

See Last Page for ICD-9 Codes used

Total	154	15.6
Motor vehicle traffic	125	12.7
<i>MVT - Occupant</i>	63	6.4
<i>MVT - Motorcyclist</i>	1	0.1
<i>MVT - Pedal Cyclist</i>	3	0.3
<i>MVT - Pedestrian</i>	12	1.2
<i>MVT - Unspecified</i>	46	4.7
Transport, other	6	0.6
<i>Other off-road vehicle</i>	3	0.3
<i>Water transport</i>	1	0.1
Drowning	6	0.6
Suffocation	3	0.3
<i>Hanging ex in bed or cradle</i>	2	0.2
Natural/environmental factors	3	0.3
<i>Excessive cold</i>	3	0.3
Fall	2	0.2
Fire/burn	2	0.2
<i>Fire/flame</i>	2	0.2
<i>Conflagration in private home</i>	2	0.2
Pedestrian, other	1	0.1
Firearm	1	0.1
Poisoning	1	0.1
<i>Medication</i>	1	0.1
Machinery	1	0.1
<i>Agricultural machinery</i>	1	0.1
Unspecified	3	0.3

Leading injury mechanisms, Canada, 1997, females. (20-24 years)

Numbers of deaths and rates/100,000

Unintentional injuries

See Last Page for ICD-9 Codes used

Total	116	11.7
Motor vehicle traffic	94	9.5
<i>MVT - Occupant</i>	48	4.8
<i>MVT - Pedal Cyclist</i>	1	0.1
<i>MVT - Pedestrian</i>	10	1.0
<i>MVT - Unspecified</i>	35	3.5
Poisoning	8	0.8
<i>Medication</i>	8	0.8
Transport, other	6	0.6
<i>Snowmobile</i>	3	0.3
<i>Other off-road vehicle</i>	1	0.1
<i>Air & space transport</i>	2	0.2
Drowning	3	0.3
<i>Drowning in bathtub</i>	1	0.1
Fall	2	0.2
Fire/burn	1	0.1
<i>Fire/flame</i>	1	0.1
<i>Conflagration in private home</i>	1	0.1
Natural/environmental factors	1	0.1
<i>Excessive cold</i>	1	0.1
Other specified and classifiable	1	0.1

Leading injury mechanisms, Canada, 1997, females. (25-34 years)

Numbers of deaths and rates/100,000

Unintentional injuries

See Last Page for ICD-9 Codes used

Total	191	8.3
Motor vehicle traffic	113	4.9
<i>MVT - Occupant</i>	59	2.6
<i>MVT - Motorcyclist</i>	1	0.04
<i>MVT - Pedal Cyclist</i>	1	0.04
<i>MVT - Pedestrian</i>	14	0.6
<i>MVT - Unspecified</i>	38	1.6
Poisoning	36	1.6
<i>Medication</i>	32	1.4
<i>Alcohol</i>	3	0.1
Transport, other	11	0.5
<i>Snowmobile</i>	4	0.2
<i>Other off-road vehicle</i>	2	0.09
<i>Water transport</i>	1	0.04
<i>Air & space transport</i>	3	0.1
Fire/burn	10	0.4
<i>Fire/flame</i>	10	0.4
<i>Conflagration in private home</i>	10	0.4
Fall	7	0.3
Drowning	4	0.2
<i>Drowning in bathtub</i>	1	0.04
Natural/environmental factors	4	0.2
<i>Excessive cold</i>	2	0.09
Pedestrian, other	1	0.04
Suffocation	1	0.04
Struck by, against	1	0.04
Other specified and classifiable	2	0.09
Unspecified	1	0.04

Leading injury mechanisms, Canada, 1997, females. (35-44 years)

Numbers of deaths and rates/100,000

Unintentional injuries

See Last Page for ICD-9 Codes used

Total	209	8.2
Motor vehicle traffic	95	3.7
<i>MVT - Occupant</i>	46	1.8
<i>MVT - Motorcyclist</i>	2	0.08
<i>MVT - Pedestrian</i>	8	0.3
<i>MVT - Unspecified</i>	39	1.5
Poisoning	58	2.3
<i>Medication</i>	53	2.1
<i>Alcohol</i>	2	0.08
<i>Other carbon monoxide</i>	1	0.04
Fire/burn	12	0.5
<i>Fire/flame</i>	11	0.4
<i>Conflagration in private home</i>	8	0.3
<i>Ignition of clothing</i>	2	0.08
<i>Hot object/scald</i>	1	0.04
Drowning	8	0.3
<i>Drowning in bathtub</i>	1	0.04
Suffocation	7	0.3
<i>Choking on food</i>	4	0.2
<i>Choking on non-food object</i>	1	0.04
<i>Hanging ex in bed or cradle</i>	2	0.08
Fall	6	0.2
Transport, other	5	0.2
<i>Air & space transport</i>	3	0.1
Natural/environmental factors	4	0.2
<i>Excessive cold</i>	3	0.1
Cut/pierce	1	0.04
Struck by, against	1	0.04
Machinery	1	0.04
Other specified and classifiable	2	0.08
Unspecified	9	0.4
<i>Fracture, cause unspecified</i>	2	0.08

Leading injury mechanisms, Canada, 1997, females. (45-54 years)

Numbers of deaths and rates/100,000

Unintentional injuries

See Last Page for ICD-9 Codes used

Total	191	9.7
Motor vehicle traffic	96	4.9
<i>MVT - Occupant</i>	56	2.8
<i>MVT - Pedestrian</i>	7	0.4
<i>MVT - Unspecified</i>	33	1.7
Poisoning	35	1.8
<i>Medication</i>	28	1.4
<i>Alcohol</i>	6	0.3
Fall	12	0.6
Suffocation	11	0.6
<i>Choking on food</i>	4	0.2
<i>Choking on non-food object</i>	4	0.2
<i>Hanging ex in bed or cradle</i>	2	0.1
Fire/burn	11	0.6
<i>Fire/flame</i>	10	0.5
<i>Conflagration in private home</i>	7	0.4
<i>Ignition of clothing</i>	1	0.05
<i>Hot object/scald</i>	1	0.05
Drowning	8	0.4
Natural/environmental factors	8	0.4
<i>Bites & stings</i>	2	0.1
<i>Excessive cold</i>	4	0.2
Transport, other	4	0.2
<i>Snowmobile</i>	1	0.05
<i>Other off-road vehicle</i>	1	0.05
<i>Air & space transport</i>	2	0.1
Pedestrian, other	1	0.05
Struck by, against	1	0.05
Unspecified	4	0.2
<i>Fracture, cause unspecified</i>	1	0.05

Leading injury mechanisms, Canada, 1997, females. (55-64 years)
Numbers of deaths and rates/100,000
Unintentional injuries

See Last Page for ICD-9 Codes used

Total	187	14.3
Motor vehicle traffic	92	7.0
<i>MVT - Occupant</i>	55	4.2
<i>MVT - Pedestrian</i>	19	1.5
<i>MVT - Unspecified</i>	18	1.4
Fall	24	1.8
Poisoning	16	1.2
<i>Medication</i>	10	0.8
<i>Alcohol</i>	6	0.5
Fire/burn	13	1.0
<i>Fire/flame</i>	13	1.0
<i>Conflagration in private home</i>	11	0.8
<i>Ignition of clothing</i>	1	0.08
Suffocation	10	0.8
<i>Choking on food</i>	6	0.5
<i>Choking on non-food object</i>	1	0.08
<i>Hanging ex in bed or cradle</i>	2	0.2
Transport, other	6	0.5
<i>Water transport</i>	2	0.2
<i>Air & space transport</i>	1	0.08
Drowning	5	0.4
<i>Drowning in bathtub</i>	1	0.08
Natural/environmental factors	5	0.4
<i>Bites & stings</i>	1	0.08
<i>Excessive cold</i>	2	0.2
Pedestrian, other	2	0.2
Firearm	1	0.08
Struck by, against	1	0.08
Other specified and classifiable	1	0.08
Unspecified	11	0.8
<i>Fracture, cause unspecified</i>	5	0.4

Leading injury mechanisms, Canada, 1997, females. (65+ years)

Numbers of deaths and rates/100,000

Unintentional injuries

See Last Page for ICD-9 Codes used

Total	1,980	94.0
Fall	609	28.9
Motor vehicle traffic	222	10.5
<i>MVT - Occupant</i>	126	6.0
<i>MVT - Pedestrian</i>	51	2.4
<i>MVT - Unspecified</i>	45	2.1
Suffocation	93	4.4
<i>Choking on food</i>	29	1.4
<i>Choking on non-food object</i>	53	2.5
<i>Suffocation in bed or cradle</i>	3	0.1
<i>Hanging ex in bed or cradle</i>	7	0.3
Fire/burn	52	2.5
<i>Fire/flame</i>	41	1.9
<i>Conflagration in private home</i>	22	1.0
<i>Ignition of clothing</i>	13	0.6
<i>Hot object/scald</i>	11	0.5
Poisoning	27	1.3
<i>Medication</i>	19	0.9
<i>Alcohol</i>	6	0.3
<i>Other carbon monoxide</i>	1	0.05
Natural/environmental factors	16	0.8
<i>Excessive cold</i>	7	0.3
Drowning	11	0.5
<i>Drowning in bathtub</i>	1	0.05
Pedestrian, other	3	0.1
Transport, other	2	0.09
<i>Air & space transport</i>	1	0.05
Firearm	1	0.05
Cut/pierce	1	0.05
Struck by, against	1	0.05
Machinery	1	0.05
Other specified and classifiable	23	1.1
Other specified, NEC	2	0.09
Unspecified	916	43.5
<i>Fracture, cause unspecified</i>	867	41.2

Leading injury mechanisms, Canada, 1997, females. (all ages)
Numbers of deaths and rates/100,000
Unintentional injuries

See Last Page for ICD-9 Codes used

Total	3,189	21.1
Motor vehicle traffic	914	6.0
<i>MVT - Occupant</i>	492	3.3
<i>MVT - Motorcyclist</i>	4	0.03
<i>MVT - Pedal Cyclist</i>	11	0.07
<i>MVT - Pedestrian</i>	140	0.9
<i>MVT - Unspecified</i>	264	1.7
Fall	663	4.4
Poisoning	186	1.2
<i>Medication</i>	152	1.0
<i>Alcohol</i>	23	0.2
<i>Other carbon monoxide</i>	2	0.01
Suffocation	145	1.0
<i>Choking on food</i>	49	0.3
<i>Choking on non-food object</i>	64	0.4
<i>Suffocation in bed or cradle</i>	5	0.03
<i>Hanging ex in bed or cradle</i>	21	0.1
Fire/burn	112	0.7
<i>Fire/flame</i>	99	0.7
<i>Conflagration in private home</i>	71	0.5
<i>Ignition of clothing</i>	17	0.1
<i>Hot object/scald</i>	13	0.09
Drowning	71	0.5
<i>Drowning in bathtub</i>	9	0.06
Transport, other	44	0.3
<i>Snowmobile</i>	8	0.05
<i>Other off-road vehicle</i>	8	0.05
<i>Water transport</i>	5	0.03
<i>Air & space transport</i>	14	0.09
Natural/environmental factors	42	0.3
<i>Bites & stings</i>	4	0.03
<i>Excessive cold</i>	22	0.1
Pedestrian, other	10	0.07
Struck by, against	7	0.05
Machinery	6	0.04
<i>Agricultural machinery</i>	4	0.03
Firearm	3	0.02
Cut/pierce	3	0.02
Other specified and classifiable	32	0.2
Other specified, NEC	3	0.02
Unspecified	948	6.3
<i>Fracture, cause unspecified</i>	875	5.8

Leading injury mechanisms, Canada, 1997, females. (1-4 years)
Numbers of deaths and rates/100,000

Homicide

See Last Page for ICD-9 Codes used

Total	8	1.0
Firearm	2	0.3
Suffocation	2	0.3
Cut/pierce	1	0.1
Other specified and classifiable	2	0.3
<i>Child maltreatment</i>	2	0.3
Unspecified	1	0.1

Leading injury mechanisms, Canada, 1997, females. (5-9 years)
Numbers of deaths and rates/100,000

Homicide

See Last Page for ICD-9 Codes used

Total	6	0.6
Fire/burn	2	0.2
<i>Fire/flame</i>	2	0.2
Suffocation	1	0.1
Cut/pierce	1	0.1
Other specified and classifiable	1	0.1
<i>Child maltreatment</i>	1	0.1
Unspecified	1	0.1

Leading injury mechanisms, Canada, 1997, females. (10-14 years)

Numbers of deaths and rates/100,000

Homicide

See Last Page for ICD-9 Codes used

Total	4	0.4
Firearm	3	0.3
Unspecified	1	0.1

Leading injury mechanisms, Canada, 1997, females. (15-19 years)

Numbers of deaths and rates/100,000

Homicide

See Last Page for ICD-9 Codes used

Total	7	0.7
Suffocation	4	0.4
Firearm	2	0.2
Other specified, NEC	1	0.1

Leading injury mechanisms, Canada, 1997, females. (20-24 years)
Numbers of deaths and rates/100,000

Homicide

See Last Page for ICD-9 Codes used

Total	13	1.3
Suffocation	4	0.4
Cut/pierce	3	0.3
Firearm	2	0.2
Struck by, against	2	0.2
Unspecified	2	0.2

Leading injury mechanisms, Canada, 1997, females. (25-34 years)
Numbers of deaths and rates/100,000

Homicide

See Last Page for ICD-9 Codes used

Total	30	1.3
Firearm	9	0.4
Cut/pierce	9	0.4
Suffocation	4	0.2
Struck by, against	1	0.04
Other specified, NEC	3	0.1
Unspecified	4	0.2

Leading injury mechanisms, Canada, 1997, females. (35-44 years)
Numbers of deaths and rates/100,000

Homicide

See Last Page for ICD-9 Codes used

Total	31	1.2
Cut/pierce	14	0.5
Firearm	9	0.4
Suffocation	3	0.1
Other specified and classifiable	1	0.04
Unspecified	4	0.2

Leading injury mechanisms, Canada, 1997, females. (10-14 years)
Numbers of deaths and rates/100,000

Suicide

See Last Page for ICD-9 Codes used

Total	12	1.2
Suffocation	11	1.1
<i>Hanging ex in bed or cradle</i>	<i>11</i>	<i>1.1</i>
Poisoning	1	0.1
<i>Medication</i>	<i>1</i>	<i>0.1</i>

Leading injury mechanisms, Canada, 1997, females. (15-19 years)
Numbers of deaths and rates/100,000

Suicide

See Last Page for ICD-9 Codes used

Total	54	5.5
Suffocation	41	4.2
<i>Suffocation by plastic bag</i>	1	0.1
<i>Hanging ex in bed or cradle</i>	39	4.0
Firearm	7	0.7
Poisoning	3	0.3
<i>Medication</i>	2	0.2
<i>Other carbon monoxide</i>	1	0.1
Fall	2	0.2
Drowning	1	0.1

Leading injury mechanisms, Canada, 1997, females. (20-24 years)

Numbers of deaths and rates/100,000

Suicide

See Last Page for ICD-9 Codes used

Total	36	3.6
Suffocation	17	1.7
<i>Hanging ex in bed or cradle</i>	17	1.7
Poisoning	9	0.9
<i>Medication</i>	5	0.5
<i>Motor vehicle exhaust</i>	3	0.3
Firearm	4	0.4
Fall	3	0.3
Drowning	1	0.1
Cut/pierce	1	0.1
Other specified and classifiable	1	0.1

Leading injury mechanisms, Canada, 1997, females. (25-34 years)
Numbers of deaths and rates/100,000

Suicide

See Last Page for ICD-9 Codes used

Total	136	5.9
Poisoning	52	2.3
<i>Medication</i>	29	1.3
<i>Motor vehicle exhaust</i>	13	0.6
<i>Other carbon monoxide</i>	8	0.3
Suffocation	50	2.2
<i>Suffocation by plastic bag</i>	1	0.04
<i>Hanging ex in bed or cradle</i>	49	2.1
Fall	13	0.6
Firearm	9	0.4
Drowning	4	0.2
Fire/burn	2	0.09
<i>Fire/flame</i>	2	0.09
Cut/pierce	2	0.09
Motor vehicle traffic	1	0.04
Other specified and classifiable	2	0.09
Other specified, NEC	1	0.04

Leading injury mechanisms, Canada, 1997, females. (35-44 years)
Numbers of deaths and rates/100,000

Suicide

See Last Page for ICD-9 Codes used

Total	185	7.2
Poisoning	82	3.2
<i>Medication</i>	58	2.3
<i>Motor vehicle exhaust</i>	12	0.5
<i>Other carbon monoxide</i>	8	0.3
Suffocation	68	2.7
<i>Suffocation by plastic bag</i>	3	0.1
<i>Hanging ex in bed or cradle</i>	65	2.5
Firearm	9	0.4
Fall	7	0.3
Drowning	6	0.2
Fire/burn	4	0.2
<i>Fire/flame</i>	4	0.2
Cut/pierce	3	0.1
Motor vehicle traffic	2	0.08
Other specified and classifiable	3	0.1
Unspecified	1	0.04

Leading injury mechanisms, Canada, 1997, females. (45-54 years)
Numbers of deaths and rates/100,000

Suicide

See Last Page for ICD-9 Codes used

Total	171	8.7
Poisoning	85	4.3
<i>Medication</i>	65	3.3
<i>Motor vehicle exhaust</i>	11	0.6
<i>Other carbon monoxide</i>	4	0.2
Suffocation	41	2.1
<i>Suffocation by plastic bag</i>	4	0.2
<i>Hanging ex in bed or cradle</i>	37	1.9
Firearm	14	0.7
Fall	10	0.5
Drowning	8	0.4
Cut/pierce	4	0.2
Fire/burn	3	0.2
<i>Fire/flame</i>	3	0.2
Motor vehicle traffic	1	0.05
Other specified and classifiable	3	0.2
Unspecified	2	0.1

Leading injury mechanisms, Canada, 1997, females. (55-64 years)
Numbers of deaths and rates/100,000

Suicide

See Last Page for ICD-9 Codes used

Total	78	6.0
Poisoning	44	3.4
<i>Medication</i>	32	2.4
<i>Motor vehicle exhaust</i>	5	0.4
<i>Other carbon monoxide</i>	2	0.2
Suffocation	16	1.2
<i>Suffocation by plastic bag</i>	3	0.2
<i>Hanging ex in bed or cradle</i>	13	1.0
Drowning	11	0.8
Fall	5	0.4
Cut/pierce	1	0.08
Other specified and classifiable	1	0.08

ICD-9 E-codes used in tables of injury mortality and hospitalization by mechanism and intent

based on the U.S. Centers for Disease Prevention and Control [2] framework for presenting injury mortality data

Mechanism or Cause	Unintentional	Self-inflicted	Assault	Other violence	Undetermined
Motor vehicle-traffic	E810-819 (0-9)	E958.5	E968.5		E988.5
MVT - Occupant	E810-819 (0,1)				
MVT - Motorcyclist	E810-819 (2,3)				
MVT - Pedal cyclist	E810-819 (6)				
MVT - Pedestrian	E810-819 (7)				
MVT - Unspecified	E810-819 (9)				
Pedal cyclist, other	E800-807 (3); E820-825 (6); E826 (1,9); E827-829 (1)				
Pedestrian, other	E800-807 (2); E820-825 (7); E826-829 (0)				
Transport, other	E800-807 (0,1,8,9); E820-825 (0-5,8,9); E826 (2-8); E827-829 (2-9); E831 (0-9); E833-845	E958.6			E988.6
Snowmobile	E820 (0,1,9)				
Other off-road vehicle	E821 (0,1,9)				
Water transport	E831; E833-838				
Air & space transport	E840-845				
Firearm	E922	E955 (0-4)	E965 (0-4)	E970	E985 (0-4)
Poisoning	E850-869	E950-952	E962	E972	E980-982
Medication	E850-858	E950 (0-5)	E962.0		E980 (0-5)
Alcohol	E860				
Motor vehicle exhaust	E868.2	E952.0			E982.0
Other carbon monoxide	E868 (3,8,9)	E952.1			E982.1
Fall	E880-886; E888	E957	E968.1		E987
Suffocation	E911-913	E953	E963		E983
Choking on food	E911				
Choking on non-food object	E912				
Suffocation by plastic bag	E913.1	E953.1			
Suffocation in bed or cradle	E913.0				
Hanging ex in bed or cradle	E913.8	E953.0			E983.0
Drowning	E830; E832; E910	E954	E964		E984
Drowning in bathtub	E910.4				
Fire/burn	E890-899; E924	E958 (1,2,7)	E961; E968 (0,3)		E988 (1,2,7)
Fire/flare	E890-899	E958.1	E968.0		E988.1
Conflagration in private home	E890				
Ignition of clothing	E893				
Hot object/scald	E924	E958 (2,7)	E961; E968.3		E988 (2,7)
Cut/pierce	E920	E956	E966	E974	E986
Natural/environmental factors	E900-909; E928 (0-2)	E958.3			E988.3
Bites & stings	E905 (0-6,9); E906 (0-5,9)				
Excessive cold	E901	E958.3			E988.3
Struck by, against	E916-917		E960.0; E968.2	E973; E975	
Machinery	E919				
Agricultural machines	E919.0				
Overexertion	E927				
Other specified and classifiable	E846-848; E914-915; E918; E921; E923; E925-926; E929 (0-5)	E955 (5,9); E958 (0,4)	E960.1; E965 (5-9); E967; E968.4 E967	E971; E878; E990-994; E996; E997 (0-2)	E985.5; E988 (0,4)
Child maltreatment					
Other specified, NEC	E928.8; E929.8	E958.8; E959	E968.8; E969	E977; E995; E997.8; E998-999	E988.8; E989
Unspecified	E887; E928.9; E929.9	E958.9	E968.9	E976; E997.9	E988.9
Fracture, cause unspecified	E887				
Total	E800-869; E880-929	E950-959	E960-969	E970-978; E990-999	E980-989