Table of Contents

Household Smoking (HS)	2
Person Age (PA)	3
Smoking Status (SS)	4
Past Smoking (PS)	5
Weekly Pattern (WP)	6
Smoking Behaviour (SB)	7
Cigarette Brand (CB)	8
Cigarette Source (CS)	9
Cheaper Cigarettes (CC)	10
Smoking Cessation (SC)	11
Cessation Methods (CM)	13
Other Cessation Methods (OM)	14
Health Professionals (HP)	16
Smoking and Pregnancy (SP)	18
Tobacco Products (TP)	19
Opinions on Smoking (OS)	20
Language and Education (LA)	21
Labour Force (LF)	21
Student Income (SI)	22
Postal Code (PC)	23
Marijuana Use (MU)	24

Notes:		
1	Question text in Bold font is read to the respondent. Text in normal font is not read to the respondent. Interviewer instructions are prefaced by the word 'INTERVIEWER', and are	
2 3	not read aloud. Unless otherwise specified, flow goes to the next question. The options Don't Know (DK) and Refusal (RF) are allowed on every question except for	
4	"Other - Specify". However, the response categories are shown in this document only when the flow from these responses is not to the next question. The survey introduction, household roster and demographics are part of the Entry/Exit block.	
Section:	Household Smoking (HS)	
HS_BEG	Beginning of Section	
Note:	This block requires number of people in the household (HHSNZE).	
HS_Q10	^DoAnyE smoke cigarettes?	
1 2	Yes No	
Note:	If HHSIZE=1, then ^DoAnyE = "Do you" Otherwise, ^DoAnyE = "Does anyone in your household"	
HS_Q20	How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.	
	(2 spaces) [Min: 0 Max: 15]	
HS_C30	If HS_Q20=0 or HS_Q20=DK or HS_Q20=RF, go to HS_Q40 Otherwise, go to HS_Q30	
HS_Q30	On a typical day, how many cigarettes are smoked inside your home?	
1 2 3 4 5	1 to 10 cigarettes 11 to 20 cigarettes 21 to 30 cigarettes 31 to 40 cigarettes 41 or more cigarettes	
Default:	(Go to HS_Q50)	
HS_Q40	Is smoking cigarettes allowed <u>inside</u> your home?	
1 2	Yes No (Go to HS_END) DK, RF (Go to HS_END)	
HS_Q50	Is smoking cigarettes <u>inside</u> your home restricted in any way?	
1 2	Yes No	

HS_Q60 How is smoking cigarettes restricted inside your home? INTERVIEWER: Read categories to respondent. Mark all that apply. 1 Allowed in certain rooms only 2 Restricted in the presence of young children 3 Allowed only if windows are open or with other type of ventilation 4 Other restriction(s) HS END End of Section Section: Person Age (PA) PA BEG Beginning of Section Notes: This block requires roster age. A header consisting of the name, sex and the age of the selected person should be displayed at the top of the screen. For example: Household Respondent: John Gender: Male Age: 25 For statistical purposes only, may we confirm your age, as of today? PA Q01 (3 spaces) {Min: 0 Max: 130] DK, RF (Go to PA_C01) AGE=PA Q01. If PA Q01 is DK or RF then AGE=ANDB Q01 (Roster Age), go to PA C01 PA C02 Otherwise, go to P PA E01 The respondent's age is different from roster age. Please verify age entered in PA_QQ1 Trigger soft edit if PA Q01 is a response equal to or greater than 15 years and the Note: entered age is different by more than three (3) years from the roster age. Pop up a soft edit with the following text: 'The respondent's age is different from roster age. Please verify age entered in PA Q01'. Select <Suppress> to accept the answer and continue or≮¢oto> to return and correct. Question involved: PA Q01. PA_E02 The respondent's age is less than 15. Please verify age entered in PA_Q01. If the respondent is less than 15, a CTUMS Questionnaire will not be completed. Enter <X> to accept the answer and continue or return to PA Q01 and correct. Note: Trigger soft edit if PA Q01 is equal to a response <15 years. Pop up a soft edit with the following text: 'The respondent's age is less than 15. Please verify age entered in

PA Q01. If the respondent is less than 15, a CTUMS Questionnaire will not be

completed.' Select <Suppress> to accept the answer and continue or <Goto> to return

Questionnaire used for July to December 2004 data collection

Question involved: PA Q01.

and correct.

PA_C02	If the respondent's age is <15, go to End of person roster. If SEL=1, go to Thank You 3 and End of Interview. The outcome code will be auto coded. If SEL=2, go to start PMSR.		
PA_END	End of Section		
Section:	Smoking Status (SS)		
SS_BEG	Beginning of Section		
SS_R10	I am going to start with questions about cigarette smoking. Include cigarettes that are bought ready-made as well as cigarettes that you make yourself.		
	INTERVIEWER: Press <enter> to continue.</enter>		
SS_Q10	At the present time, do you smoke cigarettes every day, occasionally or not at all?		
1 2 3	Every day Occasionally Not at all		
SS_Q20	In the past 30 days, did you smoke any cigarettes?		
1 2	Yes No		
SS_E20	Potentially inconsistent answers have been entered. Please confirm.		
Note:	Trigger soft edit if (SS_Q10=3 (Not at all)) and (SS_Q20=1(Yes)).		
SS_C30	If SS_Q10=1 (Daily smoker) or SS_Q20=1 (Smoked in past 30 days), go to SS_Q30 Otherwise, go to SS_Q40		
SS_Q30	During the past 30 days, did you smoke every day?		
1 2	Yes No		
SS_Q40	Have you smoked at least 100 cigarettes in your life?		
1 2	Yes No		
SS_D40	Create variable SS_Stat		
	If SS_Q10 = 1, then SS_Stat = 1 (Daily smoker) Else, if SS_Q10 = 2, then SS_Stat = 2 (Occasional smoker) Else, if SS_Q10 = 3 and SS_Q40 = 1, then SS_Stat = 3 (Former smoker) Else, if SS_Q10 = 3 and SS_Q40 = 2, then SS_Stat = 4 (Never smoked) Otherwise, SS_Stat = 5 (Not determined)		
SS_END	End of Section		

Section: Past Smoking (PS) PS BEG Beginning of Section This block requires SS Stat and PA Q01. AGE=PA Q01. If PA Q01 is DK or RF then Note: AGE=ANDB Q01 (Roster Age). PS C10 If SS Stat = 4 (Never smoked), go to PS Q10 Otherwise, go to PS C20 **PS Q10** Have you ever smoked a whole cigarette? Yes 2 No PS C20 If SS Stat = 2 (Occasional) or SS Stat = 3 (Former), go to PS Q20 Otherwise, go to PS C30 Have you ever smoked cigarettes daily? **PS Q20** Yes 2 No If SS_Stat = 1 (Daily) or SS_Stat = 2 (Occasional) or SS_Stat = 3 (Former) or PS_C30 PS Q10 = 1 (Yes), go to PS Q30 Otherwise, go to PS END **PS Q30** At what age did you smoke your first eigarette? [Min: 4 Max: 94] (2 spaces) **PS E30** The age in PS Q30 should not be greater than age of respondent. Please confirm. Trigger soft edit if RS Q30>AGE of respondent. Note: Questions Involved: PS Q30 and PA Q01. AGE=PA Q01. If PA Q01 is DK or RF then AGE=AND® Q01 (Roster Age). PS C40 If SS Stat > (Daily) or PS Q20 = 1 (Yes), go to PS Q40 Otherwise, go to PS_END At what age did you begin to smoke cigarettes daily? PS_Q40 (2 spaces) [Min: 4 Max: 94] PS E40A The age in PS_Q40 should not be greater than age of respondent. Please confirm. Note: Trigger soft edit if PS Q40>AGE of respondent. Questions Involved: PS Q40 and PA Q01. AGE=PA Q01. If PA Q01 is DK or RF then AGE=ANDB Q01 (Roster Age). PS E40B The age in PS Q40 should not be less than the age given in PS Q30. Please confirm. Trigger soft edit if PS Q40<PS Q30. Note: Questions Involved: PS Q30 and PS Q40. PS_END **End of Section**

Section: Weekly Pattern (WP)

WP_BEG Beginning of Section

Note: This block requires SS_Stat and SS_Q20.

WP_C010 If SS_Stat=1 (Daily) or SS_Q20=1 (Smoked in past 30 days), go to WP_D10

Otherwise, go to WP END

WP_D010 Create variables to fill day of week in WP_Q10A to WP_Q10G: For example, if today is

Monday, then Day1 = yesterday (Sunday), Day2 = Saturday, Day3 = Friday, etc.

WP_Q10A Some people smoke more or less depending upon the day of the week.

So, thinking back over the past 7 days, starting with yesterday, how many

cigarettes did you smoke:

... yesterday (^Day1)?

__ (2 spaces) [Min: 0 Max: 90] DK, RF (Go to WP END)

WP Q10B ... on ^Day2?

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91] 91, DK, RF (Go to WP_END)

WP_Q10C ... **on ^Day3?**

INTERVIEWER: If same amount every day, please enter 91.

___(2 spaces) [Min: 0 Max: 91] [Go to WP_END]

WP_Q10D ... on **^Day4**?

INTERVIEWER: If same amount every day, please enter 91.

2 spaces) [Min: 0 Max: 91] 91, DK, RF (Go to WP_END)

WP_Q10E/ ... on ^Day5?

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91] 91, DK, RF (Go to WP_END)

WP Q10F ... on ^Day6?

INTERVIEWER: If same amount every day, please enter 91.

__ (2 spaces) [Min: 0 Max: 91] 91, DK, RF (Go to WP_END)

WP_Q10G ... on ^Day7? INTERVIEWER: If same amount every day, please enter 91. [Min: 0 Max: 91] (2 spaces) 91, DK, RF (Go to WP_END) WP_END End of Section Section: **Smoking Behaviour (SB)** SB BEG Beginning of Section Note: This block requires SS_Stat. SB C10 If SS Stat = 1 (Daily), go to SB Q10 Else if SS Stat = 2 (Occasional), go to SB Q20 Otherwise, go to SB END SB_Q10 How soon after you wake up do you smoke your first cigarette? Within 5 minutes 2 6 to 30 minutes 3 31 to 60 minutes 4 More than 60 minutes What strength of cigarettes do you usually smoke? SB_Q20 INTERVIEWER: Read categories to respondent. Ultra or extra light 1 2 Liaht 3 Ultra or extra mild 4 Mild 5 Regular (Go to SB END) (Go to SB_END) DK;\RF SB_Q30 Do you smoke light or mild cigarettes because: ... you believe they reduce the risks of smoking without having to actually give up smoking? Yes 2 No ... you believe they reduce the amount of tar you inhale, compared to regular **SB Q40** cigarettes? Yes 1 2 No

SB_Q50 .	you believe they reduce the risk to your health, compared to regular cigarettes?	
	Yes No	
SB_END E	End of Section	
Section:	Cigarette Brand (CB)	
CB_BEG E	Beginning of Section	
Note:	This block requires SS_Stat.	
	If SS_Stat=1 (Daily) or if SS_Stat=2 (Occasional), go to CB_Q10 Otherwise, go to CB_END	
CB_Q10 \ \	What brand of cigarettes do you usually smoke?	
2 3 4 5 6 7 8 9 10 11 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	Belmont Craven "A" - King Craven Menthol - King DuMaurier - King DuMaurier - Regular DuMaurier - Light King DuMaurier - Light King DuMaurier - Extra Light King DuMaurier - Extra Light King DuMaurier - Ultra Light Regular DuMaurier - Ultra Light Regular DuMaurier - Special King DuMaurier - Special King DuMaurier - Special King DuMaurier - Special Ming DuMaurier - Special King DuMaurier - Special King DuMaurier - Special King Matinee - Special King Matinee - Extra Mild King Matinee - Extra Mild King Matinee - Extra Mild Regular Matinee - Silms King Number 7 Player's - Light King Player's - Light Regular Player's - Regular Player's - Extra Light King Player's - Extra Light King Player's - Extra Light Regular Player's - Extra Light Regular Player's - Extra Light Regular Player's - Light Regular Player's - Light Smooth Rothmans - King Rothmans - Special Mild King No regular brand Other - Specify (Go to CB_END)	

INTERVIEWER: Specify.
(80 spaces)
End of Section
Cigarette Source (CS)
Beginning of Section
This block requires SS_Stat.
If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional), go to CS_Q10 Otherwise, go to CS_END
In the past 6 months, where did you <u>usually</u> buy cigarettes?
Vending machine Convenience store/corner store Gasoline station Another store/retail outlet (such as grocery store) Internet Mail order Someone else Don't buy cigarettes / Did not buy in last 6 months Other
The <u>last time</u> you purchased cigarettes for yourself, where did you buy them?
Vending machine Convenience store corner store Gasoline station Another store retail outlet (such as grocery store, drug store) Internet Mail order Someone else Don't buy cigarettes Other End of Section

Section:	Cheaper Cigarettes (CC)
CC_BEG	Beginning of Section
Note:	This block requires SS_Stat.
CC_C10	If SS_Stat=1 (Daily) or SS_Stat= 2 (Occasional), go to CC_R10 Otherwise, go to CC_END
CC_R10	The next questions refer to efforts you may have made to buy cigarettes at a lower cost.
	INTERVIEWER: Press <enter> to continue.</enter>
CC_Q20	In the past 6 months, did you buy:
	a discount brand?
1 2	Yes No
CC_Q30	[In the past 6 months, did you buy:]
	from a First Nation's Reserve?
1 2	Yes No
CC_Q40	[In the past 6 months, did you buy:]
	from the Internet?
1 2	Yes No
CC_Q50	[In the past 6 months, did you buy:]
	by mail order?
1	Yes
CC_Q60	In the past 6 months, did you buy:
v	from outside your province?
1 2	Yes No
CC_Q70	[In the past 6 months, did you buy:]
	cigarettes that may have been smuggled?
1 2	Yes No

CC_Q80	Did you do anything else to buy cigarettes at a lower cost?		
1 2	Yes No		
CC_END	End of section		
Section:	Smoking Cessation (SC)		
SC_BEG	Beginning of Section		
Note:	This block requires SS_Stat.		
SC_C010	If SS_Stat=3 (Former), go to SC_Q010 Else if SS_Stat=1 (Daily) or SS_Stat=2 (Occasional), go to SC_6060 Otherwise, go to SC_END		
SC_Q010	When did you stop smoking?		
	INTERVIEWER: Read categories to respondent.		
1 2 3 4	Less than 1 year ago 1 to 2 years ago 3 to 5 years ago More than 5 years ago DK, RF Control Control		
SC_Q020	In what month did you stop smoking?		
	INTERVIEWER: Select the month.		
	01 January 07 July 02 February 08 August 03 March 09 September 04 April 10 October 05 May 11 November 06 June 12 December		
SC_Q030 (What was your main reason to quit smoking?		
INTERVIEWER: Read categories to respondent.			
1 2 3 4 5 6	Health Pregnancy or a baby in the household Less stress in life Cost of cigarettes Smoking is less socially acceptable Some other reason (Go to SC_S030)		
Default:	(Go to SC_Q040)		

SC_S030	What was your main reason to quit smoking?		
	INTERVIEWER: Specify.		
	(80 spaces)		
SC_Q040	How many attempts to quit did you make, approximately, before you quit smoking for good?		
	(2 spaces)	[Min: 1 Max: 94]	
SC_Q050	On average, how many cigarettes w	ere you smoking per day at the time you quit?	
	(2 spaces)	[Min: 1 Max: 94]	
SC_C060	If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional), go to SC_Q069 Otherwise, go to SC_C080		
SC_Q060	Are you seriously considering quitti	ng within the next 6 months?	
1 2	Yes No DK, RF	(Sp to SC_C080) (Go to SC_C080)	
SC_Q070	Are you seriously considering quitting within the next 30 days?		
1 2	Yes No		
SC_C080	If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional) or SC_Q010=1 (Former smokers who quit in the past year) go to SC_Q080 Otherwise, go to SC_END		
SC_Q080	In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?		
	((2 spaces)	[Min: 0 Max: 94]	
SC_C090	otherwise, go to SC_Q090		
SC_Q090	How many of these attempts lasted	at least 1 week?	
<u> </u>	(2 spaces)	[Min: 0 Max: 52]	
SC_E090	The number of attempts which lasted longer than 1 week cannot be greater than the number of times you stopped smoking for 24 hours. Please return and correct.		
Note:	Trigger hard edit if SC_Q090 is greater	Trigger hard edit if SC_Q090 is greater than SC_Q080.	
SC_C100	If (SS_Stat=1 (Daily) or SS_Stat=2 (Occasional)) and SC_Q080 > 0, go to SC_Q100 Otherwise, go to SC_END		

SC_Q100	What was the main reason you began to smoke again?	
1 2 3 4 5 6 7 8 9	To control body weight Stress, need to relax or to calm down Boredom Addiction / habit Lack of support or information Going out more (bars, parties) Increased availability No reason / felt like it Family or friends smoke Other	
SC_END	End of Section	
Section:	Cessation Methods (CM)	
CM_BEG	Beginning of Section	
Note:	This block requires SS_Stat and SC_Q010.	
CM_C10	If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional), go to CM_Q10 Else if SS_Stat=3 (Former) and (SC_Q010=7 or SC_Q010=2), go to CM_R20 Otherwise, go to CM_END	
CM_Q10	Have you tried to quit smoking in the past 2 years?	
1 2	Yes No DK, RF (Go to CM_END) (Go to CM_END)	
CM_R20	Now, I am going to ask you about methods you might have used to quit smoking in the past 2 years.	
OM 000	INTERVIEWER: Press <enter> to continue.</enter>	
CM_Q20	In the past 2 years, did you use a nicotine patch?	
1 2	Yes (Go to CM_Q40) (DK, RF (Go to CM_Q40)	
CM_Q30	Was this useful in helping you quit?	
1 2	Yes No	
CM_Q40	In the past 2 years, did you use nicotine gum such as "Nicorette"?	
1 2	Yes No (Go to CM_Q60) DK, RF (Go to CM_Q60)	
CM_Q50	Was this useful in helping you quit?	
1 2	Yes No	

CM_Q60	In the past 2 years, did you use a product such as "Zyban"?		
1 2		to CM_C80) to CM_C80)	
CM_Q70	Was this useful in helping you quit?		
1 2	Yes No		
CM_C80	If CM_Q20=2 and CM_Q40=2 and CM_Q60=2 (did not use patch, gum, or a product like Zyban), go to CM_Q80 Otherwise, go to CM_END		
CM_Q80	What were your reasons for not using either a patch, nicotine gum or a product such as "Zyban" to help you quit smoking?		
	INTERVIEWER: Read categories to respondent. Mark all that apply.		
1 2 3 4 5	You were concerned about possible side effects You didn't believe these products work You didn't have enough information about these products They cost too much Some other reason		
CM_END	End of Section		
Section:	Other Cessation Methods (OM)		
OM_BEG	Beginning of Section		
Note:	This block requires SS_Stat, SC_Q10, CM_Q10, CM_Q20, CM_Q40 and CM_Q60.		
OM_C010	If (((SS_Stat=1 (Daily) or SS_Stat=2 (Occasional)) and CM_Q10 = 1) or (SS_Stat=3 (Former) and ((SC_Q010 = 1 or SC_Q10 = 2) (former smoker quit in last 2 years))), go to OM_Q010 Otherwise, go to OM_END		
OM_Q010 Did you use hypnosis or acupuncture?			
1 2		to OM_Q030) to OM_Q030)	
OM_Q020	Was this useful in helping you quit?		
1 2	Yes No		

OM_Q030	Did you make a deal with a friend or family member to quit smoking together?		
1 2	Yes No DK, RF	(Go to OM_Q050) (Go to OM_Q050)	
OM_Q040	Was this useful in helping you quit?		
1 2	Yes No		
OM_Q050	In the past 2 years, did you take part in a quit smoking contest?		
1 2	Yes No DK, RF	(Go to OM_Q070) (Go to OM_Q070)	
OM_Q060	Was this useful in helping you quit?		
1 2	Yes No		
OM_Q070	Did you reduce the number of cigarettes you smoked as a strategy to quit?		
1 2	Yes No DK, RF	(Go to OM_Q090) (Go to OM_Q090)	
OM_Q080	Was this useful in helping you quit?		
1 2	Yes No		
OM_Q090	Did you use a 1-800 quit smoking phone line?		
1 2	Yes No DK; RF	(Go to OM_Q110) (Go to OM_Q110)	
OM_Q100 Was this useful in helping you quit?			
1 2	Yes No		
OM_Q110	Did you use an Internet web-site program to quit smoking?		
1 2	Yes No DK, RF	(Go to OM_C130) (Go to OM_C130)	
OM_Q120	Was this useful in helping you quit?		
1 2	Yes No		

OM_C130	If (CM_Q20=2 and CM_Q40=2 and CM_Q60=2 and OM_Q010=2 and OM_Q030=2 and OM_Q050=2 and OM_Q070=2 and OM_Q090=2 and OM_Q110=2) (did not use any of the methods), go to OM_Q130 Otherwise, go to OM_END	
OM_Q130	Did you try to quit smoking on your	own without special preparation or help?
1 2	Yes No	
OM_END	End of Section	
Section:	Health Professionals (HP)	
HP_BEG	Beginning of Section	
Note:	This block requires SS_Stat.	
HP_C010	If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional), go to HP_R010 Otherwise, go to HP_END	
HP_R010	Now, I'd like to ask you about your visits with health professionals.	
	INTERVIEWER: Press <enter> to continue.</enter>	
HP_Q010	In the past 12 months, did you see a doctor?	
1 2	Yes No DK, RF	Go to HP_Q040) (Go to HP_Q040)
HP_Q020	Did the doctor advise you to reduce	or quit smoking?
1 2	Yes No DK, RF	(Go to HP_Q040) (Go to HP_Q040)
HP_Q030	Dig the doctor provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?	
1 2	Yes No	nsening programs:
HP_Q040	In the past 12 months, did you see a	dentist or dental hygienist?
1 2	Yes No DK, RF	(Go to HP_Q070) (Go to HP_Q070)
HP_Q050	Did the dentist or dental hygienist advise you to reduce or quit smoking?	
1 2	Yes No DK, RF	(Go to HP_Q070) (Go to HP_Q070)

HP_Q060	Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?	
1 2	Yes No	
HP_Q070	In the past 12 months, did you see a nurse for treatment?	
1 2	Yes No DK, RF	(Go to HP_Q100) (Go to HP_Q100)
HP_Q080	Did the nurse advise you to reduce o	or quit smoking?
1 2	Yes No DK, RF	(Go to HP_Q100) (Go to HP_Q100)
HP_Q090	Did the nurse provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?	
1 2	Yes No	
HP_Q100	In the past 12 months, did you talk with a pharmacist?	
1 2	Yes No DK, RF	(Go to HP_Q130) (Go to HP_Q130)
HP_Q110	Did the pharmacist advise you to red	luce or quit smoking?
1 2	Yes No DK, RF	(Go to HP_Q130) (Go to HP_Q130)
HP_Q120	Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?	
1 2	Yes	
HP_Q130	In the past 12 months, did you see a respiratory therapist?	
1 2	Yes No DK, RF	(Go to HP_END) (Go to HP_END)
HP_Q140	Did the therapist advise you to reduce or quit smoking?	
1 2	Yes No DK, RF	(Go to HP_END) (Go to HP_END)

HP_Q150	Did the therapist provide you with information on quit smoking aids such as the patch, a product like "Zyban" or counselling programs?		
1 2	Yes No		
HP_END	End of Section		
Section:	Smoking and Pregnancy (SP)		
SP_BEG	Beginning of Section		
Note:	This block requires SEX, PA_Q01, SS_Stat and SC_Q10. AGE=PA_Q01, If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age).		
SP_C10	If SEX=2 (Female) and (AGE>=20 and AGE<=44), go to SP_R10 Otherwise, go to SP_END		
SP_R10	Now, a few questions about smoking and pregnancy.		
	INTERVIEWER: Press <enter> to continue.</enter>		
SP_Q10	Have you been pregnant in the past 5 years (that is since ^5YearsAgo)?		
1 2	Yes No DK, RF (Go to SP_C20) (Go to SP_END) (Go to SP_END)		
Note:	Create variable called ^5 Years Ago This will be the system month and system year minus 5, e.g. July 1999		
SP_C20	If SS_Stat=1 (Daily) or SS_Stat=2 (Occasional) or (SS_Stat=3 (Former) and SC_Q010=1 or 2 or 3 (former smokers who quit less than 5 years ago)), go to SP_Q20 Otherwise, go to SP_Q30		
SP_Q20	During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?		
1 2	Yes No		
SP_Q30	During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?		
1 2 3	Yes No Not applicable (no spouse / partner)		
SP_END	End of Section		

Section:	Tobacco Products (TP)	
TP_BEG	Beginning of Section	
TP_R010	Now, a couple of questions about tobacco products, other than cigarettes.	
	INTERVIEWER: Press <enter> to continue.</enter>	
TP_Q010 1 2	Have you ever tried smoking a cigar of Yes No DK, RF	or cigarillos? (Go to TP_Q030) (Go to TP_Q030)
TP_Q020	In the past 30 days, did you smoke any cigars or cigarillos?	
1 2	Yes No	
TP_Q030	Have you ever tried smoking a pipe?	
1 2	Yes No DK, RF	(Go to TP_Q050) (Go to TP_Q050)
TP_Q040	In the past 30 days, did you smoke a	pipe?
1 2	Yes No	
TP_Q050	Have you ever tried chewing tobacco	, pinch or snuff?
1 2	Yes No DK, RF	(Go to TP_Q070) (Go to TP_Q070)
TP_Q060	In the past 30 days, did you use any chewing tobacco, pinch or snuff?	
1 2	Yes	
TP_Q070		These are small, brown cigarettes from India, ith a string at the ends and come in different
1 2	Yes No DK, RF	(Go to TP_Q090) (Go to TP_Q090)
TP_Q080	In the past 30 days, did you smoke bi	dis?
1 2	Yes No	

TP_Q090	Have you ever tried smoking kreteks Indonesia.)	? (These are clove flavoured cigarettes from
1 2	Yes No DK, RF	(Go to TP_Q110) (Go to TP_Q110)
TP_Q100	In the past 30 days, did you smoke k	reteks?
1 2	Yes No	
TP_Q110	Have you ever made cigarettes with tobacco sticks? (These are rolls of tobacco, other than cigars, that need to be put together with filters and paper sleeves to create a cigarette.)	
1 2	Yes No DK, RF	(Go to TP_END) (Go to TP_END)
TP_Q120	In the past 30 days, did you smoke cigarettes made with tobacco sticks?	
1 2	Yes No	
TP_END	End of Section	
Section:	Opinions on Smoking (OS)	
OS_BEG	Beginning of Section	
OS_Q10	Which of the following statements comes closest to how you feel about smoking in restaurants?	
	INTERVIÈWER: Read categories to res	spondent.
1 2 3 4	Smoking should not be allowed in a restaurant Smoking should be allowed only in a section of a restaurant that is enclosed Smoking should be allowed only in a designated section of a restaurant Smoking should be allowed anywhere in a restaurant	
OS_Q20	Which of the following statements cobars and taverns?	omes closest to how you feel about smoking in
	INTERVIEWER: Read categories to res	spondent.
1 2 3 4		section of a bar or tavern that is enclosed designated section of a bar or tavern
OS_END	End of Section	

Section:	Language and Education (LA)	
LA_BEG	Beginning of Section	
LA_R10	Now, a few general questions that will help us analyze the survey data.	
	INTERVIEWER: Press <enter> to cont</enter>	inue.
LA_Q10	What language do you speak most often at home?	
1 2 3 4	English French Both English and French Other	
LA_Q20	What is the highest grade or level of education you have ever attained?	
1 2 3 4 5 6 7 8 9 10 LA_END	No schooling Some elementary Completed elementary Some secondary Completed secondary Some community college, technical college, CEGEP or nurse's training Completed community college, technical college, CEGEP or nurse's training Some university or teacher's college Completed university or teacher's college Other education or training End of Section Labour Force (LF)	
LF_BEG	Beginning of Section	
Note:	This block requires SEX (SEX_Q01).	
LF_Q10	Please include part-time jobs, seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.	
1 2	Yes No DK, RF	(Go to LF_END) (Go to LF_END)
LF_Q20	Are you currently working at a job or a business?	
1 2	Yes No DK, RF	(Go to LF_END)

LF_R30 The next questions are about your ^CurrentPastMain.

<u>INTERVIEWER</u>: If person currently holds more than one job then report on the job for which the number of hours worked per week is the greatest. If person does not currently work, but had more than one job in the past 12 months, then report on the job with the most hours worked.

INTERVIEWER: Press <Enter> to continue.

Note: If LF Q20 =1 then ^CurrentPastMain= "current job or business."

Else ^CurrentPastMain= "main job or business in the past 12 months."

LF_Q30 What kind of work ^AreWere you doing? (For example:

babysitting in own home, factory worker, forestry technician

_____ (50 spaces)

Note: If LF Q20 =1 then 'AreWere = "are";

Else ^AreWere = "were";

LF_Q40 What ^AreWere your most important activities or duties? (For

example: caring for children, stamp press machine operator, forest examiner)

_____ (50 spaces

Note: If LF_Q20 =1 then ^AreWere = "are"

Else AreWere = "were";

LF_Q50 At your place of work, what ^AreWere the restrictions on smoking?

INTERVIEWER: Read categories to respondent.

1 Restricted completely

2 Allowed in designated areas

3 Restricted only in certain places

4 Not restricted at all

Note: If $L \neq Q20 = 1$ then ^AreWere = "are";

Else AreWere = "were";

LF_END \ End of Section

Section: Student Income (SI)

SI_BEG Beginning of Section

Note: This block requires PA Q01. AGE=PA Q01. If PA Q01 is DK or RF then

AGE=ANDB Q01 (Roster Age).

SI_C10 If AGE<25, go to SI_Q10

Otherwise, go to SI END

SI_Q10	Are you currently attending a school, college or university?	
1 2	Yes No DK, RF	(Go to SI_END) (Go to SI_END)
SI_R20	Please think now about money that you have each week to save or to spend on "extras" such as snack food, gifts or entertainment, but not living expense item like rent or tuition.	
	INTERVIEWER: Press <enter> to con</enter>	tinue.
SI_Q20	About how much money do you have each week to spend on yourself or to s Please include money from jobs, allowances or any other source.	
	(4 spaces)	[Min: 0 Max: 2000]
SI_E20	An unusual value has been entered. Please confirm.	
Note:	Trigger soft edit if SI_Q20 < 10 or SI_Q20 > 1000.	
SI_END	End of Section	
Section:	Postal Code (PC)	?o>~
PC_BEG	Beginning of Section	
PC_Q10	To determine which geographic region you live in, could you tell me your postal	
	code? DK, RF	(Go to PC_E10) (Go to PC_Q20)
PC_E10	If the first character of the postal code is not valid, pop up a hard edit with the follow text: "Invalid first letter for postal code. Please return and correct."	
,		red for the postal code, pop up a hard edit with the characters long. Please return and correct."
		s of the postal code is not valid, pop up a hard edit for postal code. Format must be X9X9X9.
		d for the postal code, pop up a soft edit with the characters long. Please return and correct."
	If the format of the postal code is not valid, pop up a soft edit with the following text: "Invalid format for postal code. Format must be X9X9X9. Please return and correct."	
Default:	(Go to PC_END)	
PC_Q20	What are the first 3 digits of your postal code?	
	(3 spaces)	(Go to PC_E20) (Go to PC_END)

PC_E20 If the first character of the postal code is not valid, pop up a hard edit with the following text: "Invalid first letter for postal code. Please return and correct." If fewer than three characters are entered for the postal code, pop up a hard edit with the following text: "Postal code must be 3 characters long. Please return and correct." If the format of the first three characters of the postal code is not valid, pop up a hard edit with the following text: "Invalid format for postal code. Format must be X9X. Please return and correct." PC END End of Section Section: Marijuana Use (MU) MU BEG Beginning of Section This block requires PA_Q01. AGE=PA_Q01. If PA_Q01 is DK or RF then Note: AGE=ANDB Q01 (Roster Age). I have finished the questions about tobacco use. Now, I am going to ask a couple MU R10 of questions about marijuana. Again, I would like to remind you that everything you say will remain strictly confidential. INTERVIEWER: Press <Enter> to continue MU Q10 Have you ever used or tried marijuana, cannabis or hashish? INTERVIEWER: Read categories to respondent. 1 Yes, just once 2 Yes, more than once 3 No (Go to MU END) DK. RF (Go to MU END) MU_Q20 Have you used it in the past 12 months? Yes 2 No√ (Go to MU_Q40) (Go to MU_Q40) DK, RF MU C36 `\f_M\U_Q10 = 1, go to MU_Q40 How often did you use marijuana, cannabis or hashish in the past 12 months? MU Q30 INTERVIEWER: Read categories to respondent. Less than once a month 2 1 to 3 times a month 3 Once a week 4 More than once a week 5 **Every day** MU Q40 How old were you when you first did this? [Min: 04 Max: 94] (2 spaces)

MU_E40 The age in MU_Q40 should not be greater than age of respondent. Please confirm.

Note:

Trigger soft edit if MU_Q40 > AGE of respondent.

Questions involved: MU_Q40 and PA_Q01. AGE=PA_Q01. If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age).

MU_END End of Section

CAI_SO **END OF INTERVIEW**