

## 2007 CODES

## DESCRIPTION

**1. Cut Plate: Carbon & Alloy (Discrete Plate - Excluding HGHR)**

7208511000 Flat prod roll 4 faces i/nas nic hr <= 1 250mm wide > 10mm thick  
 7208519191 Flat rolled prod i/nas nic hr >10mm thk => 600 but <= 1 525mm wide mfr ships/well:  
 7208519192 Flat rolled prod i/nas nic hr >10mm thick >1 525 but <=1 830mm wd mfr ships/well:  
 7208519193 Flat rolled prod i/nas nic hr >10mm thick >1 830 but <=2 450mm wd mfr ships/well:  
 7208519194 Flat rolled prod i/nas nic hr >10mm thick >2 450 but <=3 050mm wd mfr ships/well:  
 7208519195 Flat rolled prod i/nas nic hr > 10mm thick > 3 050mm wide mfr ships/well:  
 7208519991 Flat rolled prod i/nas nic hr >10mm thk =>600 but <=1 525mm wide nes  
 7208519992 Flat rolled prod i/nas nic hr >10mm thk >1 525 but <=1 830mm wide nes  
 7208519993 Flat rolled prod i/nas nic hr >10mm thk >1 830mm but <=2 450mm wide nes  
 7208519994 Flat rolled prod i/nas nic hr >10mm thk >2 450mm but <=3 050mm wide nes  
 7208519995 Flat rolled prod i/nas nic hr >10mm thk >3 050mm wide nes  
 7208521100 Flat prod roll 4 faces i/nas nic hr =>4.75mm thk <=1 250mm wd myp 355MPa use ships:  
 7208521900 Flat prod roll 4 faces i/nas nic hr =>4.75mm thk <=1.250mm wide myp 355MPa nes  
 7208529091 Flat rolled prod i/nas nic hr =>4.75<=10mm thk =>600<=1 525mm wide nes  
 7208529092 Flat rolled prod i/nas nic hr =>4.75 <=10mm thk >1 525 <=1 830mm wide nes  
 7208529093 Flat rolled prod i/nas nic hr =>4.75 <=10mm thk >1 830 <=2 450mm wide nes  
 7208529094 Flat rolled prod i/nas nic hr =>4.75 <=10mm thk >2 450<=3 050mm wide nes  
 7208529095 Flat rolled prod i/nas nic hr =>4.75 <=10mm thk >3 050mm wide nes  
 7211130000 Flat rolled products rolled 4 faces i/nas hr >150mm <600mm wide =>4mm thk  
 7211140010 Flat rolled prod i/nas hr not in coils => 4.75mm thick < 600mm wide

**2. Cut Plate: Heat Treated & Alloy (Discrete Plate - Excluding HGHR)**

7208519110 Flat rolled prod i/nas nic hr heat-treated =>600mm wide >10mm thk mfr ships/well:  
 7208519910 Flat rolled prod i/nas nic hr heat-treated =>600mm wide >10mm thk nes  
 7208529010 Flat rolled prod i/nas nic hr heat-treated =>600mm wide =>4.75 but <=10mm thk ne  
 7225403000 Flat rolled prod of high speed steel nfw than hr, nic =>600mm wide  
 7225409110 Flat roll prod as o/t ss nic nfw hr =>600 <=15 25mm wide use ships/mfr saw:  
 7225409120 Flat roll prod as o/t ss nic nfw hr >1 525 <=1 830mm wide use ships/mfr saw:  
 7225409130 Flat rolled prod as o/t ss nic nfw hr >1 830 <=2 450mm wide use ships/mfr saw:  
 7225409140 Flat rolled prod as o/t ss nic nfw hr >2 450mm wide use ships/mfr saw:  
 7225409911 Flat rolled prod mold steel heat-treated nic nfw than hr => 600mm wide  
 7225409919 Flat rolled prod a/s other than ss heat-treated nic nfw than hr =>600mm wide ne:  
 7225409922 Flat rolled prod tool steel nfw than hr => 600mm wide > 4.75mm thick nes  
 7225409991 Flat rolled prod as o/t stainless nic nfw than hr =>600 but <=1 525mm wide ne:  
 7225409992 Flat rolled prod as o/t stainless nic nfw than hr >1 525 b <=1 830mm wide ne:  
 7225409993 Flat rolled prod as o/t stainless nic nfw than hr >1 830 but <=2 450mm wide ne:  
 7225409994 Flat rolled prod as o/t stainless nic nfw than hr >2 450mm wide ne:  
 7226200092 Flat rolled prod of high speed steel <600mm wide >4.75mm thk nes  
 7226919040 Flat rolled prod tool steel nfw than hr <600mm wide >4.75mm thk

**3. Floor Plate**

7208100010 Flat rolled prod i/nas in coil hr w patterns in relief =>600 but <=1 525mm wid  
 7208100020 Flat rolled prod i/nas in coil hr with patt in relief exceeding 1 525mm wid  
 7208401010 Flat rolled prod i/nas nic hr h-trtd >10mm thk =>600 <=1 525 mm wide use in ship:  
 7208401020 Flat rolled prod i/nas nic hr h-trtd >10mm thk >1 525 <=2 450mm wide use in ship:  
 7208401030 Flat rolled prod i/nas nic hr heat-treated >10mm thk >2 450mm wide use in ship:  
 7208409110 Flat roll prod i/nas not in coil hr heat-treated =>4.75 <=10mm thk myp <355 MP:  
 7208409120 Flat rolled prod i/nas nic hr heat-treated >10mm thk w patterns in relie  
 7208409910 Flat rolled prod i/nas nic hr >10mm thk =>600 <=1 525mm wide w pat in relief ne:  
 7208409920 Flat rolled prod i/nas nic hr >10mm >1 525mm <=2 450mm nes  
 7208409930 Flat rolled prod i/nas nic hr > 10mm thk > 2 450mm wide nes

**4. H.R. Sheets: Carbon & Alloy (including HGHR)**

7208251010 Flat roll prod i/nas hr pkld =>4.75mm thk =>600 but <=1 525mm wd nat gas/oil well:  
 7208251020 Flat roll prod i/nas hr pkld =>4.75mm thk >1 525 but <=1 830mm wd nat gas/oil wel  
 7208251030 Flat roll prod i/nas hr pkld =>4.75mm thk >1 830 but <=2 450mm wd nat gas/oil wel  
 7208251040 Flat rolled prod i/nas hr pickled =>4.75mm thk >2 450mm wide nat gas/oil well:  
 7208259010 Flat roll prod i/nas in coil hr pickled =>4.75mm thick =>600 but <=1 525mm wide ne  
 7208259020 Flat rolled prod i/nas in coil hr pkld =>4.75mm thk >1 525 but <=1 830mm wide nes  
 7208259030 Flat rolled prod i/nas in coil hr pkld =>4.75mm thk >1 830 but <=2 450mm wide nes  
 7208259040 Flat rolled prod i/nas in coil hr pickled =>4.75mm thk >2 450mm wide nes  
 7208261010 Flat roll prod i/nas coil hr pkld =>3 mm<4.75mm thk =>600mm <=1 525mm wide mfr saw  
 7208261020 Flat roll prod i/nas coil hr pkld =>3 <4.75mm thk >1 525mm<=1 830mm wide mfr saws  
 7208261030 Flat roll prod i/nas coil hr pkld =>3 <4.75mm thk >1 830mm <=2 450mm wide mfr saws  
 7208261040 Flat rolled prod i/nas coil hr pickled =>3mm <4.75mm thk >2 450mm wide mfr saws

7208269010 Flat rolled prod i/nas coil hr pickled =>3 <4.75mm thick =>600mm <=1 525mm wide ne  
 7208269020 Flat rolled prod i/nas coil hr pkl =>3mm <4.75mm thk >1 525mm <=1 830mm wide nes  
 7208269030 Flat rolled prod i/nas coil hr pkl =>3 mm <4.75mm thk >1 830mm <=2 450mm wide nes  
 7208269040 Flat rolled prod i/nas coil hr pickled =>3mm <4.75mm thk >2 450mm wide nes  
 7208271010 Flat roll prod i/nas coil hr pickled <3mm thick =>600mm<=1 525mm wide f mfr saws  
 7208271020 Flat roll prod i/nas coil hr pickled <3mm thk >1 525mm<=1 830mm wide f mfr saws  
 7208271030 Flat roll prod i/nas coil hr pickled <3mm thk >1 830 mm <=2 450mm wide f mfr saws  
 7208271040 Flat rolled prod i/nas coil hr pickled <3mm thk >2 450mm wide f mfr saws  
 7208279010 Flat rolled prod i/nas coil hr pickled <3mm thick =>600mm <=1525mm wide nes  
 7208279020 Flat rolled prod i/nas coil hr pickled <3mm thk >1525mm <=1830mm wide nes  
 7208279030 Flat rolled prod i/nas coil hr pickled <3mm thk >1830 mm <=2450mm wide nes  
 7208279040 Flat rolled prod i/nas coil hr pickled <3mm thk >2450mm wide nes  
 7208360010 Flat rolled prod i/nas in coil hr >10mm thk =>600 but <=1 525mm wide nes  
 7208360020 Flat rolled prod i/nas in coil hr >10mm thk >1 525 but <=1 830mm wide nes  
 7208360030 Flat rolled prod i/nas in coil hr >10mm thk >1 830 but <=2 450mm wide nes  
 7208360040 Flat rolled prod i/nas in coil hr >10mm thk >2 450mm wide nes  
 7208371010 Flat roll prod i/nas coil hr =>4.75 <=10mm thk =>600 <=1 525mm wd nat gas/oil wel  
 7208371020 Flat roll prod i/nas coil hr =>4.75<=10mm thk >1 525 <=1 830mm wd nat gas/oil wel  
 7208371030 Flat roll prod i/nas coil hr =>4.75<=10mm thk >1 830<=2 450mm wd nat gas/oil wells  
 7208371040 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk >2 450mm wd nat gas/oil wells  
 7208379010 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk =>600 <=1 525mm wide nes  
 7208379020 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk >1 525 <=1 830mm wide nes  
 7208379030 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk >1 830 <=2 450mm wide nes  
 7208379040 Flat rolled prod i/nas coil hr =>4.75 <=10mm thk >2 450mm wide nes  
 7208381010 Flat rolled prod i/nas coil hr =>3 <4.75mm thk =>600 <=1 525mm wide mfr saws  
 7208381020 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >1 525 <=1 830mm wide mfr saws  
 7208381030 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >1 830 <=2 450mm wide mfr saws  
 7208381040 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >2 450mm wide mfr saws  
 7208389010 Flat rolled prod i/nas coil hr =>3 <4.75mm thk =>600 <=1 525mm wide nes  
 7208389020 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >1 525 <=1 830mm wide nes  
 7208389030 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >1 830 <=2 450mm wide nes  
 7208389040 Flat rolled prod i/nas coil hr =>3 <4.75mm thk >2 450mm wide nes  
 7208390010 Flat rolled prod i/nas coil hr <3mm thk =>600 <=1 525mm wide nes  
 7208390020 Flat rolled prod i/nas coil hr <3mm thk >1 525 <=1 830mm wide nes  
 7208390030 Flat rolled prod i/nas coil hr <3mm thk >1 830 <=2 450mm wide nes  
 7208390040 Flat rolled prod i/nas coil hr <3mm thk >2 450mm wide nes  
 7208530010 Flat rolled prod i/nas nic hr =>3<4.75mm thk =>600<=1 525mm wide nes  
 7208530020 Flat rolled prod i/nas nic hr =>3<4.75mm thk >1 525<=1 830mm wd nes  
 7208530030 Flat rolled prod i/nas nic hr =>3<4.75mm thk >1 830<=2 450mm wide nes  
 7208530040 Flat rolled prod i/nas nic hr =>3<4.75mm thk >2 450mm wide nes  
 7208540010 Flat rolled products i/nas nic hr <3mm thk =>600<=1 525mm wide nes  
 7208540020 Flat rolled products i/nas nic hr <3mm thk >1 525 <=1 830mm wide nes  
 7208540030 Flat rolled products i/nas nic hr <3mm thk >1 830<=2 450mm wide nes  
 7208540040 Flat rolled products i/nas nic hr <3mm thk >2 450mm wide nes  
 7208900000 Flat rolled prod i/nas not further worked than hot rolled ne  
 7211140090 Flat rolled products i/nas hr => 4.75mm thickness < 600mm wide nes  
 7211191000 Flat rolled products i/nas hr not hardened/tempered/ground < 600mm wide mfr saws  
 7211199010 Flat rolled prod iron/non alloy steel hr not in coils < 600mm wid  
 7211199090 Flat rolled products iron or non-alloy steel hr less than 600mm wide ne  
 7225302000 Flat rolled prod of high speed steel nfw than hr, in coils =>600mm wid  
 7225309100 Flat roll prod ot al st nfw hr coils cut to shape not hardened etc mfr saw  
 7225309900 Flat rolled prod as o/t stainless in coils nfw than hr =>600mm wide ne  
 7225409921 Flat rolled prod tool steel nfw than hr => 600mm wide <= 4.75mm thicl  
 7226919020 Flat rolled prod mold steel nfw than hr <600mm wide  
 7226919090 Flat rolled prod as o/t stainless nfw than hr <600mm wide nes

#### 5. C.R. Sheets: Carbon & Alloy

7209150010 Flat rolled prod i/nas in coil cr =>3mm thk =>600mm but <=1 525mm wide myp 355MF  
 7209150020 Flat rolled prod i/nas in coil cr =>3mm thk >1 525mm <=2 030mm wide myp 355 MPε  
 7209150030 Flat rolled prod i/nas in coil cr =>3mm thk >2 030mm wide myp 355 MPε  
 7209161010 Flat roll prod i/nas coil cr >1<3mm thk =>600 <=1 525mm wd mfr automotive jacks  
 7209161020 Flat roll prod i/nas coil cr >1<3mm thk >1 525 <=2 030mm wd mfr automotive jacks  
 7209161030 Flat roll products i/nas coil cr >1 <3mm thk >2 030mm wide mfr automotive jacks  
 7209169110 Flat rolled prod i/nas in coil cr >1 <3mm thk =>600 but <=1 525mm wide myp 275MPε  
 7209169120 Flat rolled prod i/nas in coil cr >1 <3mm thk >1 525 <=2 030mm wide myp 275MPε  
 7209169130 Flat rolled products i/nas in coil cr >1 <3mm thk >2 030mm wide myp 275MPε  
 7209169910 Flat rolled prod i/nas in coil cr >1 <3mm thk =>600 but <=1 525mm wide nes  
 7209169920 Flat rolled products i/nas in coil cr >1 <3mm thk >1 525 <=2 030mm wide nes

7209169930 Flat rolled products i/nas in coil cr >1 <3mm thk >2 030mm wide nes  
 7209171010 Flat roll prod i/nas coil cr =>0.5<=1mm thk =>600 <=1 525mm wd mfr magnetic core l  
 7209171020 Flat roll prod i/nas coil cr =>0.5<=1mm thk >1 525<=2 030mm wd mfr magnt core lam  
 7209171030 Flat roll prod i/nas in coil cr =>0.5 <=1mm thk >2 030mm wide fab magnt core larr  
 7209179110 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk =>600 <=1 525mm wide myp 275MPa  
 7209179120 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk >1 525 <=2 030mm wd myp 275MPa  
 7209179130 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk >2 030mm wide myp 275MPa  
 7209179910 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk =>600 but <=1 525mm wide r  
 7209179920 Flat rolled prod i/nas in coil cr =>0.5 <=1mm thk >1525 <=2 030mm wide nes  
 7209179930 Flat rolled products i/nas in coil cr =>0.5 <=1mm thk >2 030mm wide nes  
 7209181010 Flat roll prod i/nas in coil cr <0.5mm thk =>600 <=1 525mm wide mfr valves/tubes  
 7209181020 Flat rolled prod i/nas in coil cr <0.5mm thk >1525 <=2 030mm wd mfr valves/tubes  
 7209181030 Flat rolled prod i/nas in coil cr <0.5mm thk >2 030mm wide mfr valves/tubes  
 7209189110 Flat rolled prod i/nas in coil cr <0.5mm thk =>600 <=1 525mm wide myp 275MPa  
 7209189120 Flat rolled prod i/nas in coil cr <0.5mm thk >1 525 <=2 030mm wide myp 275MPa  
 7209189130 Flat rolled prod i/nas in coil cr <0.5mm thk >2 030mm wide myp 275MPa  
 7209189910 Flat rolled products i/nas in coil cr <0.5mm thk =>600 <=1 525mm wide nes  
 7209189920 Flat rolled products i/nas in coil cr <0.5mm thk >1525 <=2 030mm wide nes  
 7209189930 Flat rolled products i/nas in coil cr <0.5mm thk >2 030mm wide nes  
 7209250010 Flat rolled products i/nas nic cr =>3mm thk =>600 <=1 525mm wide nes  
 7209250020 Flat rolled products i/nas nic cr =>3mm thk >1 525 <=2 030mm wide nes  
 7209250030 Flat rolled products i/nas nic cr =>3mm thk >2 030mm wide nes  
 7209260010 Flat rolled prod i/nas not in coil cr >1 <3mm thk =>600 <=1 525mm wide  
 7209260020 Flat rolled prod i/nas not in coil cr >1 <3mm thk >1 525 <=2 030mm wide  
 7209260030 Flat rolled prod i/nas nic cr >1 but <3mm thk >2 030mm wide  
 7209270010 Flat rolled prod i/nas not in coil cr =>0.5 <=1mm thk =>600 <=1 525mm wide  
 7209270020 Flat rolled prod i/nas not in coil cr =>0.5 <=1mm thk >1 525 <=2 030mm wide  
 7209270030 Flat rolled products i/nas not in coil cr =>0.5 <=1mm thk >2 030mm wide  
 7209280010 Flat rolled products i/nas not in coil cr <0.5mm thk =>600 <=1 525mm wide  
 7209280020 Flat rolled products i/nas not in coil cr <0.5mm thk >1 525 <=2 030mm wide  
 7209280030 Flat rolled products i/nas not in coil cr <0.5mm thk >2 030mm wide  
 7209900010 Perforated flat rolled prod i/nas width =>600mm cr not clad plated or coated nes  
 7209900090 Flat rolled prod i/nas o/t perforated width =>600mm cr not clad pltd or ctd nes  
 7211231000 Flat roll prod i/nas cr hardened/tempered/ground < 600mm wide cntg <0.25% carbor  
 7211239000 Flat rolled prod i/nas cr < 600mm wide cntg by wt < 0.25% carbon nes  
 7211291000 Flat roll prod i/nas cr f mfr knit mach needle sp valve/tube saw & sp blade  
 7211299000 Flat rolled products i/nas cold rolled or cold reduced < 600mm wide nes  
 7211901000 Flat roll prod i/nas not hrd/temp/ground =>5mm thk <600mm wd mfr dies/saws  
 7211909010 Flat rolled prod perforated i/nas not clad plated or coated < 600mm wide nes  
 7211909090 Flat rolled prod i/nas o/t perforated not clad plated or coated < 600 mm wd nes  
 7225110010 Flat roll prod al stl cr/cd of sil-elect stl =>600mm wd <=4.75mm thk grain-orientec  
 7225110090 Flat rolled prod al st of silicon-elect steel => 600mm wide grain-oriented nes  
 7225190010 Flat rolled prod al stl cr/cd silicon-elect stl => 600mm wide <= 4.75mm thk nes  
 7225190090 Flat rolled prod alloy stl of silicon-electrical steel =>600mm wide nes  
 7225502000 Flat rolled prod of high speed steel =>600mm wide cr/cd <=4.75mm thk  
 7225509100 Flat rolled products of alloy steel nfw cr => 600 mm wide use in ship  
 7225509911 Flat rolled prod tool steel nfw than cr => 600mm wide <=4.75mm thk nes  
 7225509919 Flat rolled prod as o/t stainless nfw than cr =>600mm wide <=4.75mm thk nes  
 7225509921 Flat rolled prod tool steel nfw than cr =>600mm wide >4.75mm thk nes  
 7225509929 Flat rolled prod as o/t stainless nfw than cr =>600mm wide >4.75mm thk nes  
 7226110000 Flat rolled prod al stl o/t ss of silicon-elect steel grain-oriented<600mm wid  
 7226190010 Flat rolled prod of silicon-electrical steel cr <600mm wide <=4.75mm thk  
 7226190090 Flat rolled products of silicon-electrical steel <600mm wide nes  
 7226200010 Flat rolled prod of high speed steel <600mm wide cr <=4.75mm thk  
 7226929011 Flat rolled prod tool steel nfw than cr <600mm wide <=4.75mm thk  
 7226929019 Flat rolled prod as o/t stainless nfw than cr <600mm wide <=4.75mm thk nes  
 7226929021 Flat rolled prod tool steel nfw than cr <600mm wide >4.75mm thk  
 7226929029 Flat rolled prod as o/t stainless nfw than cr <600mm wide >4.75mm thk nes  
 7226999100 Flat rolled prod alloy steel nfw cr not hardened etc mfr saws/cutting die  
 7226999900 Flat rolled products as o/t stainless <600mm wide nes

## 6. Galvanized Steel Sheets

7210300000 Flat rolled products steel electrolytically pltd or coated w zinc =>600mm wid  
 7210410000 Corrugated flat rolled prod i/nas o/w plated/coated w zinc =>600mm wide nes  
 7210490010 Flat rolled prod i/nas o/w pltd/ctd w zinc o/t corrugated wd =>600mm tkns <0.5mm  
 7210490020 Flat rolled prod i/nas o/w pltd/ctd w zinc o/t corr wd =>600mm tkns >0.5mm < 1mm  
 7210490030 Flat rolled prod i/nas o/w pltd/ctd w zinc o/t corrugated wd =>600mm tkns > 1 mm  
 7212200000 Flat roll prod i/nas <600mm wide electrolytically plated or coated with zin

721230000 Flat rolled prod i/nas <600mm wide o/w plated or coated with zin  
7225910000 Flat rolled prod as o/t stainless electrolytically pltd/ctd w zinc => 600mm wid  
7225920000 Flat rolled prod as o/t stainless plated/coated w zinc => 600mm wide ne  
7226992000 Flat rolled prod as o/t stainless plated or coated w zinc < 600mm wd ne

#### 7. Pre-Painted

721070000 Flat rolled prod i/nas painted varnished or plast coated =>600mm wid  
721240000 Flat rolled prod i/nas <600mm wide painted varnished or plast coatec

#### 8. OCTG - Seamless

7304220000 Drill pipe of stainless steel seamless for use in drilling for oil or ga  
7304230011 Drill pipe new of iron/nas seamless for use in drilling for oil or ga  
7304230012 Drill pipe new of alloy steel seamless for use in drilling for oil or ga  
7304230091 Drill pipe used of iron/nas seamless for use in drilling for oil or ga  
7304230092 Drill pipe used of alloy steel seamless for use in drilling for oil or ga  
7304240000 Casing, tubing and drill pipe of stainless steel, used for drilling for oil or ga  
7304290011 Casing i/s ext diam >114.3 but <=177.8mm API H-40 J-55/K-55 used in drill oil/ga  
7304290019 Casing i/s ext diam >114.3 b <=177.8mm o/t API H-40 J-55/K-55 drill oil/gas ne  
7304290021 Casing i/s ext diam >177.8 b <=298.5mm API H-40 J-55/K-55 used drill for oil/ga  
7304290029 Casing i/s ext diam >177.8 b <=298.5mm o/t API H-40 J-55/K-55 drill oil/gas ne  
7304290031 Casing i/s ext diam >298.5mm API H-40 J-55/K-55 used in drilling for oil/ga  
7304290039 Casing i/s ext diam >298.5mm o/t API H-40 J-55/K-55 used in drill oil/gas ne  
7304290041 Tubing i/s ext diam <=60.2mm API H-40/J-55 used in drilling for oil/ga  
7304290049 Tubing i/s ext diam <=60.2mm o/t API H-40/J-55 used in drill for oil/gas ne  
7304290051 Tubing i/s ext diam 60.3mm API H-40/J-55 used in drilling for oil/ga  
7304290059 Tubing i/s ext diam 60.3mm o/t API H-40/J-55 used in drill for oil/gas ne  
7304290061 Tubing i/s ext diam >60.3 but <=73mm API H-40/J-55 used for drill oil/ga  
7304290069 Tubing i/s ext diam >60.3 b <=73mm o/t API H-40/J-55 used drill oil/gas ne  
7304290071 Tubing i/s ext diam >73mm API H-4/J-55 used in drilling for oil/ga  
7304290079 Tubing i/s ext diam >73mm o/t API H-40/J-55 used in drill for oil/gas ne

#### 9. OCTG - Welded

7305200000 Casings iron/steel int/ext circ c-sect wld ext diam >406.4 oil/gas drill ne  
7306291011 Casing i/s wld etc API H40 J55 K55 f mfr oil/gas drill ext diam >114.3b<=177.8mm  
7306291019 Casing i/s wld riveted/sim clos f mfr oil/gas drill ext diam >114.3b<=177.8mm ne  
7306291021 Casing i/s welded etc API H40 J55 K55 f mfr oil/gas drill ext diam>177.8<=298.4mm  
7306291029 Casing i/s wld riveted/sim clos f mfr oil/gas drill ext diam >177.8<=298.4mm ne  
7306291031 Casing iron/steel welded API H40 J55 K55 f mfr oil/gas drill ext diam >298.4mm  
7306291039 Casing iron/steel wld riveted/sim clos f mfr oil/gas drill ext diam >298.4mm ne  
7306291041 Tubing iron/steel welded riveted/sim closed API H40 or J55 f mf oil/gas dri  
7306291049 Tubing iron/steel welded riveted/sim closed f mrf oil/gas drilling ne  
7306299011 Casing iron/steel wld API H40 J55 K55 for oil/gas drill ext diam >114.3b<=177.8mm  
7306299019 Casing i/s wld rivet/sim clos for oil/gas drill ext diam >114.3 but <=177.8mm ne  
7306299021 Casing iron/steel wld API H40 J55 K55 for oil/gas drill ext diam >177.8<=298.4mm  
7306299029 Casing iron/steel welded for oil/gas drill ext diam >177.8 but <=298.4mm ne  
7306299031 Casing iron/steel welded API H40 J55K55 for oil/gas drill ext diam =>298.4mm  
7306299039 Casing iron/steel wld riveted/sim clos for oil/gas drill ext diam >298.4mm ne  
7306299041 Tubing iron/steel welded riveted/sim closed API H40 or J55 for oil/gas dri  
7306299049 Tubing iron/steel welded riveted/sim closed for oil/gas drilling ne

#### 10. Line Pipe for Oil & Gas Pipelines: < or = 16'

7304110000 Line pipe of stainless steel seamless ext diam >265mm used for oil/gas pipeline:  
7304191000 Line pipe iron or non alloy steel smls ext diam <=265mm used for natural ga  
7304199011 Line pipe iron or non alloy steel seamless ext diam=>265mm for oil/gas pipelin  
7304199012 Line pipe of alloy steel seamless ext diam >=265mm used for oil/gas pipeline:  
7304199021 Line pipe iron or non alloy steel smls ext diam<=265mm used for oil/gas pipeline  
7304199022 Line pipes of alloy steel seamless ext diam <=265mm used for oil/gas pipeline:  
7306190010 Pipe line iron/steel welded riveted/sim closed API <=X52 for oil/gas pipeline  
7306190090 Pipe line iron/steel welded riveted or sim closed for oil/gas pipeline ne

#### 11. Line Pipe for Oil & Gas Pipelines: > 16'

7305110011 Pipe line i/s longitud subm arc wld sect API <=X52 diam <=609.6mm oil/gas pipelin  
7305110021 Pipe line i/s longitud subm arc wld sect API<=X52 diam >609.6mm oil/gas pipelin  
7305110029 Pipe line i/s longitud subm arc wld circ sect diam >609.6mm oil/gas pipeline ne  
7305120011 Pipe line i/s longitud welded circ sect API <=X52 diam >609.6mm oil/gas pipelin  
7305120019 Pipe line i/s longitud welded circ sect ext diam <609.6mm oil/gas pipeline ne  
7305120020 Pipe line i/s longitud welded circ sect ext diam >609.6mm oil/gas pipeline ne  
7305190011 Pipe line i/s API <=X52 circ cross-sect ext diam <=609.6mm oil/gas pipeline ne

7305190019 Pipe line i/s int/ext circ cross-sect ext diam <=609.6 mm oil/gas pipeline ne  
7305190021 Pipe line i/s circ cross-sect API <=X52 ext diam >609.6 mm oil/gas pipeline ne  
7305190029 Pipe line i/s int/ext circ cross-sect ext diam >609.6mm oil/gas pipeline ne

## 12. Standard & Other Pipe

7306301011 Tubes & pipes iron/nas galvanized mech weld of circ cross-sect ext diam <=114.3mm  
7306301014 Standard pipe iron/nas galv welded of circ cross-section ext diam <=114.3 mm  
7306301019 Tubes pipes & hollow profiles i/nas galv wld of circ c-sect ext diam<=114.3mm ne  
7306301024 Standard pipe iron/nas welded of circ cross-section ext diam <=114.3 mm ne:  
7306301032 Tubes & pipes pressure iron/nas welded of circ c-sect ext diam >114.3 mm  
7306301034 Standard pipe iron/nas welded of circular cross-section ext diam >114.3 mm  
7306301039 Tubes pipes & hollow profiles iron/nas wld of circ c-sect ext diam >114.3mm ne  
7306309014 Standard pipe iron/nas galv welded of circ cross-section ext diam <=114.3 mm  
7306309019 Tubes pipes & hollow profiles i/nas galv wld of circ c-sect ext diam<=114.3mm ne  
7306309021 Tubes & pipes mechanical iron/nas weld of circ cross-sect ext diam <=114.3 mm ne:  
7306309022 Tubes & pipes pressure iron/nas welded of circ cross-sect ext diam <=114.3 mm ne:  
7306309024 Standard pipe iron/nas welded of circ cross-section ext diam <=114.3 mm ne:  
7306309029 Tubes pipes & hollow profiles i/nas wld of circ c-sect ext diam<=114.3mm ne:  
7306309034 Standard pipe iron/nas welded of circular cross-section ext diam >114.3 mm  
7306309039 Tubes pipes & hollow profiles iron/nas wld of circ c-sect ext diam >114.3mm ne  
7306500090 Tubes pipes & hollow profiles alloy steel(o/t stain) welded of circ c-sect ne  
7306619019 Other tube & pipe & hollow profiles iron/nas of welded sq or rectang c-sect ne  
7306619029 Tube&pipe(o/t mech)&hollow profile(o/t struct sect) al/s of wld sq or rectang c-sect ne  
7306699019 Other tube & pipe & hollow profiles iron/nas wld non circ c-sect ne  
7306699029 Tube&pipe(o/t mech)&hollow profile(o/t struct sect) al/s wld non circ c-sect ne  
7306901000 Tubes pipes shells i/s wld used in pneumatically breaking the face of the min  
7306909010 Tubes pipes & hollow profiles iron/non-alloy steel welded ne  
7306909020 Tubes pipes & hollow profiles alloy steel welded ne:

## 13. Hollow Structural Section

7306301013 Hollow structural sect iron/nas galv weld of circ cross-sect ext diam <=114.3mm  
7306301023 Hollow structural sect iron/nas welded of circ cross-sect ext diam <=114.3 mm ne:  
7306301033 Hollow structural sections iron/nas wld of circ c-sect ext diam >114.3 mm  
7306309013 Hollow structural sect iron/nas galv weld of circ cross-sect ext diam <=114.3mm  
7306309023 Hollow structural sect iron/nas welded of circ cross-sect ext diam <=114.3 mm ne:  
7306309033 Hollow structural sections iron/nas wld of circ c-sect ext diam >114.3 mm  
7306500030 Hollow structural sections alloy steel(o/t stainless) welded of circ c-sect ne  
7306619012 Hollow structural sections iron/nas of welded non sq or rectang cross-section ne  
7306619022 Hollow structural sections alloy steel of welded sq or rectang cross-section ne  
7306699012 Hollow structural sections iron/nas welded of non circular cross-section ne  
7306699022 Hollow structural sections alloy steel welded of non circular cross-section ne

## 14. Rebar

7213100000 Bars & rods i/nas hr in irreg wound coil cntg indent ribs etc prod during r  
7214200000 Bars & rods i/nas hr hd or he cntg indent ribs etc prod during rp/tar ne:

## 15. Wire Rod: Carbon & Alloy

7213201010 Wire rods free cutting steel hr irreg wound coils use in CDN manufacture:  
7213209010 Wire rods of free cutting steel hr in irreg wound coils ne:  
7213911010 Wire rods i/nas hr irreg wound coils circ c sect <= 9.525mm diam < 0.25% carbor  
7213911020 Wire rods i/nas hr irreg wound coil cc sect<=9.525mm cntg by wt =>0.25% <0.6% cart  
7213911030 Wire rods i/nas hr irreg wound coils <= 9.525mm dia cntg by wt =>0.6% carbor  
7213919011 Wire rods i/nas hr irreg wound coils circ c sect >9.525 <14mm diam <0.25% carbor  
7213919021 Wire rods i/nas hr irreg wnd coil cc sect >9.525<14mm dia cntg =>0.25% <0.6% cart  
7213919031 Wire rods i/nas hr irreg wound coils >9.525 <14mm dia cntg by wt =>0.6% carbor  
7213991010 Bars & rods i/nas hr irreg wound coils dia <=9.525mm cntg by wt <0.25% carbor  
7213991020 Bars & rods i/nas hr irreg wound coils dia <=9.525mm cntg =>0.25% <0.6% carbor  
7213991030 Bars & rods(o/t wire rods) i/nas hr irreg wound coils dia <=9.525mm =>0.6% carbor  
7213999110 Wire rods i/nas hr in irreg wound coils cntg by wt <0.25% carbon ne:  
7213999130 Wire rods i/nas hr irreg wound coils cntg by wt =>0.25% but <0.6% carbon ne:  
7213999910 Wire rods i/nas hr irreg wound coils cntg by wt =>0.6% carbon ne:  
7227901000 Bars & rods alloy steel ot ss hr irreg wound coils dia <=9.525mm mfr wire  
7227909010 Wire rods as o/t stainless hot rolled in irreg wound coils ne:

## 16. H.R. Steel Bars: Carbon

7213201091 Rounds free cutting steel hr irreg wound coils diameter <=75mm use in CDN mf  
7213201092 Hexagons of free cutting steel hr in irreg wound coils use in CDN manufacture  
7213201093 Squares of free cutting steel hr in irreg wound coils use in CDN manufacture

7213201099 Bars & rods free cutting steel hr in irreg wound coils use in CDN manufacture  
 7213209091 Rounds of free cutting steel hr in irreg wound coils diameter <= 75mm  
 7213209092 Hexagons of free cutting steel hr in irreg wound coils ne  
 7213209093 Squares of free cutting steel hr in irreg wound coils ne:  
 7213209099 Bars & rods of free cutting steel hr in irreg wound coils ne:  
 7213919019 Bars & rods i/nas hr in irreg wound coils cc sect <14mm diam <0.25% carbon ne:  
 7213919029 Bars & rods i/nas hr irreg wound coils cc sect <14mm =>0.25% b <0.6% carbon ne:  
 7213919039 Bars & rods i/nas hr irreg wound coils cc sect <14mm dia =>0.6% carbon ne:  
 7213999121 Rounds i/nas hr irreg wound coils diameter =>14 <=35mm cntg by wt <0.25% carbon  
 7213999122 Rounds of i/nas hr irreg wound coils diameter >35mm cntg <0.25% carbon ne:  
 7213999123 Hexagons i/nas hr in irreg wound coils ctg by wt <0.25% carbon ne  
 7213999124 Squares i/nas hr in irreg wound coils cntg by weight <0.25% carbon ne  
 7213999129 Bars & rods i/nas hr in irreg wound coils cntg by weight <0.25% carbon ne  
 7213999141 Rounds i/nas hr irreg wound coils dia =>14mm but <=35mm by wt =>.25% b <.6%carb ne  
 7213999142 Rounds i/nas hr irreg wound coils dia >35mm by wt =>.25% but <0.6% carbon ne:  
 7213999149 Bars & rods i/nas hr irreg wound coils cntg by wt =>0.25% but <0.6% carbon ne:  
 7213999921 Rounds i/nas hr irreg wound coils diam =>14 but <=35mm cntg by wt =>0.6% carb ne:  
 7213999922 Rounds i/nas hr irreg wound coils diam >35mm cntg by wt =>0.6% carbon ne:  
 7213999929 Bars & rods(o/t wire rods) i/nas hr irreg wound coils =>0.6% carbon ne:  
 7214100000 Forged bars and rods of iron or non-alloy steel hot roller  
 7214301000 Bar & rod free-cut steel wt =>0.15% <=0.35% lead =>0.05% <=0.4% bismuth f Cdn mfr  
 7214309011 Flat bars free cutting steel hr hd he <=75mm wide incl flat grader blade section:  
 7214309012 Flat bars free cutting steel hd he >75mm <150mm wd incl flat grader blade sec  
 7214309013 Flat bars free cutting steel hr hd he =>150mm wide incl flat grader blade sec  
 7214309021 Rounds of free cutting steel hot rolled/drawn/extruded <= 75mm in diamete  
 7214309022 Rounds of free cutting steel hot-rolled/drawn/extruded > 75mm in diamete  
 7214309030 Hexagons of free cutting steel hot rolled drawn or extruded  
 7214309040 Squares of free cutting steel hot rolled drawn or extruded  
 7214309090 Bars & rods of free cutting steel hot rolled drawn or extruded ne:  
 7214911010 Flat bars i/nas hr/drawn/extruded rect o/t sq cross sect <=75mm wide use in ship:  
 7214911020 Flat bars i/nas hr/hd/he rect o/t sq cross sect >75mm <150mm wide use in ships:  
 7214911030 Flat bars i/nas hot rolled/drawn/extruded width of a 150mm or more use in ship  
 7214919010 Flat bars i/nas hot rolled/drawn/extruded rect o/t sq cross sect <=75mm wide ne:  
 7214919020 Flat bars i/nas hot roll/drawn/extruded rect o/t sq cross sect >75 <150mm wd ne:  
 7214919030 Flat bars i/nas hot rolled/drawn or extruded of a width of 150mm or more ne:  
 7214991011 Rounds iron or non-alloy steel hot roll/drawn/extruded dia <=75mm use in ship  
 7214991012 Rounds iron or non-alloy steel hot roll/drawn/extruded dia >75 mm use in ship  
 7214991020 Hexagons iron or non-alloy steel hot rolled/drawn/extruded use in ship:  
 7214991030 Squares iron or non- alloy steel hot rolled/drawn/extruded use in ship  
 7214991090 Bars & rods iron or non-alloy steel hot rolled/drawn or extruded use in ship  
 7214999011 Rounds iron or non-alloy steel hot rolled/drawn/extruded dia <= 75mm ne  
 7214999012 Rounds iron or non-alloy steel hot rolled/drawn/extruded diameter > 75 mm ne  
 7214999020 Hexagons iron or non-alloy steel hot rolled/drawn or extruded ne  
 7214999030 Squares iron or non- alloy steel hot rolled/drawn or extruded ne  
 7214999090 Bars & rods iron or non-alloy steel hot rolled/drawn or extruded ne  
 7220201030 Flat roll prod ss cr type 321or cntg =>18<=22% ni/chrm =>2.3mm thk mfr tubes/pipes  
 7219131030 Flat roll prod ss hr in coil =>3mm <4.75 mm thk >1 525mm wide mfr tubes/pipes

#### 17. H.R. Steel Bars: Alloy

7219141030 Flat rolled prod stainless steel hr in coil <3mm thk >1 525mm wd mfr tubes/pipes:  
 7227100000 Bars & rods of high speed steel hot-rolled in irregularly wound coils ne  
 7227200000 Bars & rods silico-manganese steel hr in irregular wound coil:  
 7227909091 Flat bars as o/t stainless hr in irreg wound coils ne:  
 7227909092 Rounds as o/t stainless hr in irreg wound coils ne:  
 7227909093 Squares as o/t stainless hr in irreg wound coils ne:  
 7227909099 Bars & rods alloy steel o/t stainless hot rolled in irreg wound coils ne  
 7228101000 Bars & rods high speed steel mfr metalworking tools  
 7228109100 Bars & rods of high speed steel not further worked than hot roller  
 7228109900 Bars & rods of high speed steel nes  
 7228201010 Flat bars of silico-manganese steel nfw than hr ne:  
 7228201020 Rounds of silico-manganese steel nfw than hr ne:  
 7228201030 Squares of silico-manganese steel nfw than hr ne:  
 7228201090 Bars & rods of silico-manganese steel nfw than hr ne:  
 7228209090 Bars & rods of silico-manganese steel nes  
 7228301011 Flat bars mold steel nfw than hot-rolled/drawn/extruded use in ships et  
 7228301012 Flat bars tool steel nfw than hot-rolled/drawn/extruded use in ships et  
 7228301019 Flat bars as o/t stainless nfw than hot-rolled/drawn/extruded use in ships et  
 7228301021 Rounds mold steel nfw than hot-rolled/drawn/extruded use in ships et

7228301022 Rounds tool steel nfw than hot-rolled/drawn/extruded use in ships et  
7228301029 Rounds as o/t stainless nfw than hot-rolled/drawn/extruded use in ships et  
7228301031 Squares mold steel nfw than hot-rolled/drawn/extruded use in ships et  
7228301032 Squares tool steel nfw than hot-rolled/drawn/extruded use in ships et  
7228301039 Squares as o/t stainless nfw than hot-rolled/drawn/extruded use in ships et  
7228301091 Bars & rods mold steel nfw than hot-rolled/drawn/extruded use in ships et  
7228301092 Bars & rods tool steel nfw than hot-rolled/drawn/extruded use in ships et  
7228309011 Flat bars mold steel nfw than hot-rolled/drawn/extruded ne:  
7228309012 Flat bars tool steel nfw than hot-rolled/drawn/extruded ne  
7228309019 Flat bars as o/t stainless nfw than hot-rolled/drawn/extruded ne  
7228309021 Rounds mold steel nfw than hot-rolled/drawn/extruded ne:  
7228309022 Rounds tool steel nfw than hot-rolled/drawn/extruded ne  
7228309029 Rounds as o/t stainless nfw than hot-rolled/drawn/extruded ne  
7228309031 Squares mold steel nfw than hot-rolled/drawn/extruded ne:  
7228309032 Squares tool steel nfw than hot-rolled/drawn/extruded ne  
7228309039 Squares as o/t stainless nfw than hot-rolled/drawn/extruded ne  
7228309091 Bars & rods mold steel nfw than hot-rolled/drawn/extruded ne:  
7228309092 Bars & rods tool steel nfw than hot-rolled/drawn/extruded ne:  
7228309099 Bars & rods as o/t stainless nfw than hot-rolled/drawn/extruded ne  
7228600010 Bars & rods mold steel nes  
7228600020 Bars & rods tool steel nes  
7228600090 Bars & rods as o/t stainless nes

### 18. Light Structurals Carbon Steel Hot Rollec

7216100011 U sections American standard i/nas nfw than hr/hd/extru height <80mr  
7216100012 U sections for motor vehicles or ships i/nas nfw than hr/hd/extru height <80mr  
7216100019 U sections i/nas nfw than hr/hd/extruded height <80mm ne:  
7216211010 L sections equal legs i/nas nfw than hr/hd/extru height <80mm use in ship  
7216211020 L sections unequal legs i/nas nfw than hr/hd/extru height <80mm use in ship  
7216219010 L sections equal legs i/nas nfw than hr/hd/extruded height <80mm ne  
7216219020 L sections unequal legs i/nas nfw than hr/hd/extruded height <80mm ne

### 19. Medium & Heavy Structurals Carbon Steel Hot Rollec

7216311010 U sections i/nas nfw than hr/hd/extruded hght =>80 b <=152.4mm use in ship  
7216311020 U sections i/nas nfw than hot-rolled/drawn/extruded ht >152.4mm use in ship  
7216319011 U sections American standard i/nas nfw than hr/hd/extru hght =>80 b <=152.4mr  
7216319012 U sections i/nas nfw than hr/hd/extruded hght =>80 b <=152.4mm for motor vehicle  
7216319019 U sections i/nas nfw than hr/hd/extruded height =>80 but <=152.4mm ne  
7216319021 U sections American standard i/nas nfw than hot-roll/drawn/extruded ht >152.4mr  
7216319022 U sections i/nas nfw than hot-roll/drawn/extruded ht >152.4mm for motor vehicle  
7216319029 U sections i/nas nfw than hot rolled/drawn/extruded height >152.4mm ne  
7216321010 I sections i/nas nfw than hr/hd/extru height =>80mm but <=152.4mm use in ships et  
7216321020 I sections i/nas nfw than hr/hd/extruded height >152.4mm use in ships et  
7216329010 I sections i/nas nfw than hot-roll/drawn/extruded height =>80mm but <=152.4mm ne  
7216329020 I sections i/nas nfw than hot-rolled/drawn/extruded of a height >152.4mm ne  
7216331011 H sections wide flange i/nas nfw than hr/hd/extruded ht <=150mm use in ship  
7216331012 H sections wide flange i/nas nfw than hr/hd/extru ht >150 <=355mm use in ship  
7216331013 H sections wide flange i/nas nfw than hr/hd/extru ht>355 but <=635mm use in ship  
7216331014 H sections wide flange i/nas nfw than hr/hd/extru ht >635mm use in ship  
7216331020 H sections bearing pile i/nas nfw than hot-rolled/drawn/extruded use in ship  
7216331091 H sections i/nas nfw than hr/hdrawn/extrued ht =>80 but <=152.4mm use in ship  
7216331092 H sections i/nas nfw than hot-roll/drawn/extrued ht >152.4mm use in ship  
7216339011 H sections wide flange i/nas nfw than hot-roll/drawn/extruded ht <=150mm ne  
7216339012 H sections wide flange i/nas nfw than hr/hd/extruded ht >150 but <=355mm ne  
7216339013 H sections wide flange i/nas nfw than hr/hd/extruded ht >355 but <=635mm ne  
7216339014 H sections wide flange i/nas nfw than hot-roll/drawn/extruded ht >635mm ne  
7216339020 H sections bearing pile i/nas nfw than hot-roll/drawn/extruded ne  
7216339091 H sections i/nas nfw than hot-rolled/drawn/extruded ht =>80 but <=152.4mm ne  
7216339092 H sections iron/non alloy steel nfw than hot-rolled/drawn/extru ht >152.4mm ne  
7216400011 L sections equal legs i/nas nfw than hr drawn/extru ht =>80 but <=152.4mr  
7216400012 L sections equal legs i/nas nfw than hr drawn/extru ht >152.4mr  
7216400021 L section unequal leg i/nas nfw than hr draw/extru lrg leg ht =>80 b <=152.4mr  
7216400022 L sections unequal legs i/nas nfw than hr draw/extru lrg leg ht >152.4mr  
7216400030 T sections i/nas nfw than hot-rolled hot-drawn or extruded of a height =>80mr

### 20. Tinplate and tin-free steel

7210110000 Flat rolled prod i/nas plated or coated with tin =>600mm wide =>0.5mm thl  
7210120000 Flat rolled prod i/nas plated or coated with tin =>600mm wide <0.5mm thl

721050000  
721210000

Flat rolled prod i/nas pltd or ctd w chrom oxides/chrom w chrom oxides =>600mm  
Flat rolled prod i/nas < 600mm wide plated or coated with tin ne: