The *Field Checklist of Birds* is published by the Prince Edward Island Department of Fisheries, Aquaculture and Environment in cooperation with the following partners:









03EN41-6314

BIRD S



Fisheries, Aquaculture and Environment



Notes and Sketches

FIELD CHECKLIST OF BIRDS

(7th edition) 2003

Observer			
Address			
Date	Hours:	to	
Locality			
Habitats			
Weather Condition	ıs		

To date, 353 species have been recorded on Prince Edward Island. This checklist includes the seasonal status of each bird, determined by the number the observer may expect to find during a full day of observation from the land masses of Prince Edward Island in the habitat of that species. Certain species have very restricted habitat use, particularly in winter.

The season dates determined by migratory habits of most birds are: Spring - March 16 to May 31 (northerly migration);

Summer - June 1 to August 15 (nesting season);

Autumn - August 16 to December 14 (southerly migration);

Winter - December 15 to March 15.

The symbols used for seasonal frequency are defined as:

VC - Very common, 50 or more birds per day

C - Common, 10 - 49 birds per day

FC - Fairly common, 1 - 9 birds per day

U - Uncommon, 1 - 12 birds per fortnight

R - Rare, 1 - 5 birds per season

O - Occasional, seen only 1 - 9 times per decade

A - Accidental, 9 or fewer records per century

H - Hypothetical, unconfirmed sighting report

IR - Irregular (unpredictable)

 ★ - Species marked thus ★ have been known or are believed to nest in the province

★★ - Introduced to Prince Edward Island and now breeding

Endangered Species

Species in italics are listed under the Committee on the Status of Endangered Wildlife in Canada (COSEWIC) *Canadian Species at Risk* 2002 list as endangered (e), threatened (t) or special concern (sc).

					-				
	Spring	Summer	Autumn	Winter		Spring	Summer	Autumn	Winter
New World Sparrows					 Cattle Egret 	0	0	0	Α
 Spotted Towhee 	-	-	Α	-	 Green Heron 	0	Α	-	-
Eastern Towhee	0	-	0	0	 Black-crowned Night-Heron 	-	Α	-	-
 American Tree Sparrow 	U	-	U	U	 Yellow-crowned Night-Heron 	-	-	Α	-
○ Chipping Sparrow★	С	С	С	0					
 Clay-coloured Sparrow 	Α	-	Α	Α	lbises				
 Field Sparrow 	Α	Α	Α	Α	White Ibis	Α	Α	-	-
○ Vesper Sparrow★	0	0	0	-	 Glossy Ibis 	0	0	0	-
○ Lark Sparrow	-	-	Α	Α					
 ○ Savannah Sparrow★ 	VC	VC	VC	Α	Vultures				
 Grasshopper Sparrow 	-	Α	Α	-	 Black Vulture 	-	Α	Α	-
O Nelson's Sharp-tailed Sparrows	★ C	С	С	-	 Turkey Vulture 	Н	-	R	R
○ Fox Sparrow★	R-U	R	R-U	0					
○ Song Sparrow★	VC	VC	С	R-U	Swans, Geese and Ducks				
 ○ Lincoln's Sparrow★ 	FC-C	FC-C	FC-C	-	 Fulvous Whistling Duck 	-	-	Α	-
○ Swamp Sparrow ★	C-VC	C-VC	FC	0	 Pink-footed Goose 	-	-	Н	-
○ White-throated Sparrow★	VC	VC	VC	R-U	 Greater White-fronted Goose 	-	R	U	-
 White-crowned Sparrow 	U	R	U	0	 Snow Goose 	R	0	U	0
○ Dark-eyed Junco ★	VC	VC	VC	U-C	○ Canada Goose★	VC	VC	VC	U-IR
Lapland Longspur	U-FC	-	U-FC	U-FC	○ Brant	С	R-FC	U	0
O Snow Bunting	U-VC	-	U-VC	U-VC	 Barnacle Goose 	Α	-	-	-
·					Tundra Swan	Α	-	Α	-
Cardinals, Grosbeaks					○ Wood Duck★	FC	FC-C	FC-C	Α
and Buntings					○ Gadwall★	FC	FC	FC	FC
Northern Cardinal	R	R	R	R-U	 Eurasian Wigeon 	0	0	O-R	Α
○ Rose-breasted Grosbeak ★	FC-C	С	U-FC	Α	 O American Wigeon★ 	C-VC	C-VC	C-VC	R
 Black-headed Grosbeak 	Н	-	-	-	 O American Black Duck★ 	VC	VC	VC	VC
O Blue Grosbeak	0	Α	-	Α	○ Mallard★	С	С	С	С
 Indigo Bunting 	R	Α	-	Α	 ○ Blue-winged Teal ★ 	VC	VC	VC	Α
O Painted Bunting	Α	-	-	-	 ○ Northern Shoveler★ 	U-FC	U-FC	U	Α
O Dickcissel	-	0	Α	Α	 ○ Northern Pintail★ 	С	С	VC	U
					Garganey	Α	Α	-	-
					○ Green-winged Teal★	VC	VC	VC	R-U
Blackbirds, Meadowlarks					○ Canvasback	Α	-	Α	Α
and Orioles					○ Redhead★	Α	Α	R	-
○ Bobolink★	С	VC	U	-	○ Ring-necked Duck★	VC	VC	VC	0-R
 ○ Red-winged Blackbird★ 	VC	VC	VC	R-U	 Tufted Duck 	-	-	-	Α
Eastern Meadowlark	0	0	0	0	○ Greater Scaup★	С	R	C-VC	FC-C
O Yellow-headed Blackbird	-	Α	Α	0	O Lesser Scaup	IR-U	0	IR-U	IR-R
 ○ Rusty Blackbird★ 	FC	FC	FC	0	○ King Eider	0-R	-	O-R	-
Brewer's Blackbird	Н	-	Α	-	Common Eider	FC	FC	С	U-C
○ Common Grackle★	VC	VC	VC	R-U	 Harlequin Duck (sc) 	R-U	0	U	R
○ Brown-headed Cowbird★	С	FC	С	R-C	O Surf Scoter	FC	U	FC-C	R-U
Orchard Oriole	Α	Α	-	-	 White-winged Scoter 	С	U	С	R-FC
O Bullock's Oriole	R	R	R	-	Black Scoter	VC	U	C-VC	U-FC
 ○ Baltimore Oriole★ 	R	R	R	0	 Long-tailed Duck 	C-VC	0	VC	VC
					O Bufflehead	R	-	U-FC	R-U
					 Common Goldeneye 	VC	0	VC	VC
					O Barrow's Goldeneye (sc)	FC	-	FC	FC-C
					○ Hooded Merganser★	R	0	U-FC	0-R
					○ Common Merganser★	C	Ř	VC	VC
					○ Red-breasted Merganser★	C	FC	C-VC	U-C
					O Ruddy Duck	R	R	R-U	0
					,			-	

12 _____

	Spring	Summer	Autumn	Winter		Spring	Summer	Autumn	Winter
Jays and Crows					Stilts and Avocets				
○ Gray Jay★	U	U	U	U	Black-necked Stilt	_	Α	_	_
○ Blue Jay★	Č	Č	VC	VC	American Avocet	_	A	Н	_
Eurasian Jackdaw	-	H	-	-	C 7 illionodii 7 tvoodi		,,	•••	
 O American Crow★ 	VC	VC	VC	VC					
O Pied Crow	-	A	A	-	Sandpipers, Snipe and Woodc	ock			
○ Fred Grow○ Common Raven★	С	C	C	С	Greater Yellowlegs	FC	VC	VC	_
○ Common Naverix	O	O	O	O	Lesser Yellowlegs	U	C	C-VC	_
Larks					Solitary Sandpiper	U	R	U	-
	^	FC	С	II FC		-		FC	-
○ Horned Lark★	С	FC	C	U-FC	○ Willet★	С	С		-
0					○ Spotted Sandpiper★	С	С	С	-
Swallows	•	^			○ Upland Sandpiper★	R	R	0	-
O Purple Martin	0	0	-	-	○ Little Curlew	-	-	H	-
○ Tree Swallow★	VC	VC	U-VC	-	○ Eskimo Curlew (e)	-		Н	-
 Northern 					Whimbrel	0	FC	С	-
Rough-winged Swallow	Α	Α	-	-	Long-billed Curlew (sc)	-	Н	Н	-
○ Bank Swallow★	VC	VC	U-VC	-	 Black-tailed Godwit 	-	-	-	Α
 ○ Cliff Swallow★³ 	0	0	Α	-	 Hudsonian Godwit 	0	U-FC	С	-
 ○ Barn Swallow★ 	FC	FC	U-FC	Α	 Marbled Godwit 	-	Α	Α	-
					 Ruddy Turnstone 	R	FC	С	-
Chickadees					 Red Knot 	0	FC-C	FC-VC	Α
○ Black-capped Chickadee★	C-VC	C-VC	C-VC	C-VC	 Sanderling 	Α	С	VC	-
○ Boreal Chickadee★	FC	FC	FC	FC	 Semipalmated Sandpiper 	VC	VC	VC	-
					Western Sandpiper	-	0	R	-
Nuthatches					 Little Stint 	_	-	Н	-
 ○ Red-Breasted Nuthatch★ 	FC-C	FC-C	FC-C	FC-C	Least Sandpiper	С	C-VC	FC-C	_
○ White-breasted Nuthatch★	R	R	R	R	White-rumped Sandpiper	Ř	FC	C-VC	_
O THING BIGGOOD HUMBONA			• • •		Baird's Sandpiper	-	R	R	_
Creepers					Pectoral Sandpiper	0	FC	C	_
O Brown Creeper★	FC	FC	U	U	Sharp-tailed Sandpiper	-	A	-	_
O Blown Greeper *	10	10	U	O	Purple Sandpiper	R	Ô	R	A
Wrens					O Dunlin	R	U	C-VC	A
O House Wren		Α	_			K	A	0	-
○ House Wren○ Winter Wren ★	U-C	U-C	- R	^		-			-
	0-0			Α	O Stilt Sandpiper	-	0	0	-
O Sedge Wren	-	_	Α	-	O Buff-breasted Sandpiper	_	-	Α	-
Marsh Wren	-	Α	-	-	O Ruff	A	0	-	-
Kin plate and Onetastahan					Short-billed Dowitcher	R	VC	VC	-
Kinglets and Gnatcatchers	F 0	F 0	^	F0	O Long-billed Dowitcher	-	-	A	-
 ○ Golden-crowned Kinglet★ 	FC	FC	C	FC	○ Wilson's Snipe★	С	C	C	0
O Ruby-crowned Kinglet★	C	С	С	U	 O American Woodcock★ 	С	FC	FC	-
 Blue-gray Gnatcatcher 	Α	0	R-U	-					
					Phalaropes ¹	_	_	_	
Thrushes and Bluebirds ⁴	_	_			Wilson's Phalarope	0	0	R	-
 ○ Eastern Bluebird★ 	0	0	-	-	 Red-necked Phalarope 	R	U	FC	-
 Townsend's Solitaire 	-	-	0	0	 Red Phalarope 	0	0	0	-
○ Veery★	U	U	R	-					
 Gray-cheeked Thrush 	R	-	R	-	Skuas and Jaegers				
○ Bicknell's Thrush (sc)★	0	0	-	-	O Great Skua	-	-	Н	-
○ Swainson's Thrush★	FC	FC	U	-	 Pomarine Jaeger 	-	-	R	-
○ Hermit Thrush★	С	С	U	Α	 Parasitic Jaeger 	-	Α	R	-
 Wood Thrush 	0	0	-	-	 Long-tailed Jaeger 	-	Н	-	-
 O American Robin★ 	VC	VC	VC	R-IR	5 0				

Blue Jay

While in its 1977 spring session, the Prince Edward Island legislature officially declared the Blue Jay as avian emblem for the province. During Environment Week of 1976, the Natural History Society of Prince Edward Island sponsored a public vote to determine the popular candidate. The Blue Jay was the landslide winner.

Although it is common on the Island year-round, the Blue Jay is most noticeable in winter when visiting bird feeders. It nests in secluded woodlands and keeps relatively quiet during spring and summer.

Photo Credit: Glen MacEachern

Bird Reports

The Natural History Society of Prince Edward Island retains and publishes records of bird sightings in its newsletter, the *Island Naturalist*. These records are used to update the Island's *Field Checklist of Birds*. The Society would appreciate the assistance of all birders in the submission of sightings to the Society, particularly the records of any bird not found on the list, any bird which is rated as U, R, O, A, H, or IR, reports of unusual behaviour, or colour abnormalities. Please submit these sightings to: Natural History Society of Prince Edward Island, c/o Dan McAskill, Charlottetown RR # 5, Donagh, P.E.I. C1A 7J8, fax 902-628-6331, or e-mail nhspei@isn.net.

For rare sightings and first records it would be helpful if you could submit the following information: species; observer's name(s), address, postal/zip code, and phone number with area code; date (write out month) and time of observation; duration of observation; type of optical equipment used; weather conditions; locality where the bird was seen; a description of the habitat and where the bird was seen in the habitat; distance from which the bird was observed; a description of the bird's size, bill shape, colouration on various parts (head, neck, eye colouration or stripes, back, wings, wing bars, underparts, tail shape, and legs), what the bird was doing, vocalizations, distinguishing features from other species, and your experience in birding. Any sketches made at the time of the observation, photographs, and especially video close-up you have would be very helpful. Sighting report forms are available from the Society or on the Society's web page <www.isn.net/~nhspei>.

Emblems of the Island

Bird - Blue Jay Flower - Stemless Lady's Slipper Tree - Red Oak

aussi disponsible en français

Bird-watching Locations

Most of the birds listed in this provincial bird checklist can be found within Prince Edward Island National Park of Canada where diverse habitats provide a natural haven for birds. Established in1937 to protect a representative example of the Maritime Plain natural region, the Park features dune-edged beaches, barrier sand spits, forested till uplands, barachois ponds and salt marshes. Canada's national parks protect and preserve our natural heritage for the benefit of all Canadians, now and in the future.

Parks Canada's main objective is to ensure the ecological integrity of the Park, which means keeping natural habitats safe and intact for wildlife. To monitor the bird life within the Park throughout the year, Parks Canada staff are interested in documenting bird observations. If you are interested in contributing, please enquire about obtaining the "Volunteer Bird Census Record Form". For more information on bird-watching in Prince Edward Island National Park please call 902-566-7050 or check the Parks Canada web site at www.parkscanada.gc.ca/pei.

To find out about other good bird-watching locations in Prince Edward Island check the provincial web site at <www.gov.pe.ca/birds>.

Bird-watching Etiquette

Wherever you go in search of our feathered friends, you can help ensure their continued survival by following a responsible birdwatching etiquette:

- Please respect all signs to protect the piping plover, an endangered species that nests on several beaches on the Island.
- Please avoid trampling sand dunes or other sensitive areas; stay on designated trails whenever possible.
- Please leave berries, leaves and plants in place; they are food for birds and other wildlife.
- Please avoid disturbing shorebirds when they are feeding along the shore.
- Please do not disturb nesting birds by approaching nests too closely.

Acknowledgements

Records used to compile and revise the checklist were derived from numerous sources including: Natural History Society of Prince Edward Island, University of Prince Edward Island, PEI National Park, PEI Department of Fisheries, Aquaculture and Environment (Conservation and Management Division), PEI Department of Agriculture and Forestry and the records of many individual observers. The 2003 revision was completed by Dan McAskill and Ray Cooke. A special thanks to Rosemary Curley, Randy Dibblee, Les Homans, Eric Marcum, Barry Martin, Dwaine Oakley and David Seeler for their comments on the 6th Edition. We gratefully acknowledge all organizations and individuals who, through their contributions of sightings, made this update possible.

Lanna	Spring	Summer	Autumn	Winter
Loons O Red-throated Loon O Pacific Loon	FC	0	C-VC A	0
○ Common Loon★	FC	U	C-VC	R
Grebes ○ Pied-billed Grebe ★ ○ Horned Grebe ○ Red-necked Grebe ○ Eared Grebe	FC R O	FC A A	FC R-U R-U R	- A - H
Albatrosses and Shearwaters¹ Black-browed Albatross Northern Fulmar Greater Shearwater Sooty Shearwater Manx Shearwater Audubon's Shearwater Little Shearwater	- - - - -	H R U R H	- R U R - H	- - - - -
Storm-Petrels¹ ○ Wilson's Storm-Petrel ○ Leach's Storm-Petrel	-	U U	U U	-
Gannets ○ Northern Gannet	U-FC	С	C-VC	0
Pelicans and Cormorants O American White Pelican O Double-crested Cormorant★ O Great Cormorant★	- VC C	A VC C	A VC C-VC	- R R-U
Bitterns and Herons American Bittern★ Least Bittern (t) Great Blue Heron★ Great Egret Snowy Egret Little Blue Heron	FC - VC R A O	FC A VC R O	FC - VC A A	- R - -

	Spring	Summer	Autumn	Winter
Finches ○ Pine Grosbeak ★ ○ Purple Finch ★ ○ House Finch ★ ○ Red Crossbill ★ ○ White-winged Crossbill ★ ○ Common Redpoll ○ Hoary Redpoll ○ Pine Siskin ★ ○ American Goldfinch ★	R C O IR IR IR-FC - R-FC FC	R C R IR IR - - U FC	R FC-C R IR IR-U A R-U FC-U	U-FC R-U O IR IR IR-VC O R-C FC-C
○ European Goldfinch○ Evening Grosbeak★	- C-VC	- FC	- FC	A IR-VC
Old World Sparrows ○ House Sparrow★	FC-VC	FC-VC	FC-VC	FC-VC

Extinct Species to Prince Edward Island

Passenger Pigeon

Extirpated Species to Prince Edward Island

Spruce Grouse

Note 1: Significant numbers of shearwaters, storm-petrels, and phalaropes have been reported in late summer and early autumn several miles offshore in northeastern and eastern Prince Edward Island.

Note 2: A January 2003 report of a hummingbird as well as sightings of species other than the Ruby-throated Hummingbird in Nova Scotia suggests other species are present here during migration.

Note 3: Only one nesting record of the Cliff Swallow has been reported in 20 years. Please report any Cliff Swallow nests you find.

Note 4: Due to a lack of documentation, the Varied Thrush has been removed from the list.

	Spring	Summer	Autumn	Winter		Spring	Summer	Autumn	
Osprey					Mockingbirds and Thrashers				
O Osprey★	FC	FC	FC	0	○ Gray Catbird ★	U	U	R	
					 ○ Northern Mockingbird★ 	R-U	R-U	R	
Eagles, Hawks and Harriers					 Brown Thrasher 	0	0	0	
⊃ Bald Eagle★	FC	FC	FC	FC					
Northern Harrier★	FC	FC	FC	R	Starlings				
Sharp-shinned Hawk★	FC	U	FC	FC	 ○ European Starling★ 	VC	VC	VC	
Cooper's Hawk	Α	-	R	Α					
)Northern Goshawk★	U	U	U	U	Pipits				
Red-shouldered Hawk (sc)	Α	Α	Α	-	 American Pipit 	0	Α	R-U	
Broad-winged Hawk★	0	0	R	Α					
Swainson's Hawk	Α	-	0	-	Waxwings				
Red-tailed Hawk★	U	U	U	R	 Bohemian Waxwing 	0	Α	0	
Rough-legged Hawk	0	Α	IR-U	IR-U	○ Cedar Waxwing★	FC	FC	U-FC	
Golden Eagle	-	Н	Α	-	U				
alcons					Wood Warblers				
American Kestrel★	FC	FC	FC	0	 Blue-winged Warbler 	-	Α	-	
) Merlin★	FC	FC	FC	R	○ Tennessee Warbler★	С	С	U	
Gyrfalcon	0	-	R	R	 Orange-crowned Warbler 	A	A	0	
Peregrine Falcon (t)	R	R	R-U	Α	 ○ Nashville Warbler★ 	FC	FC	FC	
r crogime r dicon (c)	• •	• •			○ Northern Parula★	VC	C	U	
artridge and Pheasants					○ Yellow Warbler★	VC	VC	FC	
Gray Partridge★★	FC	FC	FC	FC	○ Chestnut-sided Warbler★	FC	FC	R	
Ring-necked Pheasant★★	U	U	U	U	 ○ Magnolia Warbler★ 	C	C	Ü	
Ming-necked i neasant # #	U	U	U	O	○ Cape May Warbler★	FC	FC	Ü	
rouse					 ○ Black-throated Blue Warbler ★ 	FC	FC	R	
Ruffed Grouse ★	FC	FC	FC	FC	 Yellow-rumped Warbler★ 	VC	VC	VC	
						VC -	VC -		
) Sharp-tailed Grouse★★	R-U	R-U	R-U	R-U	 Black-throated Gray Warbler Black-throated Green Warbler 		C-VC	A U	
-th- Marshaus and Oasta								-	
ails, Moorhens and Coots					O Blackburnian Warbler★	FC	FC-C	R	
King Rail (e)	-	-	-	Α	O Yellow-throated Warbler	-	-	A	
Virginia Rail★	U	U	U	-	O Pine Warbler	-	0	A	
) Sora★	С	C	U-C	-	O Prairie Warbler	-	-	A	
Common Moorhen	-	A	-	-	O Palm Warbler★	U-FC	U-FC	R-U	
)American Coot★	R	R	R-U	Α	O Bay-breasted Warbler★	FC-C	C	U	
					Blackpoll Warbler	U	R	U	
ranes					 ○ Black-and-white Warbler★ 	С	С	U	
Sandhill Crane	Α	Α	Α	Α	 O American Redstart★ 	VC	VC	U-FC	
					 Worm-eating Warbler 	-	Α	-	
apwings and Plovers					 Swainson's Warbler 	Α	-	-	
Northern Lapwing	-	Α	Α	Α	Ovenbird★	С	С	U-FC	
Black-bellied Plover	VC	FC-C	VC	-	 ○ Northern Waterthrush★ 	FC	FC	U	
American Golden-Plover	0	R-U	U-VC	-	○ Mourning Warbler★	FC	FC	U	
Wilson's Plover	-	Н	-	-	 ○ Common Yellowthroat★ 	VC	VC	FC	
Common Ringed Plover	-	-	Α	-	 ○ Wilson's Warbler★ 	R	R	R	
Semipalmated Plover★	FC	VC	VC	-	○ Canada Warbler★	U	U	R	
Piping Plover (e)★	FC	FC	U	-	O Yellow-breasted Chat	-	-	Α	
) Killdeer★	C	C	Č	_					
	•	•	•		Tanagers				
ystercatchers					 Summer Tanager 	Α	-	-	
'y 5 lei Calcilei 5									

	Spring	Summer	Autumn	Winter		Spring	Summer	Autumn	Winter
Gulls and Terns					○ Long-eared Owl★	R	R	R	R
Laughing Gull	Α	Α	Α	-	○ Short-eared Owl (sc)★	U	Ü	U	0
○ Little Gull	-	0	R	-	O Boreal Owl	Ö	-	-	Ö
Black-headed Gull	0	0	R-U	R-U	○ Northern Saw-whet Owl★	Č	С	FC	FC
 Bonaparte's Gull 	С	С	VC	R-U					
O Mew Gull	-	-	Α	-	Goatsuckers				
 ○ Ring-billed Gull★ 	VC	VC	VC	R-U	○ Common Nighthawk★	U	U	R	-
 Herring Gull★ 	VC	VC	VC	VC	Whip-poor-will	0	0	-	-
 Thayer's Gull 	-	-	-	Α					
O Iceland Gull	С	R	С	FC-C	Swifts				
 Lesser Black-backed Gull 	R	Α	R-U	R	 Chimney Swift 	0	0	0	-
 Glaucous Gull 	R	0	R-U	R-U					
 ○ Great Black-backed Gull★ 	VC	VC	VC	VC	Hummingbirds ²				
 Sabine's Gull 	-	Α	Α	-	 Ruby-throated Hummingbird 	· U-C	С	FC-C	-
 Black-legged Kittiwake 	Α	Α	R-U	Α					
Ivory Gull (sc)	Α	-	Α	Α					
O Caspian Tern	U	FC-C	С	-	Kingfishers	_			
Royal Tern	-	Α	-	-	 ○ Belted Kingfisher★ 	FC	FC	FC	R-U
O Roseate Tern (e)	-	Н	-	-					
○ Common Tern★	VC	VC	VC-C	-	Woodpeckers				
O Arctic Tern★	U	U	FC	-	Red-headed Woodpecker (sc		Α	Α	A
O Forster's Tern	Н	-	-	-	Red-bellied Woodpecker	0	-	A	0
O Least Tern	-	-	Н	-	Yellow-bellied Sapsucker★	C	С	R	
Black Tern	-	Α	0	-	 ○ Downy Woodpecker★ 	C	С	FC	FC
					 ○ Hairy Woodpecker★ 	С	С	FC	FC
Skimmers					○ Three-toed Woodpecker★	-	0		0
 Black Skimmer 	-	Α	Α	-	○ Black-backed Woodpecker★	R	R	R-U	R
					○ Northern Flicker★	С	C-VC	C-VC	R-U
Auks, Murres and Puffins			5 -5	0 :-	○ Pileated Woodpecker★	R	R	R	R
O Dovekie	Α	-	R-IR	O-IR					
O Common Murre	-	-	R-U	A	Flycatchers		5 0		
O Thick-billed Murre	Α	A	R-U	0	○ Olive-sided Flycatcher★	U	FC	U	-
O Razorbill	-	A	R-U	-	○ Eastern Wood Peewee ★	С	C	U	-
O Black Guillemot★	U	FC	FC	U	Yellow-bellied Flycatcher★	U	FC	U	-
 Atlantic Puffin 	-	Α	Α	Α	○ Alder Flycatcher★	С	C-VC	U	-
D					○ Willow Flycatcher ★	-	0	-	-
Doves	1/0	1.00	1.00	\ (0	○ Least Flycatcher★	U-C	С	U	-
O Rock Dove★	VC	VC	VC	VC	○ Eastern Phoebe★	R-U	R-U	R-U	Н
Ringed Turtle-Dove	Н	-	-	-	○ Great Crested Flycatcher★	-	Α	_	-
White-winged Dove Mauring Dove	-	A	A	-	Western Kingbird	-	-	A	Α
○ Mourning Dove★	FC-C	FC-C	FC-C	FC-VC	○ Eastern Kingbird★	FC	FC	U	-
Cuckoos					Shrikes				
○ Black-billed Cuckoo★	R	FC-R	R	_	Loggerhead Shrike (e)	Α	-	_	_
○ Yellow-billed Cuckoo	-	-	IR-R	_	Northern Shrike	R	A	R	- R-U
O I GIIOW DIIIGG GUGROO	=		11 1-11		O HORITICITING	11	17	11	1 N=U
Owls					Vireos				
O Barn Owl (e)	-	-	Α	Α	 Yellow-throated Vireo 	Α	-	-	-
Eastern Screech-Owl	Α	Α	-	-	○ Blue-headed Vireo★	С	С	U	-
 ○ Great Horned Owl★ 	FC	FC	FC	FC	 Warbling Vireo 	0	0	Α	-
O Snowy Owl	IR-R	Α	IR-R	IR-R	○ Philadelphia Vireo★	R	R	R	-
Northern Hawk Owl	Α	Α	-	0	○ Red-eyed Vireo★	VC	VC	U	-
○ Barred Owl★	FC	FC	FC	FC	,				
Great Gray Owl	-	-	Α	-					
•									
8									9