


St. Lawrence River Fleuve Saint-Laurent



St. Lawrence River Block Descriptors

12. **Thousand Islands area** – St. Lawrence River from east of Kingston to Brockville
13. **Middle Corridor** – St. Lawrence River from east of Brockville to Iroquois
14. **Lake St. Lawrence** – St. Lawrence River from east of Iroquois to Cornwall
15. **Lake St. Francis** – St. Lawrence River from east of Cornwall to Quebec border
16. **Raisin River** – spawning run in the river including offshore area to 10 metre depth

Fleuve Saint-Laurent–Blocs descriptifs

12. **Environs des Mille-Îles** – Fleuve Saint-Laurent entre l'est de Kingston et Brockville
13. **Cours moyen** – Fleuve Saint-Laurent entre l'est de Brockville et Iroquois
14. **Lac St. Lawrence** – Fleuve Saint-Laurent entre l'est d'Iroquois et Cornwall
15. **Lac Saint-François** – Fleuve Saint-Laurent entre l'est de Cornwall et la frontière du Québec
16. **Rivière Raisin** – frayères de la rivière et au large jusqu'à 10 mètres de profondeur

Length/ 15 20 25 30 35 40 45 50 55 60 65 70 75 >75 cm
 Longueur 6" 8" 10" 12" 14" 16" 18" 20" 22" 24" 26" 28" 30" >30"

12. Thousand Islands area/Environs des Mille Îles													
Northern Pike ^{5,8}	8											4	
Brochet ^{5,8}	8											4	0
Walleye ^{2,9}	8											4	2
Doré ^{2,9}	8											4	0
Smallmouth Bass ^{5,8}	8											4	
Achigan à petite bouche ^{5,8}	8											4	0
Largemouth Bass ²	8											4	2
Achigan à grande bouche ²	8											4	0
Yellow Perch ^{5,8}	8												
Perchaude ^{5,8}	8												
Rock Bass ⁵	8												
Crapet de roche ⁵	8	4											
Pumpkinseed ⁵	8												
Crapet-soleil ⁵	8												
Bluegill ²	8												
Crapet arlequin ²	8												
Brown Bullhead ^{5,8}	8												
Barbotte brune ^{5,8}	8											4	
Carp ^{5,8}	2											1	0
Carpe ^{5,8}	0												
White Sucker ^{5,8}	8												
Meunier noir ^{5,8}	8											4	
Channel Catfish ²	8	4	2	0									
Barbue de rivière ²	8	4	0										
13. Middle Corridor/Cours moyen													
Northern Pike ⁵	8											4	
Brochet ⁵	8											4	0
Walleye ²	8												
Doré ²	4												
Smallmouth Bass ⁵	8											4	
Achigan à petite bouche ⁵	8											4	0
Largemouth Bass ²	8											4	
Achigan à grande bouche ²	0												

Length/ 15 20 25 30 35 40 45 50 55 60 65 70 75 >75 cm
 Longueur 6" 8" 10" 12" 14" 16" 18" 20" 22" 24" 26" 28" 30" >30"

15. Lake St. Francis / Lac Saint-François														
Northern Pike ⁵	8											4		
Brochet ⁵	8											4	0	
Walleye ^{5,7,8,9}	8											4	2	
Doré ^{5,7,8,9}	8											4	0	
Smallmouth Bass ^{5,8}	8											4		
Achigan à petite bouche ^{5,8}	8											4	0	
Largemouth Bass ²	8													
Achigan à grande bouche ²	4													
Yellow Perch ^{5,8}	8													
Perchaude ^{5,8}	8	4												
Rock Bass ²	8													
Crapet de roche ²	4	0												
Pumpkinseed ²	8													
Crapet-soleil ²	8													
Brown Bullhead ²	8													
Barbotte brune ²	8													
Channel Catfish ^{2,8,9}	2											1	0	
Barbue de rivière ^{2,8,9}	0													
White Sucker ²	8											4		
Meunier noir ²	8											4	0	
Redhorse Sucker ^{2,8,9}	8											2	1	
Suceur rouge ^{2,8,9}	8											0		
16. Lake St. Francis at Raisin River (spawning run) Lac Saint-François, à l'embouchure de la rivière Raisin (frayères)														
Walleye ^{5,7,9}	8											4	2	0
Doré ^{5,7,9}	4											0		
White Sucker ^{5,9}	2											1		
Meunier noir ^{5,9}	0													

Yellow Perch ⁵ Perchaude ⁵	8	4																	
Rock Bass ⁵ Crapet de roche ⁵	8	4	0																
Pumpkinseed ⁵ Crapet-soleil ⁵	8																		
Brown Bullhead ⁵ Barbotte brune ⁵	8	4	2																
Carp ⁵ Carpe ⁵		4	2		1						0								
White Sucker ⁵ Meunier noir ⁵				8								4							
		8			4						0								

14. Lake St. Lawrence / Lac St. Lawrence

Northern Pike ⁵ Brochet ⁵						8													4
Walleye ^{5,9} Doré ^{5,9}				8					4			2							
Smallmouth Bass ⁵ Achigan à petite bouche ⁵				8			4												
Yellow Perch ^{5,9} Perchaude ^{5,9}		8	4																
White Perch ² Baret ²		8	4																
Rock Bass ² Crapet de roche ²		8	4																
Black Crappie ² Marigane noire ²				8															
Brown Bullhead ^{2,9} Barbotte brune ^{2,9}				8		4													
Carp ^{2,8,10} Carpe ^{2,8,10}										2	1		0						
White Sucker ⁵ Meunier noir ⁵				8															
				8															

Length/ 15 20 25 30 35 40 45 50 55 60 65 70 75 >75 cm
 Longueur 6" 8" 10" 12" 14" 16" 18" 20" 22" 24" 26" 28" 30" >30"

□ General population/population générale

■ Sensitive population/population sensible – Women of child-bearing age and children under 15/Les femmes en âge de procréer et les enfants de moins de 15 ans