FISH FACTS 2002

Results from fishery surveys conducted during the summer of 2002 are shown on the following pages.

Lakes are mainly surveyed using two types of equipment; gill nets or downhaul trap nets.

Both types of equipment are effective in capturing fish, however fish caught in downhaul traps can generally be released after being measured, whereas fish caught in gill nets are generally not releasable. For this reason, the size of the fish caught in downhaul trap nets is recorded by length to minimize stress and harm to the fish, while the size of the fish captured in gill nets is reported by weight.

If you have any questions on survey methods or equipment or if you have concerns about the health of a specific fishery, please contact the nearest Saskatchewan Environment fisheries biologist.

Waterbody and Location	Species Caught (Weight) and	Date Tested/Survey Gear /Remarks
Alameda Reservoir 4,5-2W2 NW of Oxbow Big Sandy Lake	Population Status Walleye: (160-2200g) Good Northern Pike: (1350g) Sparse Perch: (110-290g) Poor Walleye: (975-1400g) Sparse	August 13/Gillnet. Good angling success for pike and walleye is reported. Perch were initially stocked in 1998 and the population is expanding. August 7-8/Gillnet. No
62,63-14,15W2 KM 150 Hanson Lake Road	Northern Pike: (195-2550g) Good Perch: (40-170 g) Poor Whitefish: (2100-2700g) Sparse	report of angling success at time of testing.
Birch Lake 16-10-2W2 Moose Mountain Provincial Park	Walleye: (900g) Sparse Perch: (100-210g) Fair	July 2/Gillnet. Perch were stocked in 1996 and 1999. Fair angling success for small perch is reported.
Candle Lake 55,56-22,23W2 N E. of Prince Albert	Walleye: (40-1800g) Moderate Northern Pike: (210-7400g) Fair Perch: (35-60g) Poor Whitefish: (475-1175g) Moderate	September 4-6/Gillnet. Good angling success was reported for walleye and pike throughout the summer.
Canoe Lake 55-10,108-15	Walleye: (16-63cm) Good Northern Pike: (29-85cm) Good	May 27-June 10, July 22-25/5 Downhaul Trapnet sets, and 1 gillnet set. Good numbers of pike and walleye at most testnet locations. Good angling success reported for pike and walleye. Walleye limit of 3.
Christopher Lake 6,7,18-53-26W2 N. of Prince Albert	Walleye: (50-950g) Good Northern Pike: (600-2650g) Poor	June 18/Gillnet. Fair success reported at time of testing by anglers.
Diamond Lake 16-60-19W2 N. of Piprell Lake	Splake: (75-1275g) Moderate Brook Trout: (115-1275g) Moderate	June 5/Gillnet. Fair success reported at time of testing by anglers.

Dore Lake 54-16,107-17	Walleye: (16-72cm) Recovering Northern Pike: (19-95cm) Good	June 14-July 3/Downhaul Trapnets at 4 sites (2 pike sites, 2 walleye sites). Pike - Good to fair angling success Walleye - fair angling success in spring. Walleye numbers stable or increasing at all test sites; continue to show recovery, strong 1, 2, 4, 5+ year old age classes, but a weak 3 year old age class evident in sample. Walleye limit of 1.
East Trout Lake 62-21,22W2 N. of Candle Lake	Walleye: (600-2100g) Sparse Northern Pike: (275-2250g) Sparse Lake Trout: (425-2900g) Poor Perch: (40-60g) Sparse Whitefish: (80-1500g) Fair	August 15-16/Gillnet. Some success was reported for walleye and pike at time of testing.
Echo Lake 21-14W2 W of Fort Qu'Appelle	Walleye: (140-3800g) Good Northern Pike: (1000-5600g) Moderate Perch: (80-400g) Good	June 20-21/Gillnet. Fair angling success for pike and walleye is reported.
Edouard Lake 25,26-39-17W2 E of Naicam	Walleye: (40-1000g) Good Perch: (35-60g) Sparse	May 30/Gillnet. Walleye stocked regularly as fry. All perch captured were too small to be of interest to anglers. No pike have been caught in survey nets since 1991.
Emerald Lake 33-48-7W3 W. of Prince Albert	Walleye: (450-1975g) Excellent Northern Pike: (575-1350g) Good Perch: (10-60g) Poor	June 21/Gillnet. Good success for pike and fair for walleye reported at time of testing.
Fir River 45-4W2 N W. of Hudson Bay	Brook Trout: (75-450g) Moderate	July 3 and August 28 /Gillnet. No report of angling success. Stocked with 6,000 brook trout every second year.

Helene Lake 53-33,108-12	Walleye: (15-49cm) Excellent	July 10–15/Downhaul Trapnet. Lake has a history of partial winterkills since 1999, however, survey shows excellent numbers of walleye 1 to 4+ years old, up from 2000 survey. Poor angling success reported for walleye. Poor access at boat launch due to low water level.
Jade Lake Little Jade Lake 17-60-19W2 N. of Piprell lake	Tiger Trout: (1575g) Sparse Splake: (100-1550g) Moderate Rainbow Trout: (1425g) Poor	June 4/Gillnet. Fair success reported for splake at time of testing.
Katepwa Lake 20-12W2 E of Fort Qu'Appelle	Walleye: (40-2550g) Good Northern Pike: (300-5000g) Fair Perch: (100-210g) Good	July 16-17/Gillnet. Fair angling success for pike and walleye is reported.
Keeley Lake 54-54,108-08	Walleye: (38-61cm) Good Pike: (41-99cm) Excellent	July 15-17/Good angling success reported for pike and walleye. Walleye limit of 3.
Kenosee Lake 10-3W2 Moose Mountain Provincial Park	Northern Pike: (700-1000g) Moderate	July 2/Gillnet. Due to low water levels and marginal winter oxygen conditions, stocking will cease till water levels improve. Scheduled to be stocked with pike fry in 2003.
Kit Lake 12-61-21W2 N. of Candle Lake	Rainbow Trout: (400-1550g) Moderate	June 13/Gillnet. Reports of good trout fishing at time of test. Stocked with 6,000 rainbow trout fingerings annually.
Lac La Peche 3,10-46-8W3 W of Marcelin	Walleye: (275-1450g) Good Northern Pike: (300-1700g) Good	June 20/Gillnet. Moderate to fair catches of northern pike and walleye were reported at time of testing.
Lac la Plonge	Lake Trout: (40-94cm) Excellent	Sept.26-Oct.9/Trapnet. Lake Trout Spawning Survey indicates good numbers of lake trout in all year classes. Anglers report fair success for lake trout and pike.

Lorenz Lake 36-58-21W2 N of Candle Lake	Walleye: (50-1950g) Fair Northern Pike: (850-1050g) Fair	August 21/Gillnet. Reports of fair pike and poor walleye angling success at time of testing.
Lucien Lake 36-40-24W2 W of Middle Lake (town)	Walleye: (180-2750g) Good Northern Pike: (920-1740g) Poor Perch: (up to 135g) Poor	July 17/Gillnet. Walleye stocked regularly, either as fry or fingerlings from rearing pond. Although many perch were caught, few were large enough to be of interest to anglers.
Marean Lake 41-11W2 Greenwater Lake Provincial Park	Walleye: (125-1900g) Good Northern Pike: (625-4550g) Moderate Perch: (35-400g) Good	July 17/Gillnet. Fair to good angling success reported for walleye.
Melville Reservoir 1,12-23-7W2 NW of Melville	Walleye: (250-2650g) Good Perch: (40-260g) Good	August 9,29/Gillnet. Stocked with 300,000 walleye fry annually. Good angling success for walleye, and poor success for perch was reported this summer.
Ministikwan Lake 54-01,109-39	Walleye: (40-63cm) Fair Pike: (54-85cm) Good Perch: (13-27cm) Fair Whitefish: (29-56cm) Fair	August 20-26/Trapnet and Gillnet. Good angling success reported for pike, fair for walleye.
Mission Lake 21-13W2 E of Fort Qu'Appelle	Walleye: (55-2700g) Good Northern Pike: (1600-5700g) Fair Perch: (90-270g) Good	June 25-26/Gillnet. Good angling success for walleye, and fair success for pike was reported this summer.
Nipekamew Creek 60-20W2 N. of Piprell Lake	Brook Trout: (70-220g) Moderate	June 25-26/Gillnet. Stocked with 2,000 brook trout annually.
Nipekamew Lake 62,63-20W2 N. of Candle Lake	Walleye: (60-3900g) Fair Northern Pike: (140-2850g) Fair Perch: (40-120g) Poor	August 13-14/Gillnet. Good success for northern pike and fair success for walleye was reported at time of testing.
North Lake Lenore 11,14,23-42-21W2 W of St. Brieux	Walleye: (990-3700g) Moderate Northern Pike: (240-3700g) Moderate Perch: (70-125g) Fair Whitefish: (560-780g) Poor	August 16/Gillnet. Regularly stocked with walleye fry or fingerlings. All walleye were a good catchable size: most perch were too small to be of interest to anglers.

Onal Laka	Proof Trouts (10 160a) Esim	June 5/Gillnet. Stocked with
Opal Lake 16-60-19W2	Brook Trout: (40 -160g) Fair Brown Trout: (2250g) Poor	1,500 brook and 1,500
N. E. of Piprell Lake	Diowii 110ut. (2230g) 1001	
TV. D. OIT IPICH LAKE		brown trout in alternating
Pasqua Lake	Walleye: (50-3850g) Excellent	years. June 18-19/Gillnet and June
21-15W2	Northern Pike: (300-8400g)	25-28/Downhaul Trap.
W of Fort Qu'Appelle	Good	Good angling success for
,, or rore ou rippone	Perch: (100-450g) Moderate	walleye was reported early
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	in the summer, and fair
		success for pike.
Pear Lake	Rainbow Trout: (2100g) Poor	June 19/Gillnet. Fair
11-56-27W2	Brook Trout: (100-850g) Fair	success reported for
S. of McPhee Lake		rainbow and brook trout.
		Stocked annually with
		2,000 brook and 2,000
		rainbow trout.
Peitahigan Lake	Walleye: (23-65cm) Good	August 7-8/Gillnet. Fair
54-27,108-57	Northern Pike: (40-61cm)	angling success reported for
	Fair	walleye and pike. Walleye:
		Good range of year classes
		in sample. Pike: only small
		to medium size pike caught.
		Lake stocked annually with
		walleye fry. Net results
		indicate walleye population
		increasing, pike population
		no change from 1990 and 1995 surveys. Walleye
		limit of 3.
Pepaw Lake	Walleye: (50-1400g) Moderate	July 18/Gillnet. Fair success
3,9-40-2W2	Northern Pike: (475-675g)	for perch reported at time of
S. of Hudson Bay	Poor	testing.
	Perch: (85 -275g) Fair	
Piprell Lake	Splake: (75-1675g) Good	July 11/Gillnet. Good to fair
59-20W2	Brown Trout: (425-750g)	angling success for all trout
N. of Whiteswan Lake	Poor	species reported from
	Rainbow Trout: (750-1100g)	anglers at time of testing.
	Poor	
	Tiger Trout: (250g) Poor	X 1 10/071
Saginas Lake	Walleye: (775-1200g) Fair	July 18/Gillnet. No angling
4-41-2W2	Northern Pike: (80-1050g)	reports at time of testing.
South of Hudson Bay	Good	Stocked annually with
Compline I also	Perch: (120-250g) Poor	300,000 walleye fry.
Sapphire Lake	Splake: (90-1850g) Good	June 6/Gillnet. Stocked with
16-60-19W2		1,600 splake every second
NE of Piprell Lake		year.

Shannon Lake 29,32-42-24W2 N of Reynaud Singh Lake 32-61-20W2	Walleye: (70-910g) Excellent Rainbow Trout: (1000g) Sparse	July 16/Gillnet. Walleye fry stocked every second year. Lake levels have dropped so the lake is separated into three basins. June 12/Gillnet. Good angling success reported.
Near East Trout Lake	Spurse	Stocked annually with 6,000 rainbow trout.
Spruce Lake 53-34,109-06	Perch: (13-17cm) Poor	July 29-30/Gillnet. Lake has a history of winterkill. Only stunted perch caught in 2 gillnet sets.
Struthers Lake 2,3-45-23W2 SE of Birch Hills	Walleye: (100-1950g) Good Perch: (50-90g) Sparse	July 24/Gillnet. A partial summer kill was reported in August. Walleye stocking will continue in this lake.
Tourist Lake 61-2,3W3 N of P.A. National Park	Northern Pike: (825-1500g) Good Perch: (550-650g) Poor	May 31/Gillnet. No reported fishing success at time of testing.
Welwyn Reservoir 2-16-30W1 N of Welwyn	Northern Pike: (250-1950g) Good Perch: (30g) Sparse	August 30/Gillnet. Perch were restocked in 1999, following winterkill the previous winter. Some pike must have survived the winterkill, and the pike population is rapidly expanding.
Whalen Bay (White Swan Lake) 59-21W2 N of Candle Lake	Lake Trout: (80-3850g) Moderate	August 20/Gillnet. Fair success reported for lake trout at time of testing.
Whitebear Lake 9-2W2 N of Carlyle	Walleye: (450-2300g) Excellent	August 12/Gillnet. Stocked annually with 500,000 walleye fry. Fair angling success for walleye is reported.
Zeden Lake 6-58-18W2 Narrow Hills Prov. Park	Splake: (400-2750g) Moderate Perch: (40-150g) Good	June 14/Gillnet. Future management for this lake is undetermined due to the undesired introduction of perch.