

# POSITION PAPER: Surveillance in Long-Term Care Settings

This position statement was developed by the IPAC Canada Surveillance and Applied Epidemiology Interest Group:

Chairs: Jennifer Happe, Katherine Paphitis

Principal Authors: Jennifer Happe BSc, MSc;<sup>1,2</sup> Katherine Paphitis BSc, BASc, MSc, CPHI(C), CIC;<sup>3,4</sup>

Nalini Agnihotri BSc, MSc, PhD, CIC;<sup>4,5</sup> Bois Marufov MD, MSc, CIC;<sup>3,4</sup> Julie Mori PhD<sup>6,7</sup>

## Affiliations:

<sup>1</sup> Alberta Health Services, AB, Canada

<sup>2</sup> IPAC Canada – Southern Alberta Chapter, AB, Canada

<sup>3</sup> Public Health Ontario, ON, Canada

<sup>4</sup> IPAC Canada - Central South Ontario region, ON, Canada

<sup>5</sup> Halton Healthcare, Oakville Trafalgar Memorial Hospital, ON, Canada

<sup>6</sup> Interior Health, BC, Canada

<sup>7</sup> IPAC Canada – British Columbia region, BC, Canada

Original Date: September 2019

## BACKGROUND

Infections contracted in healthcare settings, including in long-term care (LTC) settings, that were neither present nor developing on admission to the healthcare setting are healthcare-associated infections (HAI) [1]. HAIs include infections with antibiotic-resistant organisms (AROs), respiratory, enteric, urinary tract and other infections, and are often preventable [1]. Surveillance in LTC should include, (at a minimum) monitoring for enteric and respiratory infections and for pathogens and infections of concern based on local epidemiology, and while this is legislated in some parts of Canada (e.g., Ontario), its routine performance across all Canadian LTC settings is essential to provide national rates and inform infection prevention and control (IPAC) strategies [2,3]. Standardized case definitions provide a baseline for both internal and external comparison, and inform IPAC programs [3].

Surveillance is defined by the Public Health Agency of Canada (PHAC) as ‘tracking and forecasting health events and determinants through the collection, analysis and reporting of data’ [4]. Ongoing surveillance provides baseline HAI data and, over time, builds capacity for subsequent monitoring activities, including benchmarking of HAI rates both within and between LTC settings [3,4]. Surveillance data informs research and antimicrobial stewardship programming, and guides clinical practice in LTC, including identification of outbreaks and implementation and monitoring of interventions aimed at reducing rates of HAI [3,4].

Case definitions used in HAI surveillance are ‘a set of standard criteria for classifying whether a person has a particular disease, syndrome or other health condition’ [5]. The most recent case definitions for use in Canadian LTC settings were published by IPAC Canada in 2017 [6].

Point prevalence surveys can also be used to identify trends in HAI locally and nationally [5]. A point prevalence survey in Canadian LTC settings was piloted by PHAC in 2017, in partnership with IPAC Canada. The study provided preliminary

information on infections caused by AROs and antimicrobial use in LTC, and demonstrated the feasibility of carrying out surveillance for HAI in LTC.

## POSITION STATEMENT

### Surveillance of Infections:

- LTC settings throughout Canada should routinely conduct surveillance for HAIs, regardless of whether or not this is a legislative requirement for their province or territory.
- Surveillance for HAIs should focus on infections most commonly associated with outbreaks and/or significant morbidity or mortality (e.g., respiratory and gastrointestinal) and those for which interventions can be implemented to limit or prevent further transmission and serious outcomes.
- Surveillance for other infections (e.g., urinary tract infections (UTIs), skin, soft tissue, and mucosal infections, and AROs) should be prioritized based on local epidemiology, and aligned with the vision and goals of the LTC home or organization.

### Surveillance Definitions:

- Surveillance in Canadian LTC settings should be conducted using the IPAC Canada case definitions (2017) to ensure consistency of case identification and to allow for comparison within a facility over time or against other facilities in the same geographic region and across Canada.

### Local and National Studies/Surveys:

- LTC settings should participate in point prevalence surveys, at the local and/or national level, to build a repository of data to provide a baseline for comparison for various infections. This enables consistent measurement of a facility’s performance over time and the ability to ‘benchmark’ against that of other facilities to identify opportunities for further improvement.

**STAKEHOLDERS**

LTC Facility Leadership  
 Infection Control Professionals (ICP) in LTC and/or LTC Facility Staff with ICP Responsibilities  
 Government and Regulatory Authorities

**GLOSSARY/DEFINITIONS**

As per the Canadian Standard Association (CSA):  
 'SHALL' is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard;  
 'SHOULD' is used to express a recommendation or that which is advised but not required; and  
 'MAY' is used to express an option or that which is permissible within the limits of the standard, an advisory or optional statement.

**REFERENCES**

1. Government of Canada. The Chief Public Health Officer's Report on the State of Public Health in Canada 2013 – Healthcare-associated infections – Due diligence. 2013. Retrieved from: [https://www.canada.ca/en/public-health/corporate/publications/chief-public-health-officer-reports-state-public-health-canada/](https://www.canada.ca/en/public-health/corporate/publications/chief-public-health-officer-reports-state-public-health-canada/chief-public-health-officer-report-on-state-public-health-canada-2013-infectious-disease-never-ending-threat/healthcare-associated-infections-due-diligence.html)

- report-on-state-public-health-canada-2013-infectious-disease-never-ending-threat/healthcare-associated-infections-due-diligence.html
2. Government of Ontario. Long-Term Care Homes Act, 2007, S.O. 2007, c.8. Retrieved from: <https://www.ontario.ca/laws/statute/07l08#BK107>
3. Ontario Agency for Health Protection and Promotion (Public Health Ontario), Provincial Infectious Diseases Advisory Committee. Best practices for surveillance of health care-associated infections in patient and resident populations. 3rd ed. Toronto, ON: Queen's Printer for Ontario; 2014.
4. Government of Canada. Public Health Agency of Canada (PHAC); Public Health Practice: Surveillance. 2017. Retrieved from: <https://www.canada.ca/en/public-health/services/public-health-practice/surveillance.html>
5. Centers for Disease Control. Principles of Epidemiology in Public Health Practice, Third Edition. An Introduction to Applied Epidemiology and Biostatistics. Retrieved from: <https://www.cdc.gov/ophs/csels/dsepd/ss1978/lesson1/section5.html>
6. Infection Prevention and Control (IPAC) Canada. Surveillance Definitions of Infections in Canadian Long Term Care Facilities. Can J Infect Control. 2017 Fall, (Suppl):10-17. 🍁

**Deliberately Different.**

Accelerated Hydrogen Peroxide®/AHP® is the **first & only** disinfectant technology formulated for:  
**Hands · Surfaces · Devices**

Now that's a *Deliberately Different™* way of thinking.

**virox.com**

**ACCELERATED HYDROGEN PEROXIDE**  
**VIROX TECHNOLOGIES INC.**

**Keep Your Mobile Devices Clean and Protect Your Patients & Staff**

Visit Now for More Info: <http://www.sealshield.com>

**All-In-One Solution For Proper Disinfection of Handheld Electronics**  
 96.2% of Phones Contain Bacterial Contamination

**ElectroClave: An All-In-One Solution**

The ElectroClave provides an all-in-one solution for 360 degree UVC-LED Disinfection & Infection Prevention policy oversight by utilizing cloud-based mobile device management software. Seal Shield now has access to the singular enterprise solution that brings healthcare a way to standardize the disinfection of all portable electronics with compliance reporting, compliance auditing, and validation.

**The ElectroClave saves lives while increasing ROI:**

- Mitigates risk of Hospital Acquired Infections (HAIs)/Surgical Site Infections (SSIs)
- Increases practitioner's hand hygiene effectiveness
- Provides further visibility into staff, device, and patient interaction technology
- Prevents security breaches common with mobile technology

**Mobile Technologies:**

- Vocera Badges
- Tablets (iPads, Surface Pros, etc.)
- Handheld Scanners (Zebra, Honeywell, Datalogic, etc.)
- Smartphones (iOS, Androids, etc.)
- Two-Way Communication Devices (Ascom, Voalte, etc.)
- Dictation Microphones

**DISINFECTION MANAGEMENT**

- 360 Degree UVC Exposure
- Rapid Disinfection Cycles
- Adjustable Efficacy
- Compliance and Validity

**DEVICE MANAGEMENT**

- Device-to-User Accountability
- Secured Inventory
- NFC Proximity Tap-N-Go Access
- Device Agnostic
- Multi-Device Capacity

**SEAL SHIELD** Contact a Seal Shield Expert: 877-325-7443 (87-SEAL-SHIELD)

Copyright© 2019, Seal Shield, LLC. All Rights Reserved. Seal Shield, LLC - Orlando, Florida