

**An exploration of IPAC educational intervention research: What do we mean by education?**

**Gwyneth L. Meyers, PhD; Michele Jacobsen, PhD; Elizabeth Henderson, PhD**

**Appendix A**

**Papers in alphabetical order reviewed for the content analysis**

1. Alemagno, S. A., Guten, S. M., Warthman, S., Young, E., & Mackay, D. S. (2010). Online learning to improve hand hygiene knowledge and compliance among health care workers. *Journal of Continuing Education in Nursing, 41*(10), 463-471. doi:10.3928/00220124-20100610-06.
2. Allen, G. B., Miller, V., Nicholas, C., Hess, S., Cordes, M. K., Fortune, J. B., Blondin, J., Ashikaga, T., & Ricci, M. (2014). A multitiered strategy of simulation training, kit consolidation, and electronic documentation is associated with a reduction in central line-associated bloodstream infections. *American Journal of Infection Control, 42*(6), 643-648. doi:10.1016/j.ajic.2014.02.014.
3. Andersen, C., Hart, J., Vemgal, P., & Harrison, C. (2005). Prospective evaluation of a multi-factorial prevention strategy on the impact of nosocomial infection in very-low-birthweight infants. *Journal of Hospital Infection, 61*(2), 162-167. doi:10.1016/j.jhin.2005.02.002.
4. Anderson, N., Johnson, D., & Wendt, L. (2015). Use of a novel teaching method to increase knowledge and adherence to isolation procedures. *Medsurg Nursing, 24*(3), 159-

164. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/26285370>.
5. Aragon, D., Sole, M. L., & Brown, S. (2005). Outcomes of an infection prevention project focusing on hand hygiene and isolation practices. *AACN Clinical Issues*, 16(2), 121-132. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15876879>.
6. Atack, L., & Luke, R. (2008). Impact of an online course on infection control and prevention competencies. *Journal of Advanced Nursing*, 63(2), 175-180. doi:10.1111/j.1365-2648.2008.04660.x.
7. Atack, L., & Luke, R. (2009). Improving infection control competency through an online learning course. *Nursing Times*, 105(4), 30-32. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/19263775>.
8. Avila-Agüero, M. L., Umaña, M. A., Jiménez, A. L., Faingezicht, I., & Paris, M. M. (1998). Handwashing practices in a tertiary-care, pediatric hospital and the effect of an educational program. *Clinical Performance and Quality Health Care*, 6(2), 70-72.
9. Baldwin, N. S., Gilpin, D. F., Tunney, M. M., Kearney, M. P., Crymble, L., Cardwell, C., & Hughes, C. M. (2010). Cluster randomised controlled trial of an infection control education and training intervention programme focusing on meticillin-resistant *Staphylococcus aureus* in nursing homes for older people. *Journal of Hospital Infection*, 76(1), 36-41. doi:10.1016/j.jhin.2010.03.006.
10. Barker, D. J. (1998). Effects of video-based staff training with manager led exercises in resident support. *Mental Retardation*, 36(3), 198-204.
11. Benton, C. (2007). Hand hygiene – Meeting the JCAHO safety goal: Can compliance with CDC hand hygiene guidelines be improved by a surveillance and educational program? *Plastic Surgical Nursing*, 27(1), 40-44.

12. Berg, D. E., Hershaw, R. C., Ramirez, C. A., & Weinstein, R. A. (1995). Control of nosocomial infections in an intensive care unit in Guatemala City. *Clinical Infectious Diseases*, 21(3), 588-593.
13. Bhojani, S., D'Costa, S., & Gupta, A. (2008). Hand hygiene: "Simple, inexpensive and an effective tool." *Journal of Infection Prevention*, 9(5), 15-17.  
doi:10.1177/1469044608092806.
14. Bhutta, A., Gilliam, C., Honeycutt, M., Schexnayder, S., Green, J., Moss, M., & Anand, K. J. S. (2007). Reduction of bloodstream infections associated with catheters in paediatric intensive care unit: Stepwise approach. *BMJ*, 334(7589), 362-365.  
doi:10.1136/bmj.39064.457025.DE.
15. Biddell, E. A., Vandersall, B. L., Bailes, S. A., Estephan, S. A., Ferrara, L. A., Nagy, K. M., O'Connell, J. L., & Patterson, M. D. (2016). Use of simulation to gauge preparedness for Ebola at a free-standing children's hospital. *Simulation in Healthcare*, 11(2), 94-99.  
doi:10.1097/SIH.0000000000000134.
16. Bryce, E., Yassi, A., Maultsaid, D., Gamage, B., Landstrom, M., LoChang, J., & Hon, C.-Y. (2008). E-learning of infection control: It's contagious. *Canadian Journal of Infection Control*, 23(4), 228-237.
17. Buffet-Bataillon, S., Leray, E., Poisson, M., Michelet, C., Bonnaure-Mallet, M., & Cormier, M. (2010). Influence of job seniority, hand hygiene education, and patient-to-nurse ratio on hand disinfection compliance. *Journal of Hospital Infection*, 76(1), 32-35.  
doi:10.1016/j.jhin.2010.02.024.
18. Calil, R., Marba, S. T., von Nowakonski, A., & Tresoldi, A. T. (2001). Reduction in colonization and nosocomial infection by multiresistant bacteria in a neonatal unit after

- institution of educational measures and restriction in the use of cephalosporins. *American Journal of Infection Control*, 29(3), 133-138. doi:10.1067/mic.2001.114223.
19. Caniza, M. A., Maron, G., Moore, E. J., Quintana, Y., & Liu, T. (2007). Effective hand hygiene education with the use of flipcharts in a hospital in El Salvador. *Journal of Hospital Infection*, 65(1), 58-64. doi:10.1016/j.jhin.2006.08.011.
  20. Cantrell, D., Shamriz, O., Cohen, M. J., Stern, Z., Block, C., & Brezis, M. (2009). Hand hygiene compliance by physicians: Marked heterogeneity due to local culture? *American Journal of Infection Control*, 37(4), 301-305. doi:10.1016/j.ajic.2008.05.001.
  21. Chimango, J. L., Kaponda, C. N., Jere, D. L., Chimwaza, A., Crittenden, K. S., Kachingwe, S. I., Norr, K. F., & Norr, J. L. (2009). Impact of a peer-group intervention on occupation-related behaviors for urban hospital workers in Malawi. *Journal of the Association of Nurses in AIDS Care*, 20(4), 293-307. doi:10.1016/j.jana.2009.03.005.
  22. Chou, T., Kerridge, J., Kulkarni, M., Wickman, K., & Malow, J. (2010). Changing the culture of hand hygiene compliance using a bundle that includes a violation letter. *American Journal of Infection Control*, 38(7), 575-578. doi:10.1016/j.ajic.2010.01.016.
  23. Chun, H. K., Kim, K. M., & Park, H. R. (2015). Effects of hand hygiene education and individual feedback on hand hygiene behaviour, MRSA acquisition rate and MRSA colonization pressure among intensive care unit nurses. *International Journal of Nursing Practice*, 21(6), 709-715. doi:10.1111/ijn.12288.
  24. Coignard, B., Grandbastien, B., Berrouane Y., Krembel, C., Queverue, M., Salomez, J.-L., & Martin, G. (1998). Handwashing quality: Impact of a special program. *Infection Control & Hospital Epidemiology*, 19(7), 510-513.
  25. Colombo, C., Giger, H., Grote, J., Deplazes, C., Pletscher, W., Lüthi, R., & Ruef, C.

- (2002). Impact of teaching interventions on nurse compliance with hand disinfection. *Journal of Hospital Infection*, 51(1), 69-72. doi:10.1053/jhin.2002.1198.
26. Columbine, A. M., & Wharrad, H. J. (2007). Using computer technology to deliver an infection control update on hand hygiene. *Journal of Infection Prevention*, 8(3), 14-19. doi:10.1177/14690446070080030601.
27. Conly, J., Hill, S., Ross, J., Lertzman, J., & Louie, T. (1989). Handwashing practices in an intensive care unit: The effects on and educational program and its relationship to infection rates. *American Journal of Infection Control*, 17(6), 330-339.
28. Conrad, A., Kaier, K., Frank, U., & Dettenkofer, M. (2010). Are short training sessions on hand hygiene effective in preventing hospital-acquired MRSA? A time-series analysis. *American Journal of Infection Control*, 38(7), 559-561. doi:10.1016/j.ajic.2009.10.009.
29. Cooper, T. (2004). Delivering an infection control link nurse programme: Implementation and evaluation of a flexible teaching approach. *Journal of Infection Prevention*, 5(5), 24-26. doi:10.1177/14690446040050050701.
30. Coopersmith, C. M., Rebmann, T. L., Zack, J. E., Ward, M. R., Corcoran, R. M., Schallom, M. E., Sona, C. S., Buchman, T. G., Boyle, W. A., Polish, L. B., & Fraser, V. J. (2002). Effect of an education program on decreasing catheter-related bloodstream infections in the surgical intensive care unit. *Critical Care Medicine*, 30(1), 59-64. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11902288>.
31. Creedon, S. A. (2005). Healthcare workers' hand decontamination practices: Compliance with recommended guidelines. *Journal of Advanced Nursing*, 51(3), 208-216. doi:10.1111/j.1365-2648.2005.03490.x.
32. Creedon, S. A. (2006). Health care workers' hand decontamination practices: An Irish

- study. *Clinical Nursing Research*, 15(1), 6-26. doi:10.1177/1054773805282445.
33. das Neves, Z. C., Tipple, A. F., Silva e Souza, A. C., Pereira, M. S., Melo, de Sousa Melo, D., & Ferreira, L. R. (2006). Hand hygiene: The impact on incentive strategies on adherence among healthcare workers from a newborn intensive care unit. *Revista Latino-Americana de Enfermagem*, 14(4), 546-552.
34. Delaney, H. M., Lucero, P. F., Maves, R. C., Lawler, J. V., Maddry, J. K., Biever, K. A., Womble, S. G., Coffman, R. V., & Murray, C. K. (2016). Ebola virus disease simulation case series patient with Ebola virus disease in the prodromal phase of illness (scenario 1), the “wet” gastrointestinal phase of illness (scenario 2), and the late, critically ill phase of disease (scenario 3). *Simulation in Healthcare*, 11(2), 106-116.  
doi:10.1097/SIH.0000000000000115.
35. Desai, N., Philpott-Howard, J., Wade, J., & Casewell, M. (2000). Infection control training: Evaluation of a computer-assisted learning package. *Journal of Hospital Infection*, 44(3), 193-199. doi:10.1053/jhin.1999.0673.
36. Diekema, D. J., Schuldt, S. S., Albanese, M. A., & Doebbeling, B. N. (1995). Universal precautions of preclinical students: Impact on knowledge, attitudes, and compliance. *Preventive Medicine*, 24(6), 580-585.
37. Dierssen-Sotos, T., Brugos-Llamazares, V., Robles-García, M., Rebello-Rodrigo, H., Fariñas-Alvarez, C., Antolín-Juarez, F. M., Fernandez-Núñez, M. L., de la Cal López, M., & Llorca, J. (2010). Evaluating the impact of a hand hygiene campaign on improving adherence. *American Journal of Infection Control*, 38(3), 240-243.  
doi:10.1016/j.ajic.2009.08.014.
38. Doron, S. I., Kifuji, K., Hynes, B. T., Dunlop, D., Lemon, T., Hansjosten, K., Cheung, T.,

- Curley, B., Snydman, D. R., & Fairchild, D. G. (2011). A multifaceted approach to education, observation, and feedback in a successful hand hygiene campaign. *Joint Commission Journal on Quality and Patient Safety*, 37(1), 3-10. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/21306060>.
39. Dorsey, S. T., Cydulka, R. K., & Emerman, C. L. (1996). Is handwashing teachable? Failure to improve handwashing behavior in an urban emergency department. *Academic Emergency Medicine*, 3(4), 360-365.
40. Drew, J. L., Turner, J., Mugele, J., Hasty, G., Duncan, T., Zaiser, R., & Cooper, D. (2016). Beating the spread developing a simulation analog for contagious body fluids. *Simulation in Healthcare*, 11(2), 100-105. doi:10.1097/SIH.0000000000000157.
41. Dubbert, P. M., Dolce, J., Richter, W., Miller, M., & Chapman, S. W. (1990). Increasing ICU staff handwashing: Effects of education and group feedback. *Infection Control & Hospital Epidemiology*, 11(4), 191-193.
42. Duerink, D. O., Farida, H., Nagelkerke, N. J. D., Wahyono, H., Keuter, M., Lestari, E. S., Hadi, U., & Van den Broek, P. J. (2006). Preventing nosocomial infections: Improving compliance with standard precautions in an Indonesian teaching hospital. *Journal of Hospital Infection*, 64(1), 36-43. doi:10.1016/j.jhin.2006.03.017.
43. Duggan, J. M., Hensley, S., Khuder, S., Papadimos, T. J., & Jacobs, L. (2008). Inverse correlation between level of professional education and rate of handwashing compliance in a teaching hospital. *Infection Control & Hospital Epidemiology*, 29(6), 534-538. doi:10.1086/588164.
44. Ebnöther, C., Tanner, B., Schmid, F., La Rocca, V., Heinzer, I., & Bregenzer, T. (2008). Impact of an infection control program on the prevalence of nosocomial infections at a

- tertiary care center in Switzerland. *Infection Control & Hospital Epidemiology*, 29(1), 38-43. doi:10.1086/524330.
45. Englert, N. C., & McDermott, D. (2016). Back to Fundamentals: Using high- and low-fidelity simulation to provide reinforcement of preventative measures for sepsis. *Critical Care Nursing Quarterly*, 39(1), 14-23. doi:10.1097/CNQ.0000000000000097.
46. Erasmus, V., Huis, A., Oenema, A., van Empelen, P., Boog, M. C., van Beeck, E. H. E., Polinder, S., Steyerberg, E. W., Richardus, J. H., Vos, M. C., & van Beeck, E. F. (2011). The ACCOMPLISH study: A cluster randomised trial on the cost-effectiveness of a multicomponent intervention to improve hand hygiene compliance and reduce healthcare associated infections. *BMC Public Health*, 11(1), 721. doi:10.1186/1471-2458-11-721.
47. Fakih, M. G., Jones, K., Rey, J. E., Takla, R., Szpunar, S., Brown, K., Boelstler, A., & Saravolatz, L. (2013). Peripheral venous catheter care in the emergency department: Education and feedback lead to marked improvements. *American Journal of Infection Control*, 41(6), 531-536. doi:10.1016/j.ajic.2012.07.010.
48. Garland, K. V. (2010). E-learning vs. classroom instruction in infection control in a dental hygiene program. *Journal of Dental Education*, 74(6), 637-643. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/20516303>.
49. Garland, K. V. (2014). Evaluation of resources for an interactive infection control instructional program. *Journal of Dental Hygiene*, 88(2), 124-129. Retrieved from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=medc&NEWS=N&AN=24771776>.
50. Gill, C. J., Mantaring, J. B. V., Macleod, W. B., Mendoza, M., Mendoza, S., Huskins, W. C., Goldmann, D. A., & Hamer, D. H. (2009). Impact of enhanced infection control at 2

- neonatal intensive care units in the Philippines. *Clinical Infectious Diseases*, 48(1), 13-21. doi:10.1086/594120.
51. Gould, D. J., & Chamberlain, A. (1997). The use of a ward-based educational teaching package to enhance nurses' compliance with infection control procedures. *Journal of Clinical Nursing*, 6(1), 55-67.
  52. Grayson, M. L., Jarvie, L. J., Martin, R., Johnson, P. D., Jodoin, M. E., McMullan, C., Gregory, R. H., Bellis, K., Cunningham, K., Wilson, F. L., Quin, D., & Kelly, A. M. (2008). Significant reductions in methicillin-resistant *Staphylococcus aureus* bacteraemia and clinical isolates associated with a multisite, hand hygiene culture-change program and subsequent successful statewide roll-out. *Medical Journal of Australia*, 188 (11), 633-640.
  53. Harbarth, S., Pittet, D., Grady, L., Zawacki, A., Potter-Bynoe, G., Smore, M. H., & Goldmann, D. A. (2002). Interventional study to evaluate the impact of an alcohol-based hand gel in improving hand hygiene compliance. *Pediatric Infectious Disease Journal*, 21(6), 489-495.
  54. Hautemaniere, A., Cunat, L., Diguiio, N., Vernier, N., Schall, C., Daval, M. C., Ambrogi, V., Tousseul, S., Hunter, P. R., & Hartemann, P. (2010). Factors determining poor practice in alcoholic gel hand rub technique in hospital workers. *Journal of Infection and Public Health*, 3(1), 25-34. doi:10.1016/j.jiph.2009.09.005.
  55. Helder, O. K., Brug, J., Loosman, C. W., van Goudoever, J. B., & Kornelisse, R. F. (2010). The impact of an education program on hand hygiene compliance and nosocomial infection incidence in an urban neonatal intensive care unit: An intervention study with before and after comparison. *International Journal of Nursing Studies*, 47(10), 1245-1252. doi:10.1016/j.ijnurstu.2010.03.005.

56. Helms, B., Dorval, S., St. Laurent, P., & Winter, M. (2010). Improving hand hygiene compliance: A multidisciplinary approach. *American Journal of Infection Control*, 38(7), 572-574. doi:10.1016/j.ajic.2009.08.020.
57. Hon, C. Y., Gamage, B., Bryce, E. A., LoChang, J., Yassi, A., Maultsaid, D., & Yu, S. (2008). Personal protective equipment in health care: Can online infection control courses transfer knowledge and improve proper selection and use? *American Journal of Infection Control*, 36(10), e33-e37. doi:10.1016/j.ajic.2008.07.007.
58. Howard, D. P. J., Williams, C., Sen, S., Shah, A., Daurka, J., Bird, R., Loh, A., & Howard, A. (2009). A simple effective clean practice protocol significantly improves hand decontamination and infection control measures in the acute surgical setting. *Infection*, 37(1), 34-38. doi:10.1007/s15010-008-8005-3.
59. Huang, J., Jiang, D., Wang, X., Liu, Y., Fennie, K., Burgess, J., & Williams, A. B. (2002). Changing knowledge, behavior, and practice related to universal precautions among hospital nurses in China. *Journal of Continuing Education in Nursing*, 33(5), 217-224.
60. Huang, S. S., Yokoe, D. S., Hinrichsen, V. L., Spurchise, L. S., Datta, R., Miroshnik, I., & Platt, R. (2006). Impact of routine intensive care unit surveillance cultures and resultant barrier precautions on hospital-wide methicillin-resistant *Staphylococcus aureus* bacteremia. *Clinical Infectious Diseases*, 43(8), 971-978. doi:10.1086/507636.
61. Huang, T. T., & Wu, S. C. (2008). Evaluation of a training programme on knowledge and compliance of nurse assistants' hand hygiene in nursing homes. *Journal of Hospital Infection*, 68(2), 164-170. doi:10.1016/j.jhin.2007.11.020.
62. Huis, A., Schoonhoven, L., Grol, R., Borm, G., Adang, E., Hulscher, M., & van Achterberg, T. (2011). Helping hands: A cluster randomised trial to evaluate the

effectiveness of two different strategies for promoting hand hygiene in hospital nurses.

*Implementation Science*, 6(1), 101. doi:10.1186/1748-5908-6-101.

63. Hung, P. P., Choi, K. S., & Chiang, V. C. (2015). Using interactive computer simulation for teaching the proper use of personal protective equipment. *Computers, Informatics, Nursing*, 33(2), 49-57. doi:10.1097/CIN.0000000000000125.
64. Jansson, M. M., Syrjälä, H. P., Ohtonen, P. P., Meriläinen, M. H., Kyngäs, H. A., & Alakokko, T. I. (2016). Simulation education as a single intervention does not improve hand hygiene practices: A randomized controlled follow-up study. *American Journal of Infection Control*, 44(6), 625-630. doi:10.1016/j.ajic.2015.12.030.
65. Khatib, M., Jamaleddine, G., Abdallah, A., & Ibrahim, Y. (1999). Hand washing and use of gloves while managing patients receiving mechanical ventilation in the ICU. *Chest*, 116(1), 172-175.
66. Koo, E., McNamara, S., Lansing, B., Olmsted, R. N., Rye, R. A., Fitzgerald, T., & Mody, L. (2016). Making infection prevention education interactive can enhance knowledge and improve outcomes: Results from the Targeted Infection Prevention (TIP) Study. *American Journal of Infection Control*, 44(11), 1241-1246. doi:10.1016/j.ajic.2016.03.016.
67. Kram, J. J., Borlaug, G., Safdar, N., & Sethi, A. (2015). Development and distribution of educational materials for carbapenem-resistant enterobacteriaceae among acute and long-term care facilities. *Wisconsin Medical Journal*, 114(2), 48-51.
68. Lam, B. C. C., Lee, J., & Lau, Y. L. (2004). Hand hygiene practices in a neonatal intensive care unit: A multimodal intervention and impact on nosocomial infection. *Pediatrics*, 114(5), e565-e571. doi:10.1542/peds.2004-1107.
69. Larson, E. L., Early, E., Cloonan, P., Sugrue S, & Parides, M. (2000). An organizational

- climate intervention associated with increased handwashing and decreased nosocomial infections. *Behavioral Medicine*, 26(1), 14-22. doi:10.1080/08964280009595749.
70. Laustsen, S., Bibby, B. M., Kristensen, B., Møller, J. K., & Thulstrup, A. M. (2009). E-learning may improve adherence to alcohol-based hand rubbing: A cohort study. *American Journal of Infection Control*, 37(7), 565-568. doi:10.1016/j.ajic.2009.01.002.
71. Lederer, J. W., Jr., Best, D., & Hendrix, V. (2009). A comprehensive hand hygiene approach to reducing MRSA health care-associated infections. *Joint Commission Journal on Quality and Patient Safety*, 35(4), 180-185.
72. Lee, T. C., Moore, C., Raboud, J. M., Muller, M. P., Green, K., Tong, A., Dhaliwal, J., & McGeer, A. (2009). Impact of a mandatory infection control education program on nosocomial acquisition of methicillin-resistant *Staphylococcus aureus*. *Infection Control & Hospital Epidemiology*, 30(3), 249-256. doi:10.1086/596042.
73. Lobo, R. D., Levin, A. S., Brasileiro Gomes, L. M., Cursino, R., Park, M., Figueiredo, V. B., Taniguchi, L., Polido, C. G., & Figueiredo Costa, S. (2005). Impact of an educational program and policy changes on decreasing catheter-associated bloodstream infections in a medical intensive care unit in Brazil. *American Journal of Infection Control*, 33(2), 83-87. doi:10.1016/j.ajic.2004.05.003.
74. Lobo, R. D., Levin, A. S., Oliveira, M. S., Gomes, L. M., Gobara, S., Park, M., Figueiredo, V. B., de Vasconcelos Santos, E., & Costa, S. F. (2010). Evaluation of interventions to reduce catheter-associated bloodstream infection: continuous tailored education versus one basic lecture. *American Journal of Infection Control*, 38(6), 440-448. doi:10.1016/j.ajic.2009.09.013.
75. Lytsy, B., Melbarde-Kelmere, A., Hambraeus, A., Liubimova, A., & Aspevall, O. (2016).

A joint, multilateral approach to improve compliance with hand hygiene in 4 countries within the Baltic region using the World Health Organization's SAVE LIVES: Clean Your Hands model. *American Journal of Infection Control*, 44(11),1208-1213.  
doi:10.1016/j.ajic.2016.03.009.

76. Makris, A. T., Morgan, L., Gaber, D. J., Richter, A., & Rubino, J. R. (2000). Effect of a comprehensive infection control program on the incidence of infections in long-term care facilities. *American Journal of Infection Control*, 28(1), 3-7.
77. Mbonye, M. K., Burnett, S. M., Naikoba, S., Ronald, A., Colebunders, R., Van Geertruyden, J.-P., & Weaver, M. R. (2016). Effectiveness of educational outreach in infectious diseases management: A cluster randomized trial in Uganda. *BMC Public Health*, 16(1), 1-15. doi:10.1186/s12889-016-3375-4.
78. Mikkelsen, J., Reime, M. H., & Harris, A. K. (2008). Nursing students' learning of managing cross-infections – Scenario-based simulation training versus study groups. *Nurse Education Today*, 28(6), 664-671. doi:10.1016/j.nedt.2007.11.003.
79. Milward, M. R., & Cooper, P. R. (2007). Competency assessment for infection control in the undergraduate dental curriculum. *European Journal of Dental Education*, 11(3), 148-154.
80. Muto, C. A., Blank, M. K., Marsh, J. W., Vergis, E. N., O'Leary, M. M., Shutt, K. A., Pasculle, A. W., Pokrywka, M., Garcia, J. G., Posey, K., Roberts, T. L., Potoski, B. A., Blank, G. E., Simmons, R. L., Veldkamp, P., Harrison, L. H., & Paterson, D. L. (2007). Control of an outbreak of infection with the hypervirulent *Clostridium difficile* BI strain in a university hospital using a comprehensive “bundle” approach. *Clinical Infectious Diseases*, 45(10), 1266-1273. doi:10.1086/522654.

81. Najafi, G.T., Abbasnejad, Z., Rafii, F., & Haghani, H. (2015). Effect of a multimodal training program and traditional lecture method on nurses' hand hygiene knowledge, belief, and practice: A brief report. *American Journal of Infection Control*, 43(7), 762-764. doi:10.1016/j.ajic.2015.03.018.
82. Ng, Y. Y., Abdel-Latif, M.-A., Gan, C. S., Siham, A., Zainol, H., & Lum, L. C. (2015). Impact of infection control training for interns on PICU-acquired bloodstream infections in a middle-income country. *Singapore Medical Journal*, 56(9), 506-512. doi:10.11622/smedj.2015135.
83. Panhotra, B. R., Saxena, A. K., Al-Ghamdi, A. M. A.-A. (2004). The effect of a continuous educational program on handwashing compliance among healthcare workers in an intensive care unit. *Journal of Infection Prevention*, 5(3), 15-18. doi:10.1177/14690446040050030401.
84. Pellowe, C., Adams, J., Elliott, S., Murrell, K., & Cox, D. (2010). The use of an e-learning infection prevention programme in the pre-registration nursing curriculum. *Journal of Infection Prevention*, 11(2), 55-57. doi:10.1177/1757177410362498.
85. Phrampus, P. E., O'Donnell, J. M., Farkas, D., Abernethy, D., Brownlee, K., Dongilli, T., & Martin, S. (2016). Rapid development and deployment of Ebola readiness training across an academic health system: The critical role of simulation education, consulting, and systems integration. *Simulation in Healthcare*, 11(2), 82-88. doi:10.1097/SIH.0000000000000137.
86. Picheansathian, W., Pearson, A., & Suchaxaya, P. (2008). The effectiveness of a promotion programme on hand hygiene compliance and nosocomial infections in a neonatal intensive care unit. *International Journal of Nursing Practice*, 14(4), 315-321. doi:10.1111/j.1440-

172X.2008.00699.x.

87. Pratt, R. J., Pellowe, C. M., Shelley, J., Adams, J., Loveday, H. P., King, D., & Jones, S. R. L. J. (2005). Using a blended e-learning model to provide accessible infection prevention and control training for NHS staff: The NHSU/TVU/Intuition approach. *Journal of Infection Prevention*, 6(2), 16-18. doi:10.1177/14690446050060020401.
88. Prieto, J., & Macleod Clark, J. (2005). Contact precautions for *Clostridium difficile* and Methicillin-resistant *Staphylococcus aureus* (MRSA). *Journal of Research in Nursing*, 10(5), 511-526.
89. Raju, T. N., & Kobler, C. (1991). Improving handwashing habits in the newborn nurseries. *American Journal of the Medical Sciences*, 302(6), 355-358.
90. Raskind, C. H., Worley, S., Vinski, J., & Goldfarb, J. (2007). Hand hygiene compliance rates after an educational intervention in a neonatal intensive care unit. *Infection Control & Hospital Epidemiology*, 28(9), 1096-1098. doi:10.1086/519933.
91. Rees, S., Houlahan, B., Safdar, N., Sanford-Ring, S., Shore, T., & Schmitz, M. (2013). Success of a multimodal program to improve hand hygiene compliance. *Journal of Nursing Care Quality*, 28(4), 312-318. doi:10.1097/NCQ.0b013e3182902404.
92. Reime, M. H., Harris, A., Aksnes, J., & Mikkelsen, J. (2008). The most successful method in teaching nursing students infection control: E-learning or lecture? *Nurse Education Today*, 28(7), 798-806. doi:10.1016/j.nedt.2008.03.005.
93. Rojo, E., Orun, C., Sierra, D., Garcia, G., Del Moral, I., & Maestre, J. M. (2016). Simulation as a tool to facilitate practice changes in teams taking care of patients under investigation for Ebola virus disease in Spain. *Simulation in Healthcare*, 11(2), 89-93. doi:10.1097/SIH.0000000000000139.

94. Rose, L., Rogel, K., Redl, L., & Cade, J. F. (2009). Implementation of a multimodal infection control program during an *Acinetobacter* outbreak. *Intensive & Critical Care Nursing*, 25(2), 57-63. doi:10.1016/j.iccn.2008.09.002.
95. Rosenthal, V. D., Guzman, S., Pezzotto, S. M., & Crnich, C. J. (2003). Effect of an infection control program using education and performance feedback on rates of intravascular device-associated bloodstream infections in intensive care units in Argentina. *American Journal of Infection Control*, 31(7), 405-409. doi:10.1067/mic.2003.52.
96. Rosenthal, V. D., Guzman, S., & Safdar, N. (2005). Reduction in nosocomial infection with improved hand hygiene in intensive care units of a tertiary care hospital in Argentina. *American Journal of Infection Control*, 33(7), 392-397. doi:10.1016/j.ajic.2004.08.009.
97. Sacar, S., Turgut, H., Kaleli, I., Cevahir, N., Asan, A., Sacar, M., & Tekin, K. (2006). Poor hospital infection control practice in hand hygiene, glove utilization, and usage of tourniquets. *American Journal of Infection Control*, 34(9), 606-609. doi:10.1016/j.ajic.2006.02.006.
98. Sadeghi-Moghaddam, P., Arjmandnia, M., Shokrollahi, M., & Aghaali, M. (2015). Does training improve compliance with hand hygiene and decrease infections in the neonatal intensive care unit? A prospective study. *Journal of Neonatal-Perinatal Medicine*, 8(3), 221-225. doi:10.3233/NPM-15915001.
99. Salemi, C., Canola, M. T., & Eck, E. K. (2002). Hand washing and physicians: How to get them together. *Infection Control & Hospital Epidemiology*, 23(1), 32-35.
100. Santana, S. L., Furtado, G. H. C., Coutinho, A. P., & Medeiros, E. A. S. (2007). Assessment of healthcare professionals' adherence to hand hygiene after alcohol-based hand rub introduction at an intensive care unit in São Paulo, Brazil. *Infection Control &*

*Hospital Epidemiology*, 28(3), 365-367. doi:10.1086/510791.

101. Schelenz, S., Tucker, D., Georgeu, C., Daly, S., Hill, M., Roxburgh, J., & French, G. L. (2005). Significant reduction of endemic MRSA acquisition and infection in cardiothoracic patients by means of an enhanced targeted infection control programme. *Journal of Hospital Infection*, 60(2), 104-110. doi:10.1016/j.jhin.2004.11.020.
102. Schelonka, R. L., Scruggs, S., Nichols, K., Dimmitt, R. A., & Carlo ,W. A. (2006). Sustained reductions in neonatal nosocomial infection rates following a comprehensive infection control intervention. *Journal of Perinatology*, 26(3), 176-179. doi:10.1038/sj.jp.7211411.
103. Sharek, P. J., Benitz, W. E., Abel, N. J., Freeburn, M. J., Mayer, M. L., & Bergman, D. A. (2002). Effect of an evidence-based hand washing policy on hand washing rates and false-positive coagulase negative staphylococcus blood and cerebrospinal fluid culture rates in a level III NICU. *Journal of Perinatology*, 22(2), 137-143. doi:10.1038/sj.jp/7210661.
104. Simmons, B., Bryant, J., Neiman, K., Spencer, L., & Arheart, K. (1990). The role of in prevention handwashing intensive of endemic. *Infection Control & Hospital Epidemiology*, 11(11),589-594.
105. Sjöberg, M., & Eriksson, M. (2010). Hand disinfectant practice: The impact of an education intervention. *Open Nursing Journal*, 4(12), 20-24. doi:10.2174/1874434601004010020.
106. Stock, S., Tebest, R., Westermann, K., Samel, C., Strohbücker, B., Stosch, C., Wenckel, H. M., & Redaelli, M. (2016). Implementation of an innovative hands-on training to improve adherence to hygiene rules: A feasibility study. *Nurse Education Today*, 36, 407-411. doi:10.1016/j.nedt.2015.10.012.

107. Thomas, M. K., Gillespie, W., Krauss, J., Harrison, S., Medeiros, R., Hawkins, M., Maclean., R., & Woeltje, K. F. (2005). Focus group data as a tool in assessing effectiveness of a hand hygiene campaign. *American Journal of Infection Control*, 33(6), 368-373. doi:10.1016/j.ajic.2005.03.011.
108. Trautmann, M., Pollitt, A., Loh, U., Synowzik, I., Reiter, W., Rohs, M., May, U., & Meyer, E. (2007). Implementation of an intensified infection control program to reduce MRSA transmissions in a German tertiary care hospital. *American Journal of Infection Control*, 35(10), 643-649. doi:10.1016/j.ajic.2007.04.280.
109. Trick, W. E., Vernon, M. O., Welbel, S. F., DeMarais, P., Hayden, M. K., & Weinstein, R. A. (2007). Multicenter intervention program to increase adherence to hand hygiene recommendations and glove use and to reduce the incidence of antimicrobial resistance. *Infection Control & Hospital Epidemiology*, 28(1), 42-49. doi:10.1086/510809.
110. Tromp, M., Huis, A., de Guchteneire, I., van der Meer, J., van Achterberg, T., Hulscher, M., & Bleeker-Rovers, C. (2012). The short-term and long-term effectiveness of a multidisciplinary hand hygiene improvement program. *American Journal of Infection Control*, 40(8), 732-736. doi:10.1016/j.ajic.2011.09.009.
111. Venier, A.-G., Marie, S., Duroux, T., Bervas, C., & Parneix, P. (2015). Teaching good infection control practices with fun: Impact of the serious game Flu.0. *Antimicrobial Resistance & Infection Control*, 4(Suppl 1), I10. doi:10.1186/2047-2994-4-S1-I10.
112. Watson, J. A. (2016). Role of a multimodal educational strategy on health care workers' handwashing. *American Journal of Infection Control*, 44(4), 400-404. doi:10.1016/j.ajic.2015.10.030.
113. West, B. J. M., Macduff, C., McBain M., & Gass, J. (2006). Evaluation of a national

- educational programme for healthcare workers on prevention and control of healthcare associated infections. *Journal of Research in Nursing*, 11(6), 543-557.  
doi:10.1177/1744987106067137.
114. Widmer, A. F., Conzelmann, M., Tomic, M., Frei, R., & Stranden, A. M. (2007). Introducing alcohol-based hand rub for hand hygiene: The critical need for training. *Infection Control & Hospital Epidemiology*, 28(1), 50-54. doi:10.1086/510788.
115. Wiles, L. L., Rose, D., Curry-Lourenco, K., & Swift, D. (2015). Bringing learning to light: Innovative instructional strategies for teaching infection control to nursing students. *Nursing Education Perspectives*, 36(3), 190-191. doi:10.5480/12-977.1.
116. Wisniewski, M. F., Kim, S., Trick, W. E., Welbel, S. F., & Weinstein R. A. (2007). Effect of education on hand hygiene beliefs and practices: A 5-year program. *Infection Control & Hospital Epidemiology*, 28(1), 88-91. doi:10.1086/510792.
117. Won, S. P., Chou, H. C., Hsieh, W. S., Chen, C. Y., Huang, S. M., Tsou, K. I., & Tsao, P. N. (2004). Handwashing program for the prevention of nosocomial infections in a neonatal intensive care unit. *Infection Control & Hospital Epidemiology*, 25(9), 742-746.
118. Wu, T., Salvadori, M. I., Seabrook, J., & Coleman, B. (2011). The efficacy of mandatory online modules in training residents in the proper use of personal protective equipment. *Canadian Journal of Infection Control*, 26(4), 253-256.
119. Xiong, P., Zhang, J., Wang, X., Wu, T. L., & Hall, B. J. (2017). Effects of a mixed media education intervention program on increasing knowledge, attitude, and compliance with standard precautions among nursing students: A randomized controlled trial. *American Journal of Infection Control*, 45(4), 389-395. doi:10.1016/j.ajic.2016.11.006.
120. Yeung, W. K., Tam, W. S. W., & Wong, T. W. (2011). Clustered randomized controlled

- trial of a hand hygiene intervention involving pocket-sized containers of alcohol-based hand rub for the control of infections in long-term care facilities. *Infection Control & Hospital Epidemiology*, 32(1), 67-76. doi:10.1086/657636.
121. Zhang, Q., Xu, X., Langley, J. M., Zhu, B., Zhang, N., & Tang, Y. (2010). Health-associated infections in a pediatric nephrology unit in China. *American Journal of Infection Control*, 38(6), 473-475. doi:10.1016/j.ajic.2009.12.010.
122. Zingg, W., Imhof, A., Maggiorini, M., Stocker, R., Keller, E., & Ruef, C. (2009). Impact of a prevention strategy targeting hand hygiene and catheter care on the incidence of catheter-related bloodstream infections. *Critical Care Medicine*, 37(7), 2167-2173. doi:10.1097/CCM.0b013e3181a02d8f.