

# Coronavirus disease 2019 (COVID-19) Situation Report – 61

Data as reported by national authorities by 23:59 CET 20 March 2020

## HIGHLIGHTS

- Six new countries/territories/areas (African Region [2], European Region [1], Region of the Americas [1], South East Asia Region [1] and Western Pacific Region [1]) have reported cases of COVID-19.
- WHO has updated the case definitions. The full guidance document can be found [here](#) and in *Case Definitions* below.
- WHO regional directors of Europe, the Western Pacific and Africa called for global solidarity to fight COVID-19. Ensuring international cooperation, investing in health, and engaging communities are keys to effectively tackle the pandemic. The full briefing can be found [here](#).
- Updated technical guidance on critical preparedness, readiness and response; advice on the use of masks; infection prevention and control; and laboratory testing can be found [here](#).
- OpenWHO is constantly updating and adding online open courses for COVID-19 as a resource for health professionals, decision-makers and the public. As of 20 March, more than 500 000 learners have already enrolled. COVID-19 resources are hosted on 2 learning channels: one for courses in official WHO languages [here](#) and a second for courses in additional national languages [here](#).

## SITUATION IN NUMBERS total (new) cases in last 24 hours

### Globally

266 073 confirmed (32 000)  
11 183 deaths (1343)

### Western Pacific Region

94 037 confirmed (688)  
3426 deaths (21)

### European Region

128 541 confirmed (23 950)  
5999 deaths (1 100)

### South-East Asia Region

979 confirmed (61)  
38 deaths (7)

### Eastern Mediterranean Region

22 355 confirmed (1596)  
1466 deaths (154)

### Region of the Americas

18 877 confirmed (5606)  
235 deaths (57)


### African Region

572 confirmed (99)  
12 deaths (4)

### WHO RISK ASSESSMENT

Global Level      Very High

Figure 1. Countries, territories or areas with reported confirmed cases of COVID-19, 20 March 2020



## SURVEILLANCE

**Table 1. Countries, territories or areas with reported laboratory-confirmed COVID-19 cases and deaths. Data as of 20 March 2020\***

Reporting Country/ Territory/Area <sup>†</sup>	Total confirmed ‡ cases	Total confirmed new cases	Total deaths	Total new deaths	Transmission classification <sup>§</sup>	Days since last reported case
<b>Western Pacific Region</b>						
China	81416	116	3261	8	Local transmission	0
Republic of Korea	8799	147	102	8	Local transmission	0
Malaysia	1030	130	3	1	Local transmission	0
Japan	996	46	35	2	Local transmission	0
Australia	873	164	7	1	Local transmission	0
Singapore	385	40	0	0	Local transmission	0
Philippines	230	13	18	1	Local transmission	0
Viet Nam	91	6	0	0	Local transmission	0
Brunei Darussalam	78	5	0	0	Local transmission	0
New Zealand	53	14	0	0	Local transmission	0
Cambodia	51	4	0	0	Local transmission	0
Mongolia	6	0	0	0	Imported cases only	1
Fiji	1	0	0	0	Imported cases only	1
Papua New Guinea	1	1	0	0	Imported cases only	0
<b>Territories**</b>						
Guam	14	2	0	0	Local transmission	0
French Polynesia	11	0	0	0	Imported cases only	1
New Caledonia	2	0	0	0	Imported cases only	1
<b>European Region ^</b>						
Italy	47021	5986	4032	625	Local transmission	0
Spain	19980	2833	1002	235	Local transmission	0
Germany	18323	7324	45	25	Local transmission	0
France	12475	1598	450	78	Local transmission	0
Switzerland	4840	977	43	10	Local transmission	0
The United Kingdom	3983	706	177	33	Local transmission	0
Netherlands	2994	534	106	30	Local transmission	0
Austria	2649	806	6	1	Local transmission	0
Belgium	2257	462	37	23	Local transmission	0
Norway	1742	190	7	1	Local transmission	0
Sweden	1623	200	16	13	Local transmission	0
Denmark	1255	123	9	3	Local transmission	0
Portugal	1020	235	6	3	Local transmission	0
Czechia	904	210	0	0	Local transmission	0
Israel	712	183	1	1	Local transmission	0
Ireland	683	126	3	0	Local transmission	0
Turkey	670	479	9	7	Local transmission	0
Greece	495	77	8	3	Local transmission	0
Luxembourg	484	139	5	1	Local transmission	0
Finland	450	81	0	0	Local transmission	0
Poland	425	100	5	0	Local transmission	0
Iceland	409	79	1	1	Local transmission	0
Slovenia	341	22	1	0	Local transmission	0
Romania	308	48	0	0	Local transmission	0
Estonia	283	16	0	0	Local transmission	0
Russian Federation	253	54	0	0	Imported cases only	0

San Marino	151	25	14	0	Local transmission	0
Slovakia	137	14	0	0	Local transmission	0
Armenia	136	14	0	0	Local transmission	0
Serbia††	135	12	1	1	Local transmission	0
Bulgaria	127	33	3	0	Local transmission	0
Croatia	126	45	0	0	Local transmission	0
Latvia	111	25	0	0	Imported cases only	0
Hungary	85	12	4	3	Local transmission	0
Andorra	75	0	0	0	Imported cases only	1
Albania	70	0	2	0	Local transmission	1
North Macedonia	70	22	0	0	Local transmission	0
Lithuania	69	33	1	1	Imported cases only	0
Cyprus	67	9	0	0	Local transmission	0
Republic of Moldova	66	17	1	1	Local transmission	0
Malta	64	11	0	0	Imported cases only	0
Belarus	57	11	0	0	Local transmission	0
Kazakhstan	53	7	0	0	Imported cases only	0
Azerbaijan	44	10	1	0	Imported cases only	0
Bosnia and Herzegovina	44	0	0	0	Local transmission	1
Georgia	43	5	0	0	Imported cases only	0
Liechtenstein	34	9	0	0	Imported cases only	0
Uzbekistan	33	12	0	0	Local transmission	0
Ukraine	26	10	3	1	Local transmission	0
Montenegro	14	4	0	0	Imported cases only	0
Monaco	12	3	0	0	Under investigation	0
Kyrgyzstan	6	3	0	0	Imported cases only	0
Holy See	1	0	0	0	Under investigation	14
<b>Territories**</b>						
Faroe Islands	80	8	0	0	Imported cases only	0
Jersey	12	7	0	0	Imported cases only	0
Gibraltar	10	0	0	0	Under investigation	1
Greenland	2	0	0	0	Under investigation	2
Guernsey	1	0	0	0	Imported cases only	11
Isle of Man	1	1	0	0	Imported cases only	0
<b>South-East Asia Region</b>						
Indonesia	369	60	32	7	Local transmission	0
Thailand	322	0	1	0	Local transmission	1
India	195	0	4	0	Local transmission	1
Sri Lanka	59	0	0	0	Local transmission	1
Bangladesh	17	0	1	0	Local transmission	1
Maldives	13	0	0	0	Local transmission	5
Bhutan	2	0	0	0	Imported cases only	1
Nepal	1	0	0	0	Imported cases only	57
Timor-Leste	1	1	0	0	Imported cases only	0
<b>Eastern Mediterranean Region</b>						
Iran (Islamic Republic of)	19644	1237	1433	149	Local transmission	0
Pakistan	461	159	2	0	Imported cases only	0
Qatar	460	8	0	0	Local transmission	0
Bahrain	285	16	1	0	Local transmission	0
Saudi Arabia	274	36	0	0	Local transmission	0
Egypt	256	46	7	1	Local transmission	0
Iraq	193	16	14	2	Local transmission	0

Lebanon	163	14	4	0	Local transmission	0
Kuwait	159	11	0	0	Local transmission	0
United Arab Emirates	140	0	0	0	Local transmission	1
Morocco	74	13	3	1	Local transmission	0
Jordan	69	13	0	0	Imported cases only	0
Tunisia	54	15	1	1	Local transmission	0
Oman	48	9	0	0	Local transmission	0
Afghanistan	24	2	0	0	Imported cases only	0
Djibouti	1	0	0	0	Under investigation	2
Somalia	1	0	0	0	Imported cases only	4
Sudan	1	0	1	0	Imported cases only	6
<b>Territories**</b>						
occupied Palestinian territory	48	1	0	0	Local transmission	0
<b>Region of the Americas</b>						
United States of America	15219	4777	201	51	Local transmission	0
Canada	846	110	9	0	Local transmission	0
Brazil	621	193	4	0	Local transmission	0
Chile	434	92	0	0	Local transmission	0
Ecuador	367	168	5	2	Local transmission	0
Peru	234	0	2	2	Local transmission	1
Mexico	164	46	1	0	Imported cases only	0
Colombia	145	37	0	0	Local transmission	0
Panama	137	28	1	0	Local transmission	0
Argentina	128	31	3	1	Local transmission	0
Costa Rica	113	26	2	1	Local transmission	0
Uruguay	94	15	0	0	Imported cases only	0
Dominican Republic	72	38	2	0	Local transmission	0
Venezuela (Bolivarian Republic of)	36	0	0	0	Imported cases only	2
Honduras	24	12	0	0	Imported cases only	0
Bolivia (Plurinational State of)	16	1	0	0	Local transmission	0
Cuba	16	5	1	0	Imported cases only	0
Jamaica	16	1	1	0	Local transmission	0
Paraguay	13	2	0	0	Local transmission	0
Guatemala	12	3	1	0	Imported cases only	0
Trinidad and Tobago	9	0	0	0	Imported cases only	1
Barbados	5	3	0	0	Imported cases only	0
Guyana	5	0	1	0	Local transmission	2
Bahamas	4	1	0	0	Local transmission	0
Haiti	2	2	0	0	Imported cases only	0
Saint Lucia	2	0	0	0	Imported cases only	5
Suriname	2	1	0	0	Imported cases only	0
Antigua and Barbuda	1	0	0	0	Imported cases only	7
El Salvador	1	0	0	0	Imported cases only	1
Nicaragua	1	0	0	0	Imported cases only	1
Saint Vincent and the Grenadines	1	0	0	0	Imported cases only	7
<b>Territories**</b>						
Guadeloupe	51	6	0	0	Imported cases only	0
Martinique	32	0	0	0	Imported cases only	1
French Guiana	15	0	0	0	Local transmission	1

Puerto Rico	14	8	0	0	Imported cases only	0
Aruba	5	0	0	0	Imported cases only	1
Saint Martin	4	0	0	0	Under investigation	2
Cayman Islands	3	0	1	0	Imported cases only	1
Curaçao	3	0	0	0	Imported cases only	3
Saint Barthélemy	3	0	0	0	Under investigation	5
United States Virgin Islands	3	0	0	0	Imported cases only	2
Bermuda	2	0	0	0	Imported cases only	2
Montserrat	1	0	0	0	Imported cases only	2
Sint Maarten	1	0	0	0	Imported cases only	2
<b>African Region</b>						
South Africa	205	55	0	0	Local transmission	0
Algeria	94	12	10	3	Local transmission	0
Burkina Faso	40	0	1	0	Imported cases only	1
Senegal	38	0	0	0	Local transmission	1
Cameroon	22	7	0	0	Local transmission	0
Ghana	16	5	0	0	Local transmission	0
Democratic Republic of the Congo	14	0	0	0	Local transmission	1
Mauritius	12	5	0	0	Imported cases only	0
Nigeria	12	0	0	0	Imported cases only	1
Rwanda	11	0	0	0	Local transmission	2
Côte d'Ivoire	9	0	0	0	Imported cases only	2
Ethiopia	9	0	0	0	Imported cases only	1
Togo	9	0	0	0	Imported cases only	1
Kenya	7	0	0	0	Local transmission	2
Seychelles	6	0	0	0	Imported cases only	2
United Republic of Tanzania	6	0	0	0	Imported cases only	1
Equatorial Guinea	4	0	0	0	Imported cases only	1
Congo	3	0	0	0	Imported cases only	2
Gabon	3	0	1	1	Imported cases only	2
Namibia	3	0	0	0	Imported cases only	1
Benin	2	0	0	0	Imported cases only	1
Guinea	2	0	0	0	Imported cases only	1
Liberia	2	0	0	0	Local transmission	2
Mauritania	2	0	0	0	Imported cases only	2
Zambia	2	0	0	0	Imported cases only	2
Cabo Verde	1	1	0	0	Imported cases only	0
Central African Republic	1	0	0	0	Imported cases only	6
Chad	1	0	0	0	Imported cases only	1
Eswatini	1	0	0	0	Imported cases only	6
Gambia	1	0	0	0	Imported cases only	2
Niger	1	0	0	0	Imported cases only	1
Zimbabwe	1	1	0	0	Imported cases only	0
<b>Territories**</b>						
Réunion	28	13	0	0	Imported cases only	0
Mayotte	4	0	0	0	Imported cases only	1
<b>Subtotal for all regions</b>	<b>265361</b>	<b>32000</b>	<b>11176</b>	<b>1343</b>		
International conveyance	712	0	7	0	Local transmission	5

(Diamond Princess)						
<b>Grand total</b>	<b>266073</b>	<b>32000</b>	<b>11183</b>	<b>1343</b>		

\*Numbers include both domestic and repatriated cases

†The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

‡Case classifications are based on [WHO case definitions](#) for COVID-19.

§Transmission classification is based on WHO analysis of available official data and may be subject to reclassification as additional data become available. Countries/territories/areas experiencing multiple types of transmission are classified in the highest category for which there is evidence; they may be removed from a given category if interruption of transmission can be demonstrated. It should be noted that even within categories, different countries/territories/areas may have differing degrees of transmission as indicated by the differing numbers of cases and other factors. Not all locations within a given country/territory/area are equally affected.

Terms:

- **Community transmission** is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through sentinel samples (routine systematic testing of respiratory samples from established laboratories).
- **Local transmission** indicates locations where the source of infection is within the reporting location.
- **Imported cases only** indicates locations where all cases have been acquired outside the location of reporting.
- **Under investigation** indicates locations where type of transmission has not been determined for any cases.
- **Interrupted transmission** indicates locations where interruption of transmission has been demonstrated (details to be determined)

\*\* "Territories" include territories, areas, overseas dependencies and other jurisdictions of similar status

^ Data for the European Region is obtained from the European Centre for Disease Control and Prevention (ECDC)

\*\*Including 24 (3 new) cases from Kosovo<sup>[1]</sup>


[1] All references to Kosovo should be understood to be in the context of the United Nations Security Council resolution 1244 (1999).

Due to differences in reporting methods, retrospective data consolidation, and reporting delays, the number of new cases may not always reflect the exact difference between yesterday's and today's totals. WHO COVID-19 Situation Reports present official counts of confirmed COVID-19 cases, thus differences between WHO reports and other sources of COVID-19 data using different inclusion criteria and different data cutoff times are to be expected.

New countries/territories/areas are shown in red.

Erratum: Transmission classification has been revised for Cuba and Haiti and number of deaths have been revised for Croatia.

**Figure 2. Epidemic curve of confirmed COVID-19, by date of report and WHO region through 20 March 2020**





## STRATEGIC OBJECTIVES

WHO's strategic objectives for this response are to:

- Interrupt human-to-human transmission including reducing secondary infections among close contacts and health care workers, preventing transmission amplification events, and preventing further international spread\*;
- Identify, isolate and care for patients early, including providing optimized care for infected patients;
- Identify and reduce transmission from the animal source;
- Address crucial unknowns regarding clinical severity, extent of transmission and infection, treatment options, and accelerate the development of diagnostics, therapeutics and vaccines;
- Communicate critical risk and event information to all communities and counter misinformation;
- Minimize social and economic impact through multisectoral partnerships.

\*This can be achieved through a combination of public health measures, such as rapid identification, diagnosis and management of the cases, identification and follow up of the contacts, infection prevention and control in health care settings, implementation of health measures for travelers, awareness-raising in the population and risk communication.

## PREPAREDNESS AND RESPONSE

- To view all technical guidance documents regarding COVID-19, please go to [this webpage](#).
- WHO has developed interim guidance for laboratory diagnosis, advice on the use of masks during home care and in health care settings in the context of the novel coronavirus (2019-nCoV) outbreak, clinical management, infection prevention and control in health care settings, home care for patients with suspected novel coronavirus, risk communication and community engagement and Global Surveillance for human infection with novel coronavirus (2019-nCoV).
- WHO is working closely with International Air Transport Association (IATA) and have jointly developed a guidance document to provide advice to cabin crew and airport workers, based on country queries. The guidance can be found on the [IATA webpage](#).
- WHO has been in regular and direct contact with Member States where cases have been reported. WHO is also informing other countries about the situation and providing support as requested.
- WHO is working with its networks of researchers and other experts to coordinate global work on surveillance, epidemiology, mathematical modelling, diagnostics and virology, clinical care and treatment, infection prevention and control, and risk communication. WHO has issued interim guidance for countries, which are updated regularly.
- WHO has prepared a [disease commodity package](#) that includes an essential list of biomedical equipment, medicines and supplies necessary to care for patients with 2019-nCoV.
- WHO has provided recommendations to reduce risk of [transmission from animals to humans](#).
- WHO has published an [updated advice for international traffic in relation to the outbreak of the novel coronavirus 2019-nCoV](#).
- WHO has activated the R&D blueprint to accelerate diagnostics, vaccines, and therapeutics.
- OpenWHO is an interactive, web-based, knowledge-transfer platform offering online courses to improve the response to health emergencies. [COVID-19 courses can be found here](#). Specifically, WHO has developed online courses on the following topics: A general introduction to emerging respiratory viruses, including novel coronaviruses (available in Arabic, Chinese, English, French, Russian, Spanish, Hindi, Persian, Portuguese, Serbian, and Turkish); Clinical Care for Severe Acute Respiratory Infections (available in English, French, Russian,

and Vietnamese); Health and safety briefing for respiratory diseases - ePROTECT (available in English, French, Russian, Indonesian, and Portuguese); Infection Prevention and Control for Novel Coronavirus (COVID-19) (available in Chinese, English, French, Russian, Spanish, Indonesian, Italian, Japanese, Portuguese, and Serbian); and COVID-19 Operational Planning Guidelines and COVID-19 Partners Platform to support country preparedness and response (available in English and coming soon in additional languages).

- WHO is providing guidance on early investigations, which are critical in an outbreak of a new virus. The data collected from the protocols can be used to refine recommendations for surveillance and case definitions, to characterize the key epidemiological transmission features of COVID-19, help understand spread, severity, spectrum of disease, impact on the community and to inform operational models for implementation of countermeasures such as case isolation, contact tracing and isolation. Several protocols are available [here](#). One such protocol is for the investigation of early COVID-19 cases and contacts (the “[First Few X \(FFX\) Cases and contact investigation protocol for 2019-novel coronavirus \(2019-nCoV\) infection](#)”). The protocol is designed to gain an early understanding of the key clinical, epidemiological and virological characteristics of the first cases of COVID-19 infection detected in any individual country, to inform the development and updating of public health guidance to manage cases and reduce the potential spread and impact of infection.

## RECOMMENDATIONS AND ADVICE FOR THE PUBLIC

If you are not in an area where COVID-19 is spreading or have not travelled from an area where COVID-19 is spreading or have not been in contact with an infected patient, your risk of infection is low. It is understandable that you may feel anxious about the outbreak. Get the facts from reliable sources to help you accurately determine your risks so that you can take reasonable precautions (see [Frequently Asked Questions](#)). Seek guidance from WHO, your healthcare provider, your national public health authority or your employer for accurate information on COVID-19 and whether COVID-19 is circulating where you live. It is important to be informed of the situation and take appropriate measures to protect yourself and your family (see [Protection measures for everyone](#)).

If you are in an area where there are cases of COVID-19 you need to take the risk of infection seriously. Follow the advice of WHO and guidance issued by national and local health authorities. For most people, COVID-19 infection will cause mild illness however, it can make some people very ill and, in some people, it can be fatal. Older people, and those with pre-existing medical conditions (such as cardiovascular disease, chronic respiratory disease or diabetes) are at risk for severe disease (See [Protection measures for persons who are in or have recently visited \(past 14 days\) areas where COVID-19 is spreading](#)).

## CASE DEFINITIONS

WHO periodically updates the [Global Surveillance for human infection with coronavirus disease \(COVID-19\)](#) document which includes case definitions.

For easy reference, case definitions are included below.

### Suspect case

A. A patient with acute respiratory illness (fever and at least one sign/symptom of respiratory disease, e.g., cough, shortness of breath), AND a history of travel to or residence in a location reporting community transmission of COVID-19 disease during the 14 days prior to symptom onset.

**OR**

B. A patient with any acute respiratory illness AND having been in contact with a confirmed or probable COVID-19 case (see definition of contact) in the last 14 days prior to symptom onset;

**OR**



- C. A patient with severe acute respiratory illness (fever and at least one sign/symptom of respiratory disease, e.g., cough, shortness of breath; AND requiring hospitalization) AND in the absence of an alternative diagnosis that fully explains the clinical presentation.

#### **Probable case**

- A. A suspect case for whom testing for the COVID-19 virus is inconclusive.  
a. Inconclusive being the result of the test reported by the laboratory.

**OR**

- B. A suspect case for whom testing could not be performed for any reason.

#### **Confirmed case**

A person with laboratory confirmation of COVID-19 infection, irrespective of clinical signs and symptoms.

- Technical guidance for laboratory testing can be found [here](#).

#### **Definition of contact**

A contact is a person who experienced any one of the following exposures during the 2 days before and the 14 days after the onset of symptoms of a probable or confirmed case:

1. Face-to-face contact with a probable or confirmed case within 1 meter and for more than 15 minutes;
2. Direct physical contact with a probable or confirmed case;
3. Direct care for a patient with probable or confirmed COVID-19 disease without using proper personal protective equipment<sup>1</sup>; OR
4. Other situations as indicated by local risk assessments.

Note: for confirmed asymptomatic cases, the period of contact is measured as the 2 days before through the 14 days *after the date on which the sample was taken* which led to confirmation.

---

<sup>1</sup> World Health Organization. Infection prevention and control during health care when COVID-19 is suspected [https://www.who.int/publications-detail/infection-prevention-and-control-during-health-care-when-novel-coronavirus-\(ncov\)-infection-is-suspected-20200125](https://www.who.int/publications-detail/infection-prevention-and-control-during-health-care-when-novel-coronavirus-(ncov)-infection-is-suspected-20200125)