

Epidemiologic Summary

COVID-19 in Ontario: January 15, 2020 to April 20, 2020

This report includes the most current information available from the integrated Public Health Information System (iPHIS) as of **4 p.m. April 20, 2020** and from the Toronto Public Health Coronavirus Rapid Entry System (CORES) as of **2 p.m. April 20, 2020**.

Purpose

• This daily report provides an epidemiologic summary of COVID-19 activity in Ontario to date.

Highlights

- There are 11,735 confirmed cases of COVID-19 in Ontario reported to date in iPHIS. This represents an increase of 551 confirmed cases from the previous report.
 - 42.2% of cases are male, 56.8% are female.
 - 43.8% of cases are 60 years of age and older.
 - Greater Toronto Area public health units account for 58.7% of cases.
 - 11.9% of cases were hospitalized.
- 622 deaths have been reported (please note there may be a reporting delay for deaths in iPHIS).
 This is an increase of 38 deaths from the previous report.
- 121 outbreaks have been reported in long-term care homes. This is an increase of 7 outbreaks from the previous report.
- 273 deaths have been reported among residents/patients in long-term care homes. This is an increase of 24 deaths from the previous report.

Case Characteristics

Table 1. Summary of cases of COVID-19: Ontario, January 15, 2020 to April 20, 2020


| | Number | Percentage |
|----------------------------------------|--------|---------------|
| Number of cases* | 11,735 | N/A |
| Change from previous report | 551 | 4.9% increase |
| Gender: Male | 4,955 | 42.2 |
| Gender: Female | 6,663 | 56.8 |
| Ages: 19 and under | 260 | 2.2 |
| Ages: 20-39 | 2,657 | 22.6 |
| Ages: 40-59 | 3,665 | 31.2 |
| Ages: 60-79 | 2,687 | 22.9 |
| Ages: 80 and over | 2,457 | 20.9 |
| Number of cases in health care workers | 1,368 | 11.7 |

^{*} Cases and rates by public health unit are provided in Appendix A.


Note: 117 cases did not specify male or female. Nine cases had an unknown age.


Time

Figure 1. Confirmed cases (n=11,735) of COVID-19 by reported date: Ontario, January 15, 2020 to April 20, 2020*



^{*}Interpret case counts for the most recent days (approximately 3 days) with caution due to reporting lags.






^{*}This date, referred to as episode date, is intended to approximate symptom onset date. It is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to public health.

^{**}Interpret case counts for the most recent days (approximately 14 days) with caution due to reporting lags.





^{*}This count excludes the 5 cases that did not have a date of death reported.

^{**}Interpret case counts for the most recent days with caution due to reporting lags.

Exposure

Table 2. Confirmed cases (n=11,735) of COVID-19 by exposure type: Ontario, January 15, 2020 to April 20, 2020

| | Number | Percentage |
|-----------------------------------|--------|------------|
| Travel* | 1,259 | 10.7 |
| Close contact of a confirmed case | 2,037 | 17.4 |
| Community transmission | 3,575 | 30.5 |
| Information pending | 4,864 | 41.4 |

^{*}Travel within the 14 days prior to becoming ill.

Severity

Table 3. Confirmed cases (n=11,735) of COVID-19 by severity: Ontario, January 15, 2020 to April 20, 2020

| | Number | Percentage |
|---------------------------------------------------------------------------------------------|--------|---------------|
| Cumulative deaths reported (please note there may be a reporting delay for deaths in iPHIS) | 622 | 5.3 |
| Change from previous report | 38 | 6.5% increase |
| Deaths reported in ages: 19 and under | 0 | 0 |
| Deaths reported in ages: 20-39 | 1 | 0 |
| Deaths reported in ages: 40-59 | 32 | 0.9 |
| Deaths reported in ages: 60-79 | 172 | 6.4 |
| Deaths reported in ages: 80 and over | 417 | 17 |
| Cumulative intensive care* | 368 | 3.1 |
| Cumulative hospitalized* | 1,394 | 11.9 |
| Number of resolved** cases | 5,806 | 49.5 |

^{*} These refer to all hospitalized or ICU admitted cases, not cases that are currently hospitalized or in ICU.

^{**} Cases that are 14 days past symptom onset (if available) or 14 days past the episode date are classified as resolved for non-fatal cases that are not currently listed as hospitalized. Cases are also classified as resolved if the case is reported as "recovered" in iPHIS.

Geography

Figure 4. Confirmed cases (n=11,735) of COVID-19 by public health unit: Ontario, January 15, 2020 to April 20, 2020





Figure 5. Rate of confirmed cases of COVID-19 by public health unit: Ontario, January 15, 2020 to April 20, 2020



Outbreaks in Institutions and Public Hospitals

Table 4. Confirmed COVID-19 outbreaks reported in long-term care homes and hospitals and total number of associated cases: Ontario, January 15, 2020 to April 20, 2020

| Indicator | Long-Term Care Homes | Hospitals |
|---------------------------------------------------------------------------------|-------------------------|-----------|
| Number of confirmed COVID-19 outbreaks | 121 | 34 |
| Total number of cases*,** reported as part of the confirmed COVID-19 outbreaks | 2,069 | 263 |
| Cases reported among residents/patients | 1,394 | 149 |
| Cases reported among staff | 671 | 112 |
| Total number of deaths*,** reported as part of the confirmed COVID-19 outbreaks | 274 | 14 |
| Deaths reported among residents/patients | 273 | 14 |
| Deaths reported among staff | 1 | 0 |

^{*}Includes all outbreak-related cases and deaths reported in aggregate outbreak summary counts, regardless of whether the case was laboratory confirmed (deaths among non-laboratory confirmed cases reported here are not included in Table 3).

Data Source: integrated Public Health Information System (iPHIS) database.

^{**}May include cases and deaths other than residents/patients or staff, such as volunteers. As a result, the total number of cases and deaths may be greater than the number of cases and deaths reported in residents or staff.

Technical Notes

Data Sources (Case Data)

- The data for this report were based on information extracted from the Ontario Ministry of Health (MOH) integrated Public Health Information System (iPHIS) database, as of **April 20, 2020** at **4 p.m.** and data extracted from the Toronto Public Health (Coronavirus Rapid Entry System) CORES, as of **April 20, 2020** at **2 p.m.**
- iPHIS and CORES are dynamic disease reporting systems, which allows ongoing updates to data previously entered. As a result, data extracted from iPHIS and CORES represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ontario Ministry of Health, IntelliHEALTH Ontario. Data were extracted on November 26, 2019.

Data Caveats:

- The data only represent cases reported to public health and recorded in iPHIS and CORES. As a result, all counts will be subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Lags in iPHIS and CORES data entry due to reduced holiday and weekend staffing may result in lower case counts than would otherwise be recorded.
- Only cases meeting the confirmed case classification as listed in the MOH <u>COVID-19 case</u> definition are included in the report counts from iPHIS or CORES.
- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to public health.
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU
 refers to the case's public health unit of residence at the time of illness onset and not
 necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a
 case that is not a resident of Ontario) have been excluded from the analyses.
 - GTA health units include: Durham Region Health Department, Peel Public Health, Toronto Public Health and York Region Public Health
- Exposure type is determined by examining the exposure and risk factor fields from iPHIS to
 determine whether a case travelled, was a contact of a case or neither. A hierarchy has been
 applied as follows: Travel-related > Close contact of a confirmed case > Community transmission
 > Information pending.
- Exposure type is determined from CORES by examining the risk factor fields from CORES to determine whether a case travelled, was a contact of a case or neither. A hierarchy has been

- applied as follows: Travel-related > Close contact of a confirmed case > Community transmission > Information pending
- Deaths are determined by using the outcome field in iPHIS. Any case marked 'Fatal' is included in the deaths data. Deaths are included whether or not COVID-19 was determined to be a contributing or underlying cause of death as indicated in the iPHIS field Type of Death.
 - The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.
- iPHIS cases for which the Disposition Status was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, DUPLICATE-DO NOT USE, or any variation on these values have been excluded.
- To provide a measure of the impact of COVID-19 on long-term care homes and hospitals, the number of outbreaks and the associated cases are reported. To obtain the case and deaths data for these outbreaks, the aggregate counts recorded by public health units in the outbreak's summary counts section of iPHIS is used. This information is presented in table 4.
 - Previously only a select number of persons in institutional outbreaks would be tested for COVID-19, and there could still be circumstances where not all individuals end up being tested (e.g., the person dies before they can be tested).
 - These counts may not be updated as frequently as the information for laboratory-confirmed cases.
 - The information in the aggregate counts can not necessarily be reconciled with the laboratory-confirmed case data.

Appendix A

Table 1. Confirmed cases (n=11,735) of COVID-19 by public health unit: Ontario, January 15, 2020 to April 20, 2020

| Public Health Unit Name | Cases | Rate per 100,000 population |
|----------------------------------------------------------|-------|-----------------------------|
| Northwestern Health Unit | 13 | 14.8 |
| Thunder Bay District Health Unit | 48 | 32.0 |
| TOTAL NORTH WEST | 61 | 25.7 |
| Algoma Public Health | 12 | 10.5 |
| North Bay Parry Sound District Health Unit | 14 | 10.8 |
| Porcupine Health Unit | 49 | 58.7 |
| Public Health Sudbury & Districts | 44 | 22.1 |
| Timiskaming Health Unit | 12 | 36.7 |
| TOTAL NORTH EAST | 131 | 23.4 |
| Ottawa Public Health | 869 | 82.4 |
| Eastern Ontario Health Unit | 70 | 33.5 |
| Hastings Prince Edward Public Health | 34 | 20.2 |
| Kingston, Frontenac and Lennox & Addington Public Health | 56 | 26.3 |
| Leeds, Grenville & Lanark District Health Unit | 276 | 159.4 |
| Renfrew County and District Health Unit | 14 | 12.9 |
| TOTAL EASTERN | 1319 | 68.5 |
| Durham Region Health Department | 669 | 93.9 |
| Haliburton, Kawartha, Pine Ridge District Health Unit | 135 | 71.5 |
| Peel Public Health | 1,738 | 108.2 |

| Public Health Unit Name | Cases | Rate per 100,000 population |
|------------------------------------------------------------|--------|-----------------------------|
| Peterborough Public Health | 58 | 39.2 |
| Simcoe Muskoka District Health Unit | 202 | 33.7 |
| York Region Public Health | 1,105 | 90.1 |
| TOTAL CENTRAL EAST | 3,907 | 87.2 |
| Toronto Public Health | 3,372 | 108.1 |
| TOTAL TORONTO | 3,372 | 108.1 |
| Chatham-Kent Public Health | 31 | 29.2 |
| Grey Bruce Health Unit | 61 | 35.9 |
| Huron Perth Public Health | 36 | 25.8 |
| Lambton Public Health | 146 | 111.5 |
| Middlesex-London Health Unit | 341 | 67.2 |
| Southwestern Public Health | 42 | 19.9 |
| Windsor-Essex County Health Unit | 484 | 113.9 |
| TOTAL SOUTH WEST | 1,141 | 67.5 |
| Brant County Health Unit | 81 | 52.2 |
| City of Hamilton Public Health Services | 334 | 56.4 |
| Haldimand-Norfolk Health Unit | 162 | 142.0 |
| Halton Region Public Health | 385 | 62.2 |
| Niagara Region Public Health | 381 | 80.6 |
| Region of Waterloo Public Health and Emergency Services | 264 | 45.2 |
| Wellington-Dufferin-Guelph Public Health | 197 | 63.2 |
| TOTAL CENTRAL WEST | 1,804 | 63.3 |
| TOTAL ONTARIO | 11,735 | 78.9 |

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Epidemiologic summary: COVID-19 in Ontario – January 15, 2020 to April 20, 2020. Toronto, ON: Queen's Printer for Ontario; 2020.

For Further Information

For more information, email cd@oahpp.ca.

Public Health Ontario

Public Health Ontario is a Crown corporation dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit <u>publichealthontario.ca</u>.

