

Daily Epidemiologic Summary

COVID-19 in Ontario: January 15, 2020 to July 8, 2020

This report includes the most current information available from iPHIS and other local case management systems (iPHIS plus) as of **July 8, 2020**.

Please visit the interactive [Ontario COVID-19 Data Tool](#) to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A weekly summary report is available with additional information to complement the daily report.

This **daily** report provides an epidemiologic summary of recent COVID-19 activity in Ontario. The change in cases is determined by taking the cumulative difference between the current day and the previous day.

Highlights

- There are a total of 36,348 confirmed cases of COVID-19 in Ontario reported to date.
- Compared to the previous day, this represents:
 - An increase of 170 confirmed cases (percent change of +44.1%)
 - An increase of 3 deaths (percent change of -66.7%)
 - An increase of 172 resolved cases (percent change of -14.9%)

In this document, the term 'change in cases' refers to cases publicly reported by the province for a given day. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals for updated case counts (i.e., age group, gender) differing from the overall updated case counts.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

Case Characteristics

Table 1a. Summary of recent cases of COVID-19: Ontario

	Change in cases July 7	Change in cases July 8	Percentage change July 8 compared to July 7	Cumulative case count as of July 8
Number of cases	118	170	+44.1%	36,348
Number of deaths	9	3	-66.7%	2,703
Number resolved	202	172	-14.9%	31,977

Note: The number of cases publicly reported by the province each day may not align with case counts reported to public health on a given day; public health unit reported date refers to the date local public health was first notified of the case.

Data Source: iPHIS plus

Table 1b. Summary of recent cases of COVID-19 by age group and gender: Ontario

	Change in cases July 7	Change in cases July 8	Cumulative case count as of July 8
Gender: Male	49	117	16,741
Gender: Female	67	53	19,325
Ages: 19 and under	13	20	1,820
Ages: 20-39	34	95	10,713
Ages: 40-59	35	32	11,027
Ages: 60-79	15	12	6,822
Ages: 80 and over	21	10	5,956

Note: Not all cases have a reported age or gender reported. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts.

Data Source: iPHIS plus

Table 2. Summary of recent cases of COVID-19 in long-term care homes: Ontario


Long-term care home cases	Change in cases July 7	Change in cases July 8	Cumulative case count as of July 8
Residents	5	5	5,526
Health care workers	16	21	2,364
Deaths among residents	5	0	1,722
Deaths among health care workers	0	0	7

Note: Information for how long-term care home residents and health care workers are identified is available in the technical notes. The change in cases in these categories may represent existing case records that have been updated.

Data Source: iPHIS plus


Time

Figure 1. Confirmed cases of COVID-19 by likely acquisition and public health unit reported date: Ontario, January 15, 2020 to July 8, 2020



Data Source: iPHIS plus


Figure 2. Confirmed cases of COVID-19 by likely acquisition and approximation of symptom onset date: Ontario, January 15, 2020 to July 8, 2020



Note: Not all cases may have an episode date and those without one are not included in the figure. Episode date is defined and available in the technical notes.

Data Source: iPHIS plus

Figure 3. Number of COVID-19 tests completed and percent positivity: Ontario, March 29, 2020 to July 7, 2020




Note: The number of tests performed does not reflect the number of specimens or persons tested. More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.

Data Source: The Provincial COVID-19 Diagnostics Network, data reported by member microbiology laboratories.

Severity

Figure 4. Confirmed deaths among COVID-19 cases by date of death: Ontario, March 1, 2020 to July 8, 2020



Note: Cases without a death date are not included in the figure.

Data Source: iPHIS plus

Table 3. Confirmed cases of COVID-19 by severity: Ontario

	Cumulative case count as of July 8	Percentage of all cases
Cumulative deaths reported (please note there may be a reporting delay for deaths)	2,703	7.4%
Deaths reported in ages: 19 and under	1	0.1%
Deaths reported in ages: 20-39	11	0.1%
Deaths reported in ages: 40-59	110	1.0%
Deaths reported in ages: 60-79	719	10.5%
Deaths reported in ages: 80 and over	1,862	31.3%
Ever in ICU	966	2.7%
Ever hospitalized	4,466	12.3%

Data Source: iPHIS plus

Geography

Table 4. Summary of recent cases of COVID-19 by public health unit and region: Ontario

Public Health Unit Name	Change in cases July 7	Change in cases July 8	Cumulative case count	Cumulative rate per 100,000 population
Northwestern Health Unit	2	1	42	47.9
Thunder Bay District Health Unit	0	0	93	62.0
TOTAL NORTH WEST	2	1	135	56.8
Algoma Public Health	0	0	24	21.0
North Bay Parry Sound District Health Unit	0	0	35	27.0
Porcupine Health Unit	0	0	67	80.3
Public Health Sudbury & Districts	0	0	67	33.7
Timiskaming Health Unit	0	0	18	55.1
TOTAL NORTH EAST	0	0	211	37.7
Ottawa Public Health	6	4	2,127	201.7
Eastern Ontario Health Unit	0	1	167	80.0
Hastings Prince Edward Public Health	0	0	44	26.1
Kingston, Frontenac and Lennox & Addington Public Health	0	0	104	48.9
Leeds, Grenville & Lanark District Health Unit	0	0	354	204.4
Renfrew County and District Health Unit	0	0	29	26.7
TOTAL EASTERN	6	5	2,825	146.6

Public Health Unit Name	Change in cases July 7	Change in cases July 8	Cumulative case count	Cumulative rate per 100,000 population
Durham Region Health Department	3	5	1,729	242.7
Haliburton, Kawartha, Pine Ridge District Health Unit	1	0	201	106.4
Peel Public Health	27	28	6,055	377.0
Peterborough Public Health	0	0	95	64.2
Simcoe Muskoka District Health Unit	2	3	610	101.7
York Region Public Health	13	7	3,089	252.0
TOTAL CENTRAL EAST	46	43	11,779	262.9
Toronto Public Health	50	27	13,538	433.9
TOTAL TORONTO	50	27	13,538	433.9
Chatham-Kent Public Health	0	0	162	152.4
Grey Bruce Health Unit	0	0	107	63.0
Huron Perth Public Health	0	0	59	42.2
Lambton Public Health	0	0	286	218.4
Middlesex-London Health Unit	1	0	631	124.3
Southwestern Public Health	1	0	85	40.2
Windsor-Essex County Health Unit	4	86	1,761	414.5
TOTAL SOUTH WEST	6	86	3,091	182.8
Brant County Health Unit	0	0	133	85.7
City of Hamilton Public Health Services	-1	1	848	143.2

Public Health Unit Name	Change in cases July 7	Change in cases July 8	Cumulative case count	Cumulative rate per 100,000 population
Haldimand-Norfolk Health Unit	1	2	433	379.6
Halton Region Public Health	1	2	783	126.5
Niagara Region Public Health	3	1	764	161.7
Region of Waterloo Public Health and Emergency Services	3	0	1,313	224.7
Wellington-Dufferin-Guelph Public Health	1	2	495	158.7
TOTAL CENTRAL WEST	8	8	4,769	167.4
TOTAL ONTARIO	118	170	36,348	244.5

Note: Health units with data corrections or updates could result in records being removed from totals resulting in negative counts.

Data Source: iPHIS plus

Outbreaks

Table 5. Summary of recent confirmed COVID-19 outbreaks reported in long-term care homes, retirement homes and hospitals by status: Ontario

Institution type	Change in outbreaks July 7	Change in outbreaks July 8	Number of ongoing outbreaks	Cumulative number of outbreaks reported
Long-term care homes	-1	1	42	371
Retirement homes	1	0	16	154
Hospitals	0	0	6	94

Note: Ongoing outbreaks includes all outbreaks that are 'Open' in iPHIS without a 'Declared Over Date' recorded.

Data Source: iPHIS

Technical Notes

Data Sources

- The data for this report were based on:
 - Information extracted from the Ontario Ministry of Health (Ministry) integrated Public Health Information System (iPHIS) database, as of **July 8, 2020 at 4 p.m.**
 - Information successfully uploaded to the Ministry from Local Systems: Toronto Public Health (Coronavirus Rapid Entry System) CORES, The Ottawa Public Health COVID-19 Ottawa Database (The COD) and Middlesex-London COVID-19 Case and Contact Management Tool (CCMtool) as of **July 8, 2020 at 2 p.m.**
- iPHIS and iPHIS plus (which includes iPHIS, CORES, The COD and COVID-19 CCMtool) are dynamic disease reporting systems, which allow ongoing updates to data previously entered. As a result, data extracted from iPHIS and the Local Systems represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario. Data were extracted on November 26, 2019.
- COVID-19 test data were based on information from The Provincial COVID-19 Diagnostics Network, reported by member microbiology laboratories.

Data Caveats:

- The data only represent cases reported to public health units and recorded in iPHIS plus. As a result, all counts will be subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Lags in iPHIS plus data entry due to weekend staffing may result in lower case counts than would otherwise be recorded.
- Only cases meeting the confirmed case classification as listed in the MOH [COVID-19 case definition](#) are included in the report counts from iPHIS plus.
- The number of tests performed does not reflect the number of specimens or persons tested. More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.
- Reported date is the date the case was reported to the public health unit.
- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to the public health unit.

- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are classified as resolved:
 - Cases that are reported as ‘recovered’ in iPHIS
 - Cases that are not hospitalized and are 14 days past their episode date
 - Cases that are currently hospitalized (no hospital end date entered) and have a status of ‘closed’ in iPHIS (indicating public health unit follow-up is complete) and are 14 days past their symptom onset date or specimen collection date
- Hospitalization includes all cases for which a hospital admission date was reported at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU refers to the case's public health unit of residence at the time of illness onset and not necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a case that is not a resident of Ontario) have been excluded from the analyses.
- Likely source of acquisition is determined by examining the exposure and risk factor fields from iPHIS and local systems to determine whether a case travelled, was associated with an outbreak, was a contact of a case, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple exposures or risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
 - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
 - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- Deaths are determined by using the outcome field in iPHIS plus. Any case marked ‘Fatal’ is included in the deaths data. Deaths are included whether or not COVID-19 was determined to be a contributing or underlying cause of death as indicated in the iPHIS field Type of Death.
 - The date of death is determined using the outcome date field for cases marked as ‘Fatal’ in the outcome field.

- iPHIS cases for which the Disposition Status was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, DUPLICATE-DO NOT USE, or any variation on these values have been excluded.
- Ongoing outbreaks are those that are reported in iPHIS as 'Open' without a 'Declared Over Date' recorded.
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factor 'Resident of nursing home or other chronic care facility'. Excludes cases that reported 'Yes' to both risk factors: 'Resident of nursing home or other chronic care facility' and 'health care worker'.
- The 'health care workers' variable includes cases that reported 'Yes' to any of the occupation of health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers' reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of nursing home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.
- Percent change is calculated by taking the difference between the current day and previous day, divided by the previous day count.

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Epidemiologic summary: COVID-19 in Ontario – January 15, 2020 to July 8, 2020. Toronto, ON: Queen's Printer for Ontario; 2020.

For Further Information

For more information, email cd@oahpp.ca.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

