

Daily Epidemiologic Summary

COVID-19 in Ontario: January 15, 2020 to February 19, 2021

This report includes the most current information available from CCM as of February 19, 2021.

Please visit the interactive <u>Ontario COVID-19 Data Tool</u> to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A weekly summary report is available with additional information to complement the daily report.

This **daily** report provides an epidemiologic summary of recent COVID-19 activity in Ontario. The change in cases is determined by taking the cumulative difference between the current day and the previous day.

Highlights

- There are a total of 291,999 confirmed cases of COVID-19 in Ontario reported to date.
- Compared to the previous day, this represents:
 - An increase of 1,228 confirmed cases (percent change of +6.8%)
 - An increase of 28 deaths (percent change of -40.4%)
 - An increase of 1,313 resolved cases (percent change of +4.6%)

In this document, the term 'change in cases' refers to cases publicly reported by the province for a given day. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals for updated case counts (i.e., age group, gender) differing from the overall updated case counts.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

Case Characteristics

	Change in cases February 18, 2021	Change in cases February 19, 2021	Percentage change February 19, 2021 compared to February 18, 2021	Cumulative case count as of February 19, 2021
Total number of cases	1,150	1,228	+6.8%	291,999
Number of deaths	47	28	-40.4%	6,848
Number resolved	1,255	1,313	+4.6%	274,714

Table 1a. Summary of recent confirmed cases of COVID-19: Ontario

Note: The number of cases publicly reported by the province each day may not align with case counts reported to public health on a given day; public health unit reported date refers to the date local public health was first notified of the case. Data corrections or updates can result in case records being removed and or updated from past reports.

	Change in cases Change in case February 18, 2021 February 19, 20		Cumulative case count as of February 19, 2021
Gender: Male	602	630	143,358
Gender: Female	536	602	147,112
Ages: 19 and under	178	217	38,551
Ages: 20-39	453	436	106,827
Ages: 40-59	326	345	84,418
Ages: 60-79	158	179	42,159
Ages: 80 and over	37	50	19,983

Table 1b. Summary of recent confirmed cases of COVID-19 by age group and gender: Ontario

Note: Not all cases have a reported age or gender reported. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts.

Data Source: CCM

Table 2. Summary of recent confirmed cases of COVID-19 in school aged children by agegroup, August 30, 2020 to February 19, 2021: Ontario

	Change in cases February 18, 2021	Change in cases February 19, 2021	Cumulative case count from August 30, 2020 to February 19, 2021	
Ages: 4 to 8	26	43	6,355	
Ages: 9 to 13	47	52	8,639	
Ages: 14 to 17	43	54	9,097	

Note: Includes all confirmed cases of COVID-19 for specified ages, regardless of school attendance. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group) differing from past publicly reported case counts.


Long-term care home cases	Change in cases February 18, 2021	Change in cases February 19, 2021	Cumulative case count as of February 19, 2021
Residents	8	3	14,927
Health care workers	53	0	6,568
Deaths among residents	18	11	3,849
Deaths among health care workers	0	0	10

Table 3. Summary of recent confirmed cases of COVID-19 in long-term care homes: Ontario

Note: Information on how long-term care home residents and health care workers are identified is available in the technical notes. Also, the change in cases in these categories may represent existing case records that have been updated.


Time

Figure 1. Confirmed cases of COVID-19 by likely acquisition and public health unit reported date: Ontario, January 15, 2020 to February 19, 2021



Reported date


Figure 2. Confirmed cases of COVID-19 by likely acquisition and approximation of symptom onset date: Ontario, January 15, 2020 to February 19, 2021



Episode date

Note: Not all cases may have an episode date and those without one are not included in the figure. Episode date is defined and available in the technical notes.

Data Source: CCM





Note: The number of tests performed does not reflect the number of specimens or persons tested. More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.

Data Source: The Provincial COVID-19 Diagnostics Network, data reported by member microbiology laboratories.

Severity




Figure 4. Confirmed deaths among COVID-19 cases by date of death: Ontario, March 1, 2020 to February 19, 2021

Date of Death

Note: Cases without a death date are not included in the figure.

Data Source: CCM

	Cumulative case count as of February 19, 2021	Percentage of all cases
Cumulative deaths reported (please note there may be a reporting delay for deaths)	6,848	2.3%
Deaths reported in ages: 19 and under	2	<0.1%
Deaths reported in ages: 20-39	29	<0.1%
Deaths reported in ages: 40-59	275	0.3%
Deaths reported in ages: 60-79	1,866	4.4%
Deaths reported in ages: 80 and over	4,675	23.4%
Ever in ICU	2,648	0.9%
Ever hospitalized	14,744	5.0%

Table 4. Confirmed cases of COVID-19 by severity: Ontario

Note: Not all cases have an age reported. Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts. **Data Source**: CCM

Geography

Table 5. Summary of recent confirmed cases of COVID-19 by public health unit and region:Ontario

Public Health Unit Name	Change in cases February 18, 2021	Change in cases February 19, 2021	Cumulative case count	Cumulative rate per 100,000 population
Northwestern Health Unit	4	20	397	452.8
Thunder Bay District Health Unit	15	41	1,277	851.6
TOTAL NORTH WEST	19	61	1,674	704.4
Algoma Public Health	-1	-1	194	169.5
North Bay Parry Sound District Health Unit	3	17	255	196.5
Porcupine Health Unit	6	1	314	376.3
Public Health Sudbury & Districts	1	5	588	295.4
Timiskaming Health Unit	0	0	91	278.4
TOTAL NORTH EAST	9	22	1,442	257.8
Ottawa Public Health	73	54	14,255	1,351.6
Eastern Ontario Health Unit	12	8	2,618	1,254.4
Hastings Prince Edward Public Health	1	3	384	227.9
Kingston, Frontenac and Lennox & Addington Public Health	1	2	696	327.2
Leeds, Grenville & Lanark District Health Unit	4	0	844	487.4
Renfrew County and District Health Unit	3	2	315	290.0

Public Health Unit Name	Change in cases February 18, 2021	Change in cases February 19, 2021	Cumulative case count	Cumulative rate per 100,000 population
TOTAL EASTERN	94	69	19,112	992.1
Durham Region Health Department	41	47	11,513	1,616.1
Haliburton, Kawartha, Pine Ridge District Health Unit	4	7	995	526.6
Peel Public Health	264	228	59,264	3,690.3
Peterborough Public Health	4	6	604	408.2
Simcoe Muskoka District Health Unit	23	36	6,173	1,029.5
York Region Public Health	108	132	27,896	2,275.7
TOTAL CENTRAL EAST	444	456	106,445	2,375.7
Toronto Public Health	376	331	91,451	2,930.8
TOTAL TORONTO	376	331	91,451	2,930.8
Chatham-Kent Public Health	4	2	1,338	1,258.5
Grey Bruce Health Unit	0	0	679	399.7
Huron Perth Public Health	2	3	1,313	939.5
Lambton Public Health	7	14	1,998	1,525.6
Middlesex-London Health Unit	5	24	6,084	1,198.8
Southwestern Public Health	6	4	2,455	1,160.8
Windsor-Essex County Health Unit	22	31	12,713	2,992.5
TOTAL SOUTH WEST	46	78	26,580	1,572.1
Brant County Health Unit	1	17	1,646	1,060.5

Public Health Unit Name	Change in cases February 18, 2021	Change in cases February 19, 2021	Cumulative case count	Cumulative rate per 100,000 population
City of Hamilton Public Health Services	43	86	10,089	1,703.8
Haldimand-Norfolk Health Unit	6	6	1,347	1,180.7
Halton Region Public Health	37	40	8,898	1,437.3
Niagara Region Public Health	17	13	8,437	1,785.7
Region of Waterloo Public Health and Emergency Services	41	38	10,270	1,757.5
Wellington-Dufferin-Guelph Public Health	17	11	4,608	1,477.4
TOTAL CENTRAL WEST	162	211	45,295	1,589.7
TOTAL ONTARIO	1,150	1,228	291,999	1,964.4

Notes: Health units with data corrections or updates could result in records being removed from totals resulting in negative counts.

Outbreaks

Table 6. Summary of recent confirmed COVID-19 outbreaks reported in long-term care homes, retirement homes and hospitals by status: Ontario

Institution type	Change in outbreaks February 18, 2021	Change in outbreaks February 19, 2021	Number of ongoing outbreaks	Cumulative number of outbreaks reported
Long-term care homes	3	8	131	1,244
Retirement homes	4	2	78	731
Hospitals	2	3	38	401

Note: Ongoing outbreaks include all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded, or where the outbreak started more than five months ago, even for outbreaks where the Outbreak Status value selected in CCM is 'OPEN'. The start of the outbreak is determined by the onset date of first case, or if missing the outbreak reported date, or else if that is also missing, then the outbreak created date.

Variant COVID-19 Cases

Variant	Change in cases February 18, 2021	Change in cases February 19, 2021	Cumulative case count up to February 19, 2021
Lineage B.1.1.7	37	1	386
Lineage B.1.351	-1	0	9
Lineage P.1	0	0	1

Table 7. Summary of confirmed variant of concern (VOC) cases: Ontario

Note: Caution should be taken when interpreting VOC data due to the nature of the confirmation process, including delays between specimen collection and whole genome sequencing (WGS). Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts. For a breakdown of confirmed VOC cases by PHU and interim N501Y mutation screening test volumes and percent positivity please see Appendix A and B.




Figure 5. Confirmed COVID-19 variants of concern (VOC) cases by public health unit reported date: Ontario, November 29, 2020 to February 19, 2021

Note: Reported date is based on the date the case was reported, not the date that the VOC was identified. Additional testing was conducted on January 20, 2021 which led to an increase in the number of cases with variants of concern identified. Further details on screening for variants of concern can be found in the <u>technical notes</u>. Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent days.

Data Source: CCM

Table 8. Summary of confirmed variant of concern (VOC) cases by age group and gender:Ontario

	Lineage B.1.1.7	Lineage B.1.351	Lineage P.1	Cumulative case count as of February 19, 2021
Gender: Male	168	6	1	175
Gender: Female	217	3	0	220
Ages: 19 and under	40	0	0	40
Ages: 20-39	136	6	0	142
Ages: 40-59	86	1	0	87
Ages: 60-79	72	2	1	75
Ages: 80 and over	52	0	0	52

Note: Not all cases have a reported age or gender reported. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts.

	Lineage B.1.1.7	Percentage	Lineage B.1.351	Percentage	Lineage P.1	Percentage	Cumulative case count up to February 19, 2021	Cumulative percentage
Travel	26	6.7%	2	22.2%	0	0.0%	28	7.1%
Outbreak-associated or close contact of a confirmed case	311	80.6%	4	44.4%	0	0.0%	315	79.5%
Epidemiological link – type unspecified	0	0.0%	0	0.0%	0	0.0%	0	0.0%
No known epidemiological link	46	11.9%	3	33.3%	1	100.0%	50	12.6%
Information missing or unknown	3	0.8%	0	0.0%	0	0.0%	3	0.8%
Total	386		9		1		396	

Table 9. Summary of confirmed variant of concern (VOC) cases likely source of acquisition: Ontario

Note: Information for how cases are grouped within each category is available in the technical notes.

Technical Notes

Data Sources

- The data for this report were based on information successfully extracted from the Public Health Case and Contact Management Solution (CCM) for all PHUs by PHO as of **February 19, 2021 at 1 p.m**.
- CCM is a dynamic disease reporting system, which allows ongoing updates to data previously entered. As a result, data extracted from CCM represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario. Data were extracted on November 26, 2019.
- COVID-19 test data were based on information from The Provincial COVID-19 Diagnostics Network, reported by member microbiology laboratories.
- N501Y mutation screening test and percent positivity data were based on the MOH extract of the Ontario Laboratory Information System (OLIS) by Health Analytics & Insight Branch (HAIB), MOH accessed on February 19, **2021** on the MOH SAS server.

Data Caveats

- The data only represent cases reported to public health units and recorded in CCM. As a result, all counts will be subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Lags in CCM data entry due to weekend staffing may result in lower case counts than would otherwise be recorded.
- Only cases meeting the confirmed case classification as listed in the MOH <u>COVID-19 case</u> <u>definition</u> are included in the report counts from CCM. This includes persons with a positive detection of serum/plasma immunoglobulin G (IgG) antibodies to SARS-CoV-2, which was added to the confirmed case definition on August 6, 2020.
- Cases of confirmed reinfection, i.e. where genome sequencing indicates the two episodes are caused by different viral lineages, added to the confirmed case definition on November 20, 2020, are counted as unique investigations.
- The number of tests performed does not reflect the number of specimens or persons tested. More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.
- Reported date is the date the case was reported to the public health unit.

- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are classified as resolved:
 - Cases that are reported as 'recovered' in CCM
 - Cases that are not hospitalized and are 14 days past their episode date
 - Cases that are currently hospitalized (no hospital end date entered) and have a status of 'closed' in CCM (indicating public health unit follow-up is complete) and are 14 days past their symptom onset date or specimen collection date
- Hospitalization includes all cases for which a hospital admission date was reported at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU refers to the case's public health unit of residence at the time of illness onset and not necessarily the location of exposure. Cases for which the DHU was reported as MOH-PHO (to signify a case that is not a resident of Ontario) have been excluded from the analyses.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with a confirmed outbreak, was a contact of a case, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
 - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
 - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- Deaths are determined by using the outcome field in CCM. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.

- The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.
- COVID-19 cases from CCM for which the Classification and/or Disposition was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, IGNORE, DUPLICATE, or any variation on these values have been excluded. The provincial case count for COVID-19 may include some duplicate records, if these records were not identified and resolved.
- Ongoing outbreaks include all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded, or where the outbreak started more than five months ago, even for outbreaks where the Outbreak Status value selected in CCM is 'OPEN'. The start of the outbreak is determined by the onset date of first case, or if missing the outbreak reported date, or else if that is also missing, then the outbreak created date.
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of a long-term care home'; or 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility'. 'Long-term care home residents' excludes cases that reported 'Yes' to any of the health care worker occupational risk factors.
- The 'health care workers' variable includes cases that reported 'Yes' to any of the occupation of health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers' reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.
- Percent change is calculated by taking the difference between the current period (i.e., daily count or sum of the daily count over a 7-day period) and previous period (i.e., daily count or sum of the daily count over a 7-day period), divided by the previous period.
- PANGO lineage B.1.1.7: This lineage was first detected in England in September, 2020. Early evidence suggests that the N501Y mutation may increase SARS-CoV-2 transmissibility. The PANGO lineage B.1.1.7 is assigned to genome sequences with at least 5 of the 17 defining B.1.1.7 SNPs.
- PANGO lineage B.1.351 (also known as 501Y.V2): This lineage was first detected October, 2020 in South Africa and has several mutations of concern, including spike (S) gene: N501Y, K417N, and E484K. Early evidence suggests that these mutations may increase SARS-CoV-2 transmissibility and decrease vaccine efficacy. The PANGO lineage B.1.351 will be assigned to genome sequences at least 5 of the 9 defining B.1.351 SNPs.
- PANGO lineage P.1 (also known as 501Y.V3): This lineage was first detected January, 2021 in Brazil and has several mutations of concern, including spike (S) gene N501Y, K417T, and E484K.

Early evidence suggests that these mutations may increase SARS-CoV-2 transmissibility and decrease vaccine efficacy. The PANGO lineage P.1 is assigned to genome sequences with more than 10 of the 17 defining P.1 SNPs.

- Public Health Ontario conducts variants of concern (VOC) surveillance on a subset of SARS-CoV-2 positive specimens. Additional SARS-CoV-2 specimens are referred to PHO Laboratory for screening provided they meet the criteria outlined here: <u>https://www.publichealthontario.ca/en/laboratory-services/test-information-index/covid-19-voc</u>
- Screening results for the spike (S) gene N501Y mutation presented in this report do not include all provincial results because:
 - Some labs are conducting screening but are not submitting directly, or indirectly via PHO to OLIS
 - Some labs are not providing sufficient information alongside specimens transferred to PHO for testing/OLIS entry, so they are rejected from OLIS
 - Some labs may be submitting screening results to OLIS in a manner that does not conform with the VOC nomenclature, and
 - The Ministry of Health does not receive test results for specimens without an associated health card number, or that have a consent block

Appendix A

Table A1. Weekly rates of confirmed COVID-19 cases per 100,000 population over recent rolling 7-day periods, by reported date and public health unit: Ontario, February 04 to February 16, 2021

Public Health Unit Name	Feb 04 to Feb 10	Feb 05 to Feb 11	Feb 06 to Feb 12	Feb 07 to Feb 13	Feb 08 to Feb 14	Feb 09 to Feb 15	Feb 10 to Feb 16	% change from Feb 04- Feb 10 to Feb 10- Feb 16
NORTH WEST								
Northwestern Health Unit	18.2	30.8	43.3	67.3	81	89	108.4	+495.6%
Thunder Bay District Health Unit	58.7	68.7	72	76.7	86	88.7	92	+56.7%
NORTH EAST								
Algoma Public Health	13.1	13.1	11.4	9.6	6.1	5.2	4.4	-66.4%
North Bay Parry Sound District Health Unit	17.7	20	23.9	26.2	17	13.9	15.4	-13.0%
Porcupine Health Unit	20.4	15.6	15.6	15.6	16.8	13.2	10.8	-47.1%
Public Health Sudbury & Districts	18.6	17.6	16.6	16.1	14.6	15.6	12.6	-32.3%
Timiskaming Health Unit	3.1	0	0	0	0	0	0	-100.0%
EASTERN								
Ottawa Public Health	30.8	30.8	28.9	27.4	29.1	29.8	31.8	+3.2%
Eastern Ontario Health Unit	28.7	27.8	24.4	26.4	27.8	26.8	26.8	-6.6%
Hastings Prince Edward Public Health	6.5	7.7	8.9	8.9	8.9	7.7	6.5	
Kingston, Frontenac and Lennox & Addington Public Health	6.6	8.5	9.9	11.3	10.3	9.4	9.9	+50.0%

Public Health Unit Name	Feb 04 to Feb 10	Feb 05 to Feb 11	Feb 06 to Feb 12	Feb 07 to Feb 13	Feb 08 to Feb 14	Feb 09 to Feb 15	Feb 10 to Feb 16	% change from Feb 04- Feb 10 to Feb 10- Feb 16
Leeds, Grenville & Lanark District Health Unit	7.5	7.5	8.1	8.7	9.2	9.2	8.1	+8.0%
Renfrew County and District Health Unit	5.5	6.4	6.4	4.6	4.6	4.6	2.8	-49.1%
CENTRAL EAST								
Durham Region Health Department	38.7	38.6	36.2	34.4	39.2	40.3	40.3	+4.1%
Haliburton, Kawartha, Pine Ridge District Health Unit	26.5	25.9	27.5	24.9	23.3	21.2	20.1	-24.2%
Peel Public Health	111.8	109.8	101.5	98.5	96.3	91.4	88.8	-20.6%
Peterborough Public Health	7.4	6.8	5.4	11.5	14.2	18.9	18.9	+155.4%
Simcoe Muskoka District Health Unit	40.2	38	36.9	35.4	37	36	36.9	-8.2%
York Region Public Health	72	71.8	71.7	68.2	66.9	66.4	69.7	-3.2%
TORONTO								
Toronto Public Health	85.8	84.3	81.6	79.2	74.2	75.2	71.9	-16.2%
SOUTH WEST								
Chatham-Kent Public Health	59.3	57.4	50.8	34.8	27.3	18.8	14.1	-76.2%
Grey Bruce Health Unit	8.8	9.4	8.8	9.4	10	7.7	8.2	-6.8%
Huron Perth Public Health	28.6	24.3	22.2	22.9	22.2	21.5	16.5	-42.3%
Lambton Public Health	40.5	44.3	54.2	60.3	61.8	65.7	55.7	+37.5%
Middlesex-London Health Unit	35.1	31.7	32.3	27.2	26	23.3	21.1	-39.9%

Public Health Unit Name	Feb 04 to Feb 10	Feb 05 to Feb 11	Feb 06 to Feb 12	Feb 07 to Feb 13	Feb 08 to Feb 14	Feb 09 to Feb 15	Feb 10 to Feb 16	% change from Feb 04- Feb 10 to Feb 10- Feb 16
Southwestern Public Health	34.5	25.5	25.5	22.2	20.3	21.7	18.4	-46.7%
Windsor-Essex County Health Unit	43.1	43.1	49.9	56.3	55.8	55.1	58.4	+35.5%
CENTRAL WEST								
Brant County Health Unit	39.3	45.1	39.3	32.9	33.5	29	36.1	-8.1%
City of Hamilton Public Health Services	54	49.3	43.6	38.8	42.4	41.4	38.8	-28.1%
Haldimand-Norfolk Health Unit	21	17.5	17.5	14	10.5	8.8	7	-66.7%
Halton Region Public Health	47.8	42.2	40.5	39.3	38.8	37.8	35.4	-25.9%
Niagara Region Public Health	44.2	40.4	35.8	35.3	34.3	33.2	33.2	-24.9%
Region of Waterloo Public Health and Emergency Services	59.4	61.1	54.8	53.6	52.7	50.7	51	-14.1%
Wellington-Dufferin- Guelph Public Health	43	43.9	46.2	41.7	38.2	38.5	35.6	-17.2%
TOTAL ONTARIO	57.5	56.4	54.3	52.6	51.5	50.8	50	-13.0%

Note: Rates are based on the sum of the daily case counts during the date ranges specified in each column.

Table A2. Summary of confirmed variant of concern (VOC) cases by public health unit: Ontario as of February 19, 2021

Public Health Unit Name	Cumulative count for Lineage B.1.1.7	Cumulative count for Lineage B.1.351	Cumulative count for Lineage P.1
Algoma Public Health	0	0	0
Brant County Health Unit	0	0	0
Chatham-Kent Public Health	0	0	0
City of Hamilton Public Health Services	0	0	0
Durham Region Health Department	19	0	0
Eastern Ontario Health Unit	0	0	0
Grey Bruce Health Unit	0	0	0
Haldimand-Norfolk Health Unit	1	0	0
Haliburton, Kawartha, Pine Ridge District Health Unit	0	0	0
Halton Region Public Health	8	0	0
Hastings Prince Edward Public Health	0	0	0
Huron Perth Public Health	0	0	0
Kingston, Frontenac and Lennox & Addington Public Health	1	0	0
Lambton Public Health	0	0	0
Leeds, Grenville & Lanark District Health Unit	0	0	0
Middlesex-London Health Unit	4	0	0
Niagara Region Public Health	0	0	0

Public Health Unit Name	Cumulative count for Lineage B.1.1.7	Cumulative count for Lineage B.1.351	Cumulative count for Lineage P.1
North Bay Parry Sound District Health Unit	0	1	0
Northwestern Health Unit	0	0	0
Ottawa Public Health	8	1	0
Peel Public Health	53	7	0
Peterborough Public Health	0	0	0
Porcupine Health Unit	0	0	0
Public Health Sudbury & Districts	3	0	0
Region of Waterloo Public Health and Emergency Services	4	0	0
Renfrew County and District Health Unit	0	0	0
Simcoe Muskoka District Health Unit	168	0	0
Southwestern Public Health	0	0	0
Thunder Bay District Health Unit	0	0	0
Timiskaming Health Unit	0	0	0
Toronto Public Health	64	0	1
Wellington-Dufferin-Guelph Public Health	1	0	0
Windsor-Essex County Health Unit	0	0	0
York Region Public Health	52	0	0
TOTAL ONTARIO	386	9	1

Note: Caution should be taken when interpreting VOC data due to the nature of the screening and confirmation process, including delays between specimen collection and whole genome sequencing (WGS). A confirmed VOC case is defined as a COVID-19 case in whom a designated VOC was detected by WGS of their SARS-CoV-2 positive specimen. Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts. **Data Source:** CCM

Appendix B

The laboratory detection of a variant of concern is a two-step process. Samples that test positive for SARS-CoV-2 and have a cycle threshold (Ct) value \leq 35 can be tested for the N501Y mutation. If positive for the N501Y mutation these samples then undergo whole genome sequencing (WGS) to confirm the presence of a designated VOC. The table below refers to step one of this process.

Note: The number of specimens screened for the spike (S) gene N501Y mutation is defined as the number of unique specimens with a test request code indicating a VOC screening test (TR12952-8). The number of specimens with spike (S) gene N501Y mutation detected is defined as the number of unique specimens where the Observation Value for the VOC screening test result was 'Detected'. The N501Y mutation screening results presented here do not include all screening results in the province. Further details can be found in the <u>technical notes</u>. Testing numbers may be subject to change due to reporting lags. These data are interim and will change as data collection and reporting methods are refined in the coming weeks.

Table B1. Interim cumulative number of specimens screened for N501Y mutation and percentpositivity: Ontario as of February 18, 2021

	Cumulative number of specimens screened for the spike (S) gene N501Y mutation	Cumulative number of specimens with spike (S) gene N501Y mutation detected	Cumulative percent positivity
Specimens screened	13,186	1,140	8.6%

Data Sources: OLIS. Note that these are interim data sources to be replaced by CCM once data becomes available.

Table B2. Interim daily number of specimens screened for N501Y mutation and percent positivity: Ontario as of February 18, 2021

Reported Date ¹	# of specimens screened for the spike (S) gene N501Y mutation	# of specimens with spike (S) gene N501Y mutation detected	Daily percent positivity	Weekly percent positivity over a rolling 7-day period
February 12, 2021	996	93	9.3%	7.0%
February 13, 2021	1357	68	5.0%	6.7%
February 14, 2021	884	115	13.0%	7.5%

Reported Date ¹	# of specimens screened for the spike (S) gene N501Y mutation	# of specimens with spike (S) gene N501Y mutation detected	Daily percent positivity	Weekly percent positivity over a rolling 7-day period
February 15, 2021	896	82	9.2%	7.6%
February 16, 2021	1029	152	14.8%	8.9%
February 17, 2021	555	79	14.2%	9.8%
February 18, 2021	534	68	12.7%	10.5%

¹ Reporting date refers to the Observation Release Date

Data Sources: OLIS. Note that these are interim data sources to be replaced by CCM once data becomes available.

Table B3. Interim number of specimens screened for N501Y mutation and percent positivity:Ontario, February 12, 2021 to February 18, 2021

Public Health Unit Name	# of specimens screened for the spike (S) gene N501Y mutation	# of specimens with spike (S) gene N501Y mutation detected	Weekly percent positivity over a rolling 7- day period	Cumulative percent positivity
Algoma Public Health	6	1	16.7%	5.9%
Brant County Health Unit	47	0	0.0%	0.9%
Chatham-Kent Public Health	52	0	0.0%	0.0%
City of Hamilton Public Health Services	264	7	2.7%	2.6%
Durham Region Health Department	289	38	13.1%	10.4%
Eastern Ontario Health Unit	27	0	0.0%	0.0%
Grey Bruce Health Unit	16	0	0.0%	0.0%

Public Health Unit Name	# of specimens screened for the spike (S) gene N501Y mutation	# of specimens with spike (S) gene N501Y mutation detected	Weekly percent positivity over a rolling 7- day period	Cumulative percent positivity
Haldimand-Norfolk Health Unit	20	0	0.0%	0.0%
Haliburton, Kawartha, Pine Ridge District Health Unit	32	1	3.1%	1.3%
Halton Region Public Health	162	16	9.9%	6.7%
Hastings Prince Edward Public Health	15	1	6.7%	4.3%
Huron Perth Public Health	31	0	0.0%	0.0%
Kingston, Frontenac and Lennox & Addington Public Health	10	0	0.0%	0.0%
Lambton Public Health	62	0	0.0%	0.0%
Leeds, Grenville & Lanark District Health Unit	12	0	0.0%	0.0%
Middlesex-London Health Unit	111	1	0.9%	0.4%
Niagara Region Public Health	41	2	4.9%	2.3%
North Bay Parry Sound District Health Unit	9	1	11.1%	50.0%
Northwestern Health Unit	8	0	0.0%	0.0%
Ottawa Public Health	19	0	0.0%	9.8%
Peel Public Health	1,168	126	10.8%	9.6%
Peterborough Public Health	25	1	4.0%	6.0%
Porcupine Health Unit	11	2	18.2%	7.7%

Public Health Unit Name	# of specimens screened for the spike (S) gene N501Y mutation	# of specimens with spike (S) gene N501Y mutation detected	Weekly percent positivity over a rolling 7- day period	Cumulative percent positivity
Public Health Sudbury & Districts	18	1	5.6%	1.9%
Region of Waterloo Public Health and Emergency Services	175	8	4.6%	4.9%
Renfrew County and District Health Unit	1	0	0.0%	0.0%
Simcoe Muskoka District Health Unit	186	48	25.8%	26.5%
Southwestern Public Health	42	3	7.1%	6.7%
Thunder Bay District Health Unit	75	0	0.0%	0.0%
Timiskaming Health Unit	0	0	0.0%	100.0%
Toronto Public Health	2,125	239	11.2%	8.4%
Wellington-Dufferin-Guelph Public Health	98	7	7.1%	4.0%
Windsor-Essex County Health Unit	207	2	1.0%	1.2%
York Region Public Health	854	150	17.6%	14.9%
TOTAL ¹	6,251	657	10.5%	8.6%

¹The N501Y screening results presented here do not include all screening results in the province. Further details can be found in the <u>technical notes</u>.

Data Sources: OLIS. Note that these are interim data sources to be replaced by CCM once data becomes available.

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Epidemiologic summary: COVID-19 in Ontario – January 15, 2020 to February 19, 2021. Toronto, ON: Queen's Printer for Ontario; 2021.

For Further Information

For more information, email <u>cd@oahpp.ca</u>.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

