

Daily Epidemiologic Summary

COVID-19 in Ontario: January 15, 2020 to March 12, 2021

This report includes the most current information available from CCM as of March 12, 2021.

Please visit the interactive <u>Ontario COVID-19 Data Tool</u> to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A weekly summary report is available with additional information to complement the daily report.

This **daily** report provides an epidemiologic summary of recent COVID-19 activity in Ontario. The change in cases is determined by taking the cumulative difference between the current day and the previous day.

Highlights

- There are a total of 316,359 confirmed cases of COVID-19 in Ontario reported to date.
- Compared to the previous day, this represents:
 - An increase of 1,468 confirmed cases (percent change of +7.1%)
 - An increase of 11 deaths (percent change of -38.9%)
 - An increase of 1,151 resolved cases (percent change of +2.4%)

In this document, the term 'change in cases' refers to cases publicly reported by the province for a given day. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals for updated case counts (i.e., age group, gender) differing from the overall updated case counts.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

Case Characteristics

Table 1a. Summary of recent confirmed cases of COVID-19: Ontario

	Change in cases March 11, 2021	Change in cases March 12, 2021	Percentage change March 12, 2021 compared to March 11, 2021	Cumulative case count as of March 12, 2021
Total number of cases	1,371	1,468	+7.1%	316,359
Number of deaths	18	11	-38.9%	7,138
Number resolved	1,124	1,151	+2.4%	297,403

Note: The number of cases publicly reported by the province each day may not align with case counts reported to public health on a given day; public health unit reported date refers to the date local public health was first notified of the case. Data corrections or updates can result in case records being removed and or updated from past reports.

Table 1b. Summary of recent confirmed cases of COVID-19 by age group and gender: Ontario

	Change in cases March 11, 2021	Change in cases March 12, 2021	Cumulative case count as of March 12, 2021
Gender: Male	693	748	155,855
Gender: Female	685	713	158,796
Ages: 19 and under	283	348	43,274
Ages: 20-39	504	496	115,979
Ages: 40-59	359	415	91,165
Ages: 60-79	183	161	45,254
Ages: 80 and over	41	49	20,616

Note: Not all cases have a reported age or gender reported. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts.

Data Source: CCM

Table 2. Summary of recent confirmed cases of COVID-19 in school aged children by age group, August 30, 2020 to March 12, 2021: Ontario

	Change in cases March 11, 2021	Change in cases March 12, 2021	Cumulative case count from August 30, 2020 to March 12, 2021
Ages: 4 to 8	48	76	7,393
Ages: 9 to 13	72	105	9,908
Ages: 14 to 17	65	65	10,171

Note: Includes all confirmed cases of COVID-19 for specified ages, regardless of school attendance. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group) differing from past publicly reported case counts.


Table 3. Summary of recent confirmed cases of COVID-19 in long-term care homes: Ontario

Long-term care home cases	Change in cases March 11, 2021	Change in cases March 12, 2021	Cumulative case count as of March 12, 2021
Residents	0	-7	14,969
Health care workers	9	17	6,729
Deaths among residents	0	1	3,878
Deaths among health care workers	0	0	10

Note: Information on how long-term care home residents and health care workers are identified is available in the technical notes. Also, the change in cases in these categories may represent existing case records that have been updated.

Time


Figure 1. Confirmed cases of COVID-19 by likely acquisition and public health unit reported date: Ontario, January 15, 2020 to March 12, 2021



Data Source: CCM


COVID-19 in Ontario: January 15, 2020 to March 12, 2021

Figure 2. Confirmed cases of COVID-19 by likely acquisition and approximation of symptom onset date: Ontario, January 15, 2020 to March 12, 2021



Note: Not all cases may have an episode date and those without one are not included in the figure. Episode date is defined and available in the technical notes.






Note: The number of tests performed does not reflect the number of specimens or persons tested. More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.

Data Source: The Provincial COVID-19 Diagnostics Network, data reported by member microbiology laboratories.

Severity

Figure 4. Confirmed deaths among COVID-19 cases by date of death: Ontario, March 1, 2020 to March 12, 2021



Date of Death

Note: Cases without a death date are not included in the figure.

Table 4. Confirmed cases of COVID-19 by severity: Ontario

	Cumulative case count as of March 12, 2021	Percentage of all cases
Cumulative deaths reported (please note there may be a reporting delay for deaths)	7,138	2.3%
Deaths reported in ages: 19 and under	2	<0.1%
Deaths reported in ages: 20-39	29	<0.1%
Deaths reported in ages: 40-59	294	0.3%
Deaths reported in ages: 60-79	1,979	4.4%
Deaths reported in ages: 80 and over	4,833	23.4%
Ever in ICU	2,825	0.9%
Ever hospitalized	15,860	5.0%

Note: Not all cases have an age reported. Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts.

Geography

Table 5. Summary of recent confirmed cases of COVID-19 by public health unit and region: Ontario

Public Health Unit Name	Change in cases March 11, 2021	Change in cases March 12, 2021	Cumulative case count	Cumulative rate per 100,000 population
Northwestern Health Unit	13	13	561	639.9
Thunder Bay District Health Unit	52	66	2,274	1,516.4
TOTAL NORTH WEST	65	79	2,835	1,193.0
Algoma Public Health	1	1	202	176.5
North Bay Parry Sound District Health Unit	1	0	268	206.5
Porcupine Health Unit	1	0	344	412.3
Public Health Sudbury & Districts	37	46	922	463.3
Timiskaming Health Unit	0	0	105	321.2
TOTAL NORTH EAST	40	47	1,841	329.1
Ottawa Public Health	83	82	15,458	1,465.7
Eastern Ontario Health Unit	12	12	2,826	1,354.0
Hastings Prince Edward Public Health	1	2	433	257.0
Kingston, Frontenac and Lennox & Addington Public Health	9	3	745	350.2
Leeds, Grenville & Lanark District Health Unit	10	15	964	556.7
Renfrew County and District Health Unit	9	4	390	359.0
TOTAL EASTERN	124	118	20,816	1,080.6

Public Health Unit Name	Change in cases March 11, 2021	Change in cases March 12, 2021	Cumulative case count	Cumulative rate per 100,000 population
Durham Region Health Department	35	38	12,335	1,731.5
Haliburton, Kawartha, Pine Ridge District Health Unit	4	6	1,075	569.0
Peel Public Health	225	226	63,628	3,962.0
Peterborough Public Health	4	13	759	512.9
Simcoe Muskoka District Health Unit	43	43	6,962	1,161.1
York Region Public Health	111	168	30,063	2,452.5
TOTAL CENTRAL EAST	422	494	114,822	2,562.6
Toronto Public Health	371	381	98,532	3,157.7
TOTAL TORONTO	371	381	98,532	3,157.7
Chatham-Kent Public Health	10	18	1,424	1,339.4
Grey Bruce Health Unit	-1	-1	703	413.8
Huron Perth Public Health	3	0	1,393	996.7
Lambton Public Health	27	22	2,340	1,786.8
Middlesex-London Health Unit	31	36	6,427	1,266.3
Southwestern Public Health	3	25	2,618	1,237.8
Windsor-Essex County Health Unit	39	40	13,333	3,138.4
TOTAL SOUTH WEST	112	140	28,238	1,670.1
Brant County Health Unit	11	24	1,956	1,260.3
City of Hamilton Public Health Services	109	36	11,144	1,881.9

Public Health Unit Name	Change in cases March 11, 2021	Change in cases March 12, 2021	Cumulative case count	Cumulative rate per 100,000 population
Haldimand-Norfolk Health Unit	6	4	1,452	1,272.8
Halton Region Public Health	34	46	9,654	1,559.4
Niagara Region Public Health	22	31	8,884	1,880.3
Region of Waterloo Public Health and Emergency Services	36	51	11,221	1,920.2
Wellington-Dufferin-Guelph Public Health	19	17	4,964	1,591.5
TOTAL CENTRAL WEST	237	209	49,275	1,729.4
TOTAL ONTARIO	1,371	1,468	316,359	2,128.3

Notes: Health units with data corrections or updates could result in records being removed from totals resulting in negative counts.

Outbreaks

Table 6. Summary of recent confirmed COVID-19 outbreaks reported in long-term care homes, retirement homes and hospitals by status: Ontario


Institution type	Change in outbreaks March 11, 2021	Change in outbreaks March 12, 2021	Number of ongoing outbreaks	Cumulative number of outbreaks reported
Long-term care homes	7	3	78	1,324
Retirement homes	2	5	52	786
Hospitals	0	2	22	426

Note: Ongoing outbreaks include all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded, or where the outbreak started more than five months ago, even for outbreaks where the Outbreak Status value selected in CCM is 'OPEN'. The start of the outbreak is determined by the onset date of first case, or if missing the outbreak reported date, or else if that is also missing, then the outbreak created date.

Variant COVID-19 Cases

The laboratory detection of a variant of concern (VOC) is a multi-step process. Samples that test positive for SARS-CoV-2 and have a cycle threshold (Ct) value ≤ 35 can be tested for mutations common to variants of concern. If positive for the mutation of interest these samples may then undergo genomic analyses to identify the VOC. VOC lineages may still be confirmed using genomic analysis despite specific S gene mutation(s) being documented as 'unable to complete' due to poor sequence quality at the genome position.

Figure 5. Number of confirmed COVID-19 cases and percent positive for mutations or VOCs: Ontario, February 07, 2021 to March 12, 2021



Note: Data used to calculate the number of cases tested for mutations common to VOCs or lineages using genomic analyses are obtained using information from the Laboratory object in CCM in addition to the data from the Investigation Subtype field. Therefore, comparisons to counts using only information from the Investigation Subtype field may not align. The percent of cases due to a VOC may be higher than described in this report. While all confirmed COVID-19 cases are included in the denominator, not all cases were able to be tested for VOCs.


Table 7. Summary of confirmed COVID-19 cases with a mutation or VOC detected: Ontario

Variant	Change in cases March 11, 2021	Change in cases March 12, 2021	Cumulative case count up to March 12, 2021
Lineage B.1.1.7	49	19	1,024
Lineage B.1.351	1	1	43
Lineage P.1	6	0	34
Mutation detected (lineage not determined)*	346	632	7,491

Note: Interpret the VOC and mutation trends with caution due to the varying time required to complete VOC testing and/or genomic analysis following the initial positive test for SARS-CoV-2. Due to the nature of the genomic analysis, test results may be completed in batches. Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts. Data for calculating the change in cases and the cumulative case count uses data from the Investigation Subtype field only.

^{*}Includes all confirmed COVID-19 cases with a lineage or mutation reported in the Investigation Subtype field, excluding variants of concern B.1.1.7, B.1.351, and P.1 lineages. If a VOC is identified through genomic analysis, the change in cases and/or cumulative case counts for mutations will fluctuate as the case is moved to one of listed lineages.

Figure 6. Confirmed COVID-19 cases with a mutation or VOC detected by public health unit reported date: Ontario, November 29, 2020 to March 12, 2021



Reported date

Note: Reported date is based on the date the case was reported, not the date that the VOC or mutation was identified. Further details on testing for variants of concern can be found in the <u>technical notes</u>. Interpret the VOC and mutation trends with caution due to the varying time required to complete testing and/or genomic analysis following the initial positive test for SARS-CoV-2. Data for calculating the change in cases and the cumulative case count uses data from the Investigation Subtype field only. Data for cases with a B.1.1.7, B.1.351, and P.1 lineage detected are determined using the Investigation Subtype field only. Mutation detected (lineage not determined) includes all confirmed COVID-19 cases with a lineage or mutation detected reported from the Investigation Subtype field excluding B.1.1.7, B.1.351, and P.1 lineages.

Table 8. Summary of confirmed COVID-19 cases with a mutation or VOC detected by age group and gender: Ontario

	Lineage B.1.1.7	Lineage B.1.351	Lineage P.1	Mutation detected (lineage not determined)	Cumulative case count as of March 12, 2021
Gender: Male	499	22	21	3,852	4,394
Gender: Female	523	21	13	3,550	4,107
Ages: 19 and under	138	2	4	1,319	1,463
Ages: 20-39	386	17	15	2,878	3,296
Ages: 40-59	283	13	11	2,174	2,481
Ages: 60-79	152	9	4	959	1,124
Ages: 80 and over	65	2	0	160	227

Note: Not all cases have a reported age or gender reported. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts. Data for cases with a B.1.1.7, B.1.351, and P.1 lineage detected are determined using the Investigation Subtype field only. Mutation detected (lineage not determined) includes all confirmed COVID-19 cases with a lineage or mutation detected reported in the Investigation Subtype field excluding B.1.1.7, B.1.351, and P.1 lineages.

Table 9. Summary of confirmed COVID-19 cases with a mutation or VOC detected by likely source of acquisition: Ontario

	Lineage B.1.1.7	%	Lineage B.1.351	%	Lineage P.1	%	Mutation detected (lineage not determined)	%	Cumulative case count up to March 12, 2021	Cumulative percentage
Travel	56	5.5%	8	18.6%	1	2.9%	212	2.8%	277	3.2%
Outbreak- associated or close contact of a confirmed case	747	72.9%	32	74.4%	21	61.8%	4,846	64.7%	5,646	65.7%
Epidemiological link – type unspecified	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
No known epidemiological link	213	20.8%	3	7.0%	12	35.3%	1,785	23.8%	2,013	23.4%
Information missing or unknown	8	0.8%	0	0.0%	0	0.0%	648	8.7%	656	7.6%
Total	1,024		43		34		7,491		8,592	

Note: Information for how cases are grouped within each category is available in the technical notes. Data for cases with a B.1.1.7, B.1.351, and P.1 lineage detected are determined using the Investigation Subtype field only. Mutation detected (lineage not determined) includes all confirmed COVID-19 cases with a lineage or mutation detected reported in the Investigation Subtype field excluding B.1.1.7, B.1.351, and P.1 lineages.

Data Source: CCM

COVID-19 in Ontario: January 15, 2020 to March 12, 2021

Technical Notes

Data Sources

- The data for this report were based on information successfully extracted from the Public Health Case and Contact Management Solution (CCM) for all PHUs by PHO as of **March 12, 2021 at 1** p.m.
- CCM is a dynamic disease reporting system, which allows ongoing updates to data previously entered. As a result, data extracted from CCM represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario.
 Data were extracted on November 26, 2019.
- COVID-19 test data were based on information from The Provincial COVID-19 Diagnostics Network, reported by member microbiology laboratories.

Data Caveats

- The data only represent cases reported to public health units and recorded in CCM. As a result, all counts will be subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Lags in CCM data entry due to weekend staffing may result in lower case counts than would otherwise be recorded.
- Only cases meeting the confirmed case classification as listed in the <u>MOH Case Definition</u> <u>Coronavirus Disease (COVID-19) document</u> are included in the report counts from CCM. This includes persons with:
 - laboratory confirmation by a validated NAAT assay
 - a validated point-of-care (POC) assay deemed acceptable to provide a final result
 - a validated laboratory-based serological assay SARS-CoV-2
- Cases of confirmed reinfection, as defined in the provincial case definitions, are counted as unique investigations.
- Case classification information may be updated for individuals with a positive result issued from a point-of-care assays.
- The number of tests performed does not reflect the number of specimens or persons tested.
 More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.

- Reported date is the date the case was reported to the public health unit.
- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are classified as resolved:
 - Cases that are reported as 'recovered' in CCM
 - Cases that are not hospitalized and are 14 days past their episode date
 - Cases that are currently hospitalized (no hospital end date entered) and have a status of 'closed' in CCM (indicating public health unit follow-up is complete) and are 14 days past their symptom onset date or specimen collection date
- Hospitalization includes all cases for which a hospital admission date was reported at the time of
 data extraction. It includes cases that have been discharged from hospital as well as cases that
 are currently hospitalized. Emergency room visits are not included in the number of reported
 hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU
 refers to the case's public health unit of residence at the time of illness onset and not
 necessarily the location of exposure. Cases for which the DHU was reported as MOH-PHO (to
 signify a case that is not a resident of Ontario) have been excluded from the analyses.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with a confirmed outbreak, was a contact of a case, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
 - For cases with an episode date on or after April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
 - For cases with an episode date before April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- Deaths are determined by using the outcome field in CCM. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.

- The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.
- COVID-19 cases from CCM for which the Classification and/or Disposition was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, IGNORE, DUPLICATE, or any variation on these values have been excluded. The provincial case count for COVID-19 may include some duplicate records, if these records were not identified and resolved.
- Ongoing outbreaks include all outbreaks that are 'Open' in CCM without a 'Declared Over Date'
 recorded, or where the outbreak started more than five months ago, even for outbreaks where
 the Outbreak Status value selected in CCM is 'OPEN'. The start of the outbreak is determined by
 the onset date of first case, or if missing the outbreak reported date, or else if that is also
 missing, then the outbreak created date.
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of a long-term care home'; or 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility'. 'Long-term care home residents' excludes cases that reported 'Yes' to any of the health care worker occupational risk factors.
- The 'health care workers' variable includes cases that reported 'Yes' to any of the occupation of health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers'
 reported to be part of an outbreak assigned as a long-term care home (via the outbreak number
 or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of long-term
 care home' or 'Resident of nursing home or other chronic care facility' and 'Yes' to the
 calculated 'health care workers' variable.
- Percent change is calculated by taking the difference between the current period (i.e., daily count or sum of the daily count over a 7-day period) and previous period (i.e., daily count or sum of the daily count over a 7-day period), divided by the previous period.
- PANGO lineage B.1.1.7: This lineage was first detected in England in September, 2020. Early
 evidence suggests that the N501Y mutation may increase SARS-CoV-2 transmissibility. The
 PANGO lineage B.1.1.7 is assigned to genome sequences with at least 5 of the 17 defining
 B.1.1.7 SNPs.
- PANGO lineage B.1.351 (also known as 501Y.V2): This lineage was first detected October, 2020 in South Africa and has several mutations of concern, including spike (S) gene: N501Y, K417N, and E484K. Early evidence suggests that these mutations may increase SARS-CoV-2 transmissibility and decrease vaccine efficacy. The PANGO lineage B.1.351 will be assigned to genome sequences at least 5 of the 9 defining B.1.351 SNPs.
- PANGO lineage P.1 (also known as 501Y.V3): This lineage was first detected January, 2021 in Brazil and has several mutations of concern, including spike (S) gene N501Y, K417T, and E484K.

Early evidence suggests that these mutations may increase SARS-CoV-2 transmissibility and decrease vaccine efficacy. The PANGO lineage P.1 is assigned to genome sequences with more than 10 of the 17 defining P.1 SNPs.

- Public Health Ontario conducts testing and genomic analyses for SARS-CoV-2 positive specimens
 using the criteria outlined here: https://www.publichealthontario.ca/en/laboratory-services/test-information-index/covid-19-voc
- The laboratory detection of a variant of concern is a multi-step process. Samples that test positive for SARS-CoV-2 and have a cycle threshold (Ct) value ≤ 35 can be tested for mutations common to variants of concern. If positive for the mutation of interest these samples may then undergo genomic analyses to identify the VOC. VOC lineages may still be confirmed using genomic analysis despite specific S gene mutation(s) being documented as 'unable to complete' due to poor sequence quality at the genome position.
- VOC testing data are analyzed for cases with a reported date on or after February 07, 2021. VOC testing data are based on CCM information reported within the laboratory object for select Logical Observation Identifiers Names and Codes (LOINC) and supplemented with information from the Investigation Subtype field. A confirmed Case Investigation is assigned a VOC test value (e.g., VOC test detected, VOC test not detected) based on the following hierarchy:
 - If multiple laboratory results are identified, a VOC test value is assigned based on the following hierarchy: Detected > Not Detected > Unable to complete
 - If a laboratory result is 'Not Detected' or 'Unable to complete', but data on the Investigation Subtype field is listed as a lineage or mutation common to a VOC, then the VOC test value is set to 'Detected'
- If a VOC is identified through genomic analysis cases initially classified as a mutation may be updated and moved to the appropriate lineage (B.1.1.7, B.1.351 and P.1)
- LOINCs are a set of internationally used result description codes. In the absence of a standard LOINC, Ontario Health can create local result codes, which are identified with an 'XON' prefix.
 LOINCs incorporate details of the result value (e.g. test method, target detected - such as IgG, DNA, isolate etc.) and are unique to each result.
- VOC testing data in this report are assigned on a per case basis. Multiple laboratory results may be associated to a single case investigation, but for analysis purposes are only counted once.
 - The percent of cases that test VOC positive is calculated by taking the number of VOC test positive, divided by the total number of confirmed COVID-19 cases for a given reported date.
- The VOC percent positive may be higher than described in this report. While all confirmed COVID-19 cases are included in the denominator, not all cases were able to be tested for VOCs. As testing algorithms change, the VOC percent positivity may not be reflective of the exact number of COVID-19 cases due to VOCs
- Only CCM case investigations with a CONFIRMED classification have their laboratory records with VOC testing information included in the percent positivity calculations

Appendix A

Table A1. Weekly rates of confirmed COVID-19 cases per 100,000 population over recent rolling 7-day periods, by reported date and public health unit: Ontario, February 25 to Mar 09, 2021

Public Health Unit Name	Feb 25 to Mar 03	Feb 26 to Mar 04	Feb 27 to Mar 05	Feb 28 to Mar 06	Mar 01 to Mar 07	Mar 02 to Mar 08	Mar 03 to Mar 09	% change from Feb 25- Mar 03 to Mar 03- Mar 09
NORTH WEST								
Northwestern Health Unit	57.0	63.9	52.5	51.3	53.6	58.2	60.5	+6.1%
Thunder Bay District Health Unit	200.1	208.1	245.4	244.7	236.1	262.1	272.7	+36.3%
NORTH EAST								
Algoma Public Health	2.6	3.5	3.5	0.9	0.9	0.9	0.9	-65.4%
North Bay Parry Sound District Health Unit	4.6	4.6	3.9	3.9	4.6	3.9	1.5	-67.4%
Porcupine Health Unit	14.4	7.2	4.8	4.8	3.6	3.6	2.4	-83.3%
Public Health Sudbury & Districts	58.3	66.8	74.9	76.9	80.9	73.9	70.3	+20.6%
Timiskaming Health Unit	21.4	24.5	21.4	33.7	36.7	36.7	33.7	+57.5%
EASTERN								
Ottawa Public Health	38.0	39.8	39.4	37.0	37.5	36.0	36.6	-3.7%
Eastern Ontario Health Unit	31.6	32.6	33.1	37.9	38.8	36.9	42.2	+33.5%
Hastings Prince Edward Public Health	13.7	12.5	11.3	9.5	6.5	5.9	6.5	-52.6%
Kingston, Frontenac and Lennox & Addington Public Health	8.0	8.5	9.4	9.9	10.8	9.4	5.6	-30.0%

Public Health Unit Name	Feb 25 to Mar 03	Feb 26 to Mar 04	Feb 27 to Mar 05	Feb 28 to Mar 06	Mar 01 to Mar 07	Mar 02 to Mar 08	Mar 03 to Mar 09	% change from Feb 25- Mar 03 to Mar 03- Mar 09
Leeds, Grenville & Lanark District Health Unit	21.9	28.3	33.5	33.5	32.9	36.4	30.6	+39.7%
Renfrew County and District Health Unit	24.9	23.0	21.2	22.1	23.9	22.1	18.4	-26.1%
CENTRAL EAST								
Durham Region Health Department	34.3	34.5	35.0	38.7	45.1	44.8	43.8	+27.7%
Haliburton, Kawartha, Pine Ridge District Health Unit	13.8	9.5	11.6	13.2	13.8	14.8	15.3	+10.9%
Peel Public Health	87.2	85.3	86.2	87.2	88.2	92.5	93.6	+7.3%
Peterborough Public Health	40.5	47.3	48.7	52.7	46.6	47.3	47.3	+16.8%
Simcoe Muskoka District Health Unit	35.5	33.7	36.7	34.2	38.4	38.7	39.9	+12.4%
York Region Public Health	50.3	50.2	52.6	56.9	57.9	58.4	61.4	+22.1%
TORONTO								
Toronto Public Health	66.4	67.2	67.0	70.4	72.9	77.0	77.7	+17.0%
SOUTH WEST								
Chatham-Kent Public Health	8.5	7.5	11.3	16.9	27.3	32.9	38.6	+354.1%
Grey Bruce Health Unit	1.2	3.5	4.7	4.7	5.3	5.9	5.9	+391.7%
Huron Perth Public Health	24.3	22.2	20.8	21.5	19.3	17.9	14.3	-41.2%
Lambton Public Health	90.1	100.0	96.2	101.6	108.4	109.2	109.2	+21.2%
Middlesex-London Health Unit	20.5	21.7	26.0	23.4	25.2	24.6	23.8	+16.1%

Public Health Unit Name	Feb 25 to Mar 03	Feb 26 to Mar 04	Feb 27 to Mar 05	Feb 28 to Mar 06	Mar 01 to Mar 07	Mar 02 to Mar 08	Mar 03 to Mar 09	% change from Feb 25- Mar 03 to Mar 03- Mar 09
Southwestern Public Health	35.5	37.8	20.8	19.9	19.9	18.9	19.9	-43.9%
Windsor-Essex County Health Unit	37.4	39.3	43.3	43.8	43.5	45.0	49.2	+31.6%
CENTRAL WEST								
Brant County Health Unit	90.8	73.5	61.9	55.4	51.5	47.0	51.5	-43.3%
City of Hamilton Public Health Services	55.4	54.5	55.9	56.9	61.0	64.5	65.5	+18.2%
Haldimand-Norfolk Health Unit	35.9	35.9	36.8	33.3	35.9	31.6	31.6	-12.0%
Halton Region Public Health	42.2	42.3	42.5	41.8	42.0	47.7	46.5	+10.2%
Niagara Region Public Health	30.3	30.3	33.2	34.1	34.3	34.7	35.8	+18.2%
Region of Waterloo Public Health and Emergency Services	58.2	50.8	52.9	51.0	53.6	50.1	48.8	-16.2%
Wellington-Dufferin- Guelph Public Health	47.4	43.6	38.2	41.0	41.7	41.0	35.3	-25.5%
TOTAL ONTARIO	51.1	51.1	52.0	53.1	54.7	56.4	56.9	+11.4%

Note: Rates are based on the sum of the daily case counts during the date ranges specified in each column.

Table A2. Summary of confirmed COVID-19 cases with a mutation or VOC by public health unit: Ontario as of March 12, 2021

Public Health Unit Name	Cumulative count for Lineage B.1.1.7	Cumulative count for Lineage B.1.351	Cumulative count for Lineage P.1	Cumulative count for mutation detected (lineage not determined)
Algoma Public Health	0	0	0	0
Brant County Health Unit	0	0	0	16
Chatham-Kent Public Health	1	0	0	0
City of Hamilton Public Health Services	4	0	0	220
Durham Region Health Department	48	0	2	341
Eastern Ontario Health Unit	0	0	0	29
Grey Bruce Health Unit	0	0	0	0
Haldimand-Norfolk Health Unit	2	0	0	6
Haliburton, Kawartha, Pine Ridge District Health Unit	2	0	0	21
Halton Region Public Health	21	0	0	181
Hastings Prince Edward Public Health	0	0	0	9
Huron Perth Public Health	0	0	0	2
Kingston, Frontenac and Lennox & Addington Public Health	1	0	0	6
Lambton Public Health	0	0	0	11
Leeds, Grenville & Lanark District Health Unit	0	0	0	3

Public Health Unit Name	Cumulative count for Lineage B.1.1.7	Cumulative count for Lineage B.1.351	Cumulative count for Lineage P.1	Cumulative count for mutation detected (lineage not determined)
Middlesex-London Health Unit	4	0	0	25
Niagara Region Public Health	4	0	0	112
North Bay Parry Sound District Health Unit	2	21	0	13
Northwestern Health Unit	1	0	0	2
Ottawa Public Health	14	2	0	138
Peel Public Health	196	10	2	1,447
Peterborough Public Health	1	0	0	109
Porcupine Health Unit	0	2	0	1
Public Health Sudbury & Districts	3	0	0	133
Region of Waterloo Public Health and Emergency Services	15	0	0	176
Renfrew County and District Health Unit	0	0	0	0
Simcoe Muskoka District Health Unit	239	1	7	516
Southwestern Public Health	2	0	0	8
Thunder Bay District Health Unit	0	0	0	1
Timiskaming Health Unit	0	1	0	0
Toronto Public Health	265	5	18	2,979

Public Health Unit Name	Cumulative count for Lineage B.1.1.7	Cumulative count for Lineage B.1.351	Cumulative count for Lineage P.1	Cumulative count for mutation detected (lineage not determined)
Wellington-Dufferin-Guelph Public Health	4	0	0	88
Windsor-Essex County Health Unit	2	0	0	34
York Region Public Health	193	1	5	864
TOTAL ONTARIO	1,024	43	34	7,491

Note: Interpret the VOC and mutation trends with caution due to the varying time required to complete VOC testing and/or genomic analysis following the initial positive test for SARS-CoV-2. Due to the nature of the genomic analysis, test results may be completed in batches. Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts. Data for calculating the change in cases and the cumulative case count uses data from the Investigation Subtype field only.

Mutation detected includes all confirmed COVID-19 cases with a lineage or mutation detected reported in the Investigation subtype field excluding B.1.1.7, B.1.351, and P.1 lineages.

Table A3. Weekly percent positivity for cases tested for mutations or VOCs over recent rolling 7-day periods, by reported date and public health unit: Ontario, February 23 to March 07, 2021

Public Health Unit Name	Feb 23 to Mar 01	Feb 24 to Mar 02	Feb 25 to Mar 03	Feb 26 to Mar 04	Feb 27 to Mar 05	Feb 28 to Mar 06	Mar 01 to Mar 07
Algoma Public Health	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brant County Health Unit	2.4	3.2	3.5	4.4	5.2	7.0	8.8
Chatham-Kent Public Health	0.0	14.3	11.1	12.5	8.3	5.6	3.4
City of Hamilton Public Health Services	13.3	15.1	17.7	18.9	21.5	26.7	29.4
Durham Region Health Department	32.2	33.6	36.1	43.5	42.2	46.0	46.4
Eastern Ontario Health Unit	5.8	8.3	13.6	20.6	20.3	21.5	27.2
Grey Bruce Health Unit	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Haldimand-Norfolk Health Unit	13.5	10.3	9.8	2.4	4.8	10.5	14.6
Haliburton, Kawartha, Pine Ridge District Health Unit	20.8	10.0	11.5	11.1	9.1	8.0	19.2
Halton Region Public Health	16.0	18.2	19.5	20.6	24.3	27.8	29.2
Hastings Prince Edward Public Health	14.8	29.2	26.1	28.6	36.8	37.5	36.4
Huron Perth Public Health	0.0	0.0	2.9	3.2	3.4	6.7	7.4
Kingston, Frontenac and Lennox & Addington Public Health	20.0	12.5	11.8	11.1	10.0	9.5	8.7
Lambton Public Health	2.5	2.1	3.4	3.1	3.2	4.5	4.9
Leeds, Grenville & Lanark District Health Unit	5.0	2.7	2.6	2.0	3.4	1.7	5.3

Public Health Unit Name	Feb 23 to Mar 01	Feb 24 to Mar 02	Feb 25 to Mar 03	Feb 26 to Mar 04	Feb 27 to Mar 05	Feb 28 to Mar 06	Mar 01 to Mar 07
Middlesex-London Health Unit	9.8	9.1	9.6	9.1	9.1	7.6	7.0
Niagara Region Public Health	20.2	18.6	20.3	23.8	25.5	28.6	27.8
North Bay Parry Sound District Health Unit	50.0	50.0	50.0	50.0	60.0	60.0	50.0
Northwestern Health Unit	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ottawa Public Health	9.7	8.6	9.7	10.5	10.1	11.0	12.2
Peel Public Health	32.6	33.1	34.2	35.3	36.0	36.7	37.8
Peterborough Public Health	64.4	75.0	81.7	81.4	86.1	84.6	87.0
Porcupine Health Unit	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Public Health Sudbury & Districts	25.0	27.2	30.2	31.6	38.3	41.2	44.7
Region of Waterloo Public Health and Emergency Services	13.2	13.4	12.4	13.8	13.3	12.1	15.3
Renfrew County and District Health Unit	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Simcoe Muskoka District Health Unit	54.1	60.1	59.6	53.5	52.3	53.2	53.5
Southwestern Public Health	1.2	2.3	2.7	1.3	2.3	9.5	14.3
Thunder Bay District Health Unit	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Timiskaming Health Unit	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Toronto Public Health	39.5	41.5	43.9	45.8	46.9	46.7	47.1

Public Health Unit Name	Feb 23 to Mar 01	Feb 24 to Mar 02	Feb 25 to Mar 03	Feb 26 to Mar 04	Feb 27 to Mar 05	Feb 28 to Mar 06	Mar 01 to Mar 07
Wellington-Dufferin-Guelph Public Health	20.3	20.8	16.2	19.1	19.3	20.3	22.3
Windsor-Essex County Health Unit	6.5	8.6	9.4	7.8	7.1	3.8	3.8
York Region Public Health	30.1	31.7	31.6	31.9	35.0	35.4	39.0
TOTAL ONTARIO	26.7	27.8	28.8	30.0	31.0	32.1	33.5

Note: Data for calculating the number of cases tested for mutations common to VOCs or lineages using genomic analyses are obtained using information from the Laboratory object in CCM in addition to the data from the Investigation subtype field. Therefore, comparisons to counts using only information from the Investigation Subtype field may not align. The percent of cases due to a VOC may be higher than described in this report. While all confirmed COVID-19 cases are included in the denominator, not all cases were able to be tested for VOCs.

Percent positivity is based on the sum of the daily cases that test positive divided by the number of cases reported during the date ranges specified in each column.

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Epidemiologic summary: COVID-19 in Ontario – January 15, 2020 to March 12, 2021. Toronto, ON: Queen's Printer for Ontario; 2021.

For Further Information

For more information, email cd@oahpp.ca.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

