

## DAILY EPIDEMIOLOGICAL SUMMARY

# COVID-19 in Ontario: January 15, 2020 to June 20, 2021

This report includes the most current information available from CCM as of **June 20, 2021**.

Please visit the interactive [Ontario COVID-19 Data Tool](#) to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A [weekly summary report](#) is available with additional information to complement the daily report.

This **daily** report provides an epidemiologic summary of recent COVID-19 activity in Ontario. The change in cases is determined by taking the cumulative difference between the current day and the previous day.

## Highlights

- There are a total of 542,468 confirmed cases of COVID-19 in Ontario reported to date.
- Compared to the previous day, this represents:
  - An increase of 270 confirmed cases (percent change of -15.1%)
  - An increase of 3 deaths (percent change of -75.0%)
  - An increase of 486 resolved cases (percent change of -3.6%)

In this document, the term 'change in cases' refers to cases publicly reported by the province for a given day. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals for updated case counts (i.e., age group, gender) differing from the overall updated case counts.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

## Case Characteristics

**Table 1a. Summary of recent confirmed cases of COVID-19: Ontario**

	Change in cases June 19, 2021	Change in cases June 20, 2021	Percentage change June 20, 2021 compared to June 19, 2021	Cumulative case count as of June 20, 2021
Total number of cases	318	270	-15.1%	542,468
Number of deaths	12	3	-75.0%	9,022
Number resolved	504	486	-3.6%	529,992

**Note:** The number of cases publicly reported by the province each day may not align with case counts reported to public health on a given day; public health unit reported date refers to the date local public health was first notified of the case. Data corrections or updates can result in case records being removed and or updated from past reports.

**Data Source:** CCM

**Table 1b. Summary of recent confirmed cases of COVID-19 by age group and gender: Ontario**

	Change in cases June 19, 2021	Change in cases June 20, 2021	Cumulative case count as of June 20, 2021
Gender: Male	157	142	270,226
Gender: Female	168	130	268,394
Ages: 19 and under	86	62	87,127
Ages: 20-39	119	108	203,243
Ages: 40-59	72	67	154,912
Ages: 60-79	35	26	72,103
Ages: 80 and over	6	7	24,979

**Note:** Not all cases have a reported age or gender reported. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts.

**Data Source:** CCM

**Table 2. Summary of recent confirmed cases of COVID-19 in school aged children by age group, August 30, 2020 to June 20, 2021: Ontario**

	Change in cases June 19, 2021	Change in cases June 20, 2021	Cumulative case count from August 30, 2020 to June 20, 2021
Ages: 4 to 8	13	14	16,058
Ages: 9 to 13	29	12	20,169
Ages: 14 to 17	21	17	20,556

**Note:** Includes all confirmed cases of COVID-19 for specified ages, regardless of school attendance. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group) differing from past publicly reported case counts.

**Data Source:** CCM

**Table 3. Summary of recent confirmed cases of COVID-19 in long-term care homes: Ontario**


Long-term care home cases	Change in cases June 19, 2021	Change in cases June 20, 2021	Cumulative case count as of June 20, 2021
Residents	0	2	15,338
Health care workers	0	1	7,136
Deaths among residents	1	0	3,966
Deaths among health care workers	0	0	10

**Note:** Information on how long-term care home residents and health care workers are identified is available in the [technical notes](#). Also, the change in cases in these categories may represent existing case records that have been updated.

**Data Source:** CCM

# Time


Figure 1. Confirmed cases of COVID-19 by likely acquisition and public health unit reported date: Ontario, January 15, 2020 to June 20, 2021



Data Source: CCM


COVID-19 in Ontario: January 15, 2020 to June 20, 2021

**Figure 2. Confirmed cases of COVID-19 by likely acquisition and approximation of symptom onset date: Ontario, January 15, 2020 to June 20, 2021**



**Note:** Not all cases may have an episode date and those without one are not included in the figure. Episode date is defined and available in the [technical notes](#).  
**Data Source:** CCM

**Figure 3. Number of COVID-19 tests completed and percent positivity: Ontario, March 29, 2020 to June 19, 2021**




**Note:** The number of tests performed does not reflect the number of specimens or persons tested. More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.

**Data Source:** The Provincial COVID-19 Diagnostics Network, data reported by member microbiology laboratories.

# Severity

Figure 4. Confirmed deaths among COVID-19 cases by date of death: Ontario, March 1, 2020 to June 20, 2021



**Note:** Cases without a death date are not included in the figure.

**Data Source:** CCM



**Table 4. Confirmed cases of COVID-19 by severity: Ontario**

	Cumulative case count as of June 20, 2021	Percentage of all cases
Cumulative deaths reported (please note there may be a reporting delay for deaths)	9,022	1.7%
Deaths reported in ages: 19 and under	4	<0.1%
Deaths reported in ages: 20-39	78	<0.1%
Deaths reported in ages: 40-59	550	0.4%
Deaths reported in ages: 60-79	2,839	3.9%
Deaths reported in ages: 80 and over	5,550	22.2%
Ever in ICU	5,245	1.0%
Ever hospitalized	27,460	5.1%

**Note:** Not all cases have an age reported. Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts.

**Data Source:** CCM

## Geography

**Table 5. Summary of recent confirmed cases of COVID-19 by public health unit and region: Ontario**

Public Health Unit Name	Change in cases June 19, 2021	Change in cases June 20, 2021	Cumulative case count	Cumulative rate per 100,000 population
Northwestern Health Unit	1	0	1,079	1,230.7
Thunder Bay District Health Unit	2	0	3,331	2,221.3
<b>TOTAL NORTH WEST</b>	3	0	4,410	1,855.8
Algoma Public Health	0	0	399	348.7
North Bay Parry Sound District Health Unit	3	4	528	406.9
Porcupine Health Unit	14	7	1,972	2,363.3
Public Health Sudbury & Districts	3	8	2,123	1,066.7
Timiskaming Health Unit	0	0	207	633.2
<b>TOTAL NORTH EAST</b>	20	19	5,229	934.9
Ottawa Public Health	26	12	27,560	2,613.2
Eastern Ontario Health Unit	2	0	4,629	2,217.9
Hastings Prince Edward Public Health	0	0	1,128	669.5
Kingston, Frontenac and Lennox & Addington Public Health	3	4	1,543	725.4
Leeds, Grenville & Lanark District Health Unit	0	0	1,746	1,008.3
Renfrew County and District Health Unit	0	1	739	680.3
<b>TOTAL EASTERN</b>	31	17	37,345	1,938.6

Public Health Unit Name	Change in cases June 19, 2021	Change in cases June 20, 2021	Cumulative case count	Cumulative rate per 100,000 population
Durham Region Health Department	16	11	25,141	3,529.0
Haliburton, Kawartha, Pine Ridge District Health Unit	2	3	2,150	1,137.9
Peel Public Health	49	42	109,239	6,802.1
Peterborough Public Health	3	1	1,568	1,059.6
Simcoe Muskoka District Health Unit	4	11	12,333	2,056.9
York Region Public Health	13	22	52,496	4,282.6
<b>TOTAL CENTRAL EAST</b>	87	90	202,927	4,529.0
Toronto Public Health	45	47	164,433	5,269.7
<b>TOTAL TORONTO</b>	45	47	164,433	5,269.7
Chatham-Kent Public Health	0	1	1,875	1,763.6
Grey Bruce Health Unit	11	5	1,380	812.3
Huron Perth Public Health	2	0	1,910	1,366.7
Lambton Public Health	3	2	3,557	2,716.0
Middlesex-London Health Unit	5	4	12,513	2,465.5
Southwestern Public Health	3	3	3,859	1,824.6
Windsor-Essex County Health Unit	10	4	16,794	3,953.1
<b>TOTAL SOUTH WEST</b>	34	19	41,888	2,477.4
Brant County Health Unit	0	3	3,840	2,474.2
City of Hamilton Public Health Services	20	7	21,126	3,567.6

Public Health Unit Name	Change in cases June 19, 2021	Change in cases June 20, 2021	Cumulative case count	Cumulative rate per 100,000 population
Haldimand-Norfolk Health Unit	1	0	2,666	2,336.9
Halton Region Public Health	10	9	17,310	2,796.1
Niagara Region Public Health	13	12	16,136	3,415.1
Region of Waterloo Public Health and Emergency Services	51	44	17,039	2,915.8
Wellington-Dufferin-Guelph Public Health	3	3	8,119	2,603.0
<b>TOTAL CENTRAL WEST</b>	<b>98</b>	<b>78</b>	<b>86,236</b>	<b>3,026.6</b>
<b>TOTAL ONTARIO</b>	<b>318</b>	<b>270</b>	<b>542,468</b>	<b>3,649.4</b>

**Notes:** Health units with data corrections or updates could result in records being removed from totals, leading to negative or zero counts.

**Data Source:** CCM

## Outbreaks

**Table 6. Summary of recent confirmed COVID-19 outbreaks reported in long-term care homes, retirement homes and hospitals by status: Ontario**

Institution type	Change in outbreaks June 19, 2021	Change in outbreaks June 20, 2021	Number of ongoing outbreaks	Cumulative number of outbreaks reported
Long-term care homes	0	1	10	1,482
Retirement homes	0	0	3	873
Hospitals	0	0	4	569


**Note:** Ongoing outbreaks include all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded, or where the outbreak started more than five months ago, even for outbreaks where the Outbreak Status value selected in CCM is 'OPEN'. The start of the outbreak is determined by the onset date of first case, or if missing the outbreak reported date, or else if that is also missing, then the outbreak created date.

**Data Source:** CCM

## Variant COVID-19 Cases

The laboratory detection of a variant of concern (VOC) is a multi-step process. Samples that test positive for SARS-CoV-2 and have a cycle threshold (Ct) value  $\leq 35$  can be tested for mutations common to variants of concern. If positive for the mutation of interest with a Ct value of  $\leq 30$ , these samples may then undergo genomic analyses to identify the VOC lineage. VOC lineages may still be confirmed using genomic analysis despite specific S gene mutation(s) being documented as 'unable to complete' due to poor sequence quality at the genome position. For more information about whole genome sequencing, please see the [SARS CoV-2 Whole Genome Sequencing in Ontario report](#).

**Figure 5. Number of confirmed COVID-19 cases and percent positive for mutations or VOCs: Ontario, February 7, 2021 to June 20, 2021**



**Note:** Data used to calculate the number of cases tested for mutations common to VOCs or lineages using genomic analyses are obtained using information from the Laboratory object in CCM in addition to the data from the Investigation Subtype field. Therefore, comparisons to counts using only information from the Investigation Subtype field may not align. The percent of cases due to a VOC may be higher than described in this report.

\*The denominator includes only confirmed COVID-19 cases that were able to be tested for VOCs (e.g. those identified as 'Detected' or 'Not Detected'). Mutations tested for routinely are the N501Y and E484K mutations. Mutations common to the B.1.617.2 lineage are not included in the current VOC mutation test. However, cases identified as B.1.617.2 after whole genome sequencing is completed are included in the VOC detected category.

\*\*The denominator includes all confirmed COVID-19 cases, including those that were unable to be tested for VOCs (e.g. those identified as 'Detected', 'Not Detected' and 'Not Tested/Unable to Complete Testing').

**Data Source:** CCM

**Table 7. Summary of confirmed COVID-19 cases with a mutation or VOC detected: Ontario**

	Change in cases June 19, 2021	Change in cases June 20, 2021	Cumulative case count up to June 20, 2021
Variant of Concern			
Lineage B.1.1.7*	127	102	142,215
Lineage B.1.351	0	0	1,154
Lineage P.1	1	24	4,254
Lineage B.1.617.2**	20	136	887
Mutations			
N501Y and E484K	19	-17	5,108
N501Y (E484K unknown)***	-3	-5	14,471
E484K (N501Y negative)	34	2	5,810
E484K (N501Y unknown)	-3	0	458
Mutation not detected†	220	173	9,425

**Note:** Interpret the VOC and mutation trends with caution due to the varying time required to complete VOC testing and/or genomic analysis following the initial positive test for SARS-CoV-2. Due to the nature of the genomic analysis, test results may be completed in batches. Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts. Data for calculating the change in cases and the cumulative case counts uses data from the Investigation Subtype field only. Changes to the VOC testing algorithm may impact counts and trends. Further details can be found in the [data caveats](#) section.

\*Includes all confirmed COVID-19 cases where lineage B.1.1.7 was identified by genomic analysis and those presumed to be B.1.1.7 based on positive N501Y and negative E484K mutation in the Investigation Subtype field

\*\*Includes B.1.617.2 cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.


\*\*\*The category 'N501Y (E484K unknown)' mainly consists of results from before the introduction of the E484K test. Counts will shift from this category into a VOC lineage category as E484K tests or genomic analysis are completed.

†Includes cases identified as 'Mutation not detected' in the Investigation Subtype field only.

**Data Source:** CCM



**Figure 6. Confirmed COVID-19 cases with a mutation or VOC detected by public health unit reported date: Ontario, November 29, 2020 to June 20, 2021**



**Note:** Reported date is based on the date the case was reported, not the date that the VOC or mutation was identified. Further details on testing for variants of concern can be found in the [technical notes](#). Interpret the VOC and mutation trends with caution due to the varying time required to complete testing and/or genomic analysis following the initial positive test for SARS-CoV-2. Data for calculating the change in cases and the cumulative case count uses data from the Investigation

Subtype field only. Data for cases with a B.1.1.7, B.1.351, P.1 and B.1.617.2 lineage detected or any of the mutations listed above are determined using the Investigation Subtype field only. Changes to the VOC testing algorithm may impact counts and trends. Further details can be found in the [data caveats](#) section.

\*Includes all confirmed COVID-19 cases where lineage B.1.1.7 was identified by genomic analysis and those presumed to be B.1.1.7 based on positive N501Y and negative E484K mutation. As of March 22, 2021, positive specimens with a Ct  $\leq$  35 are tested for both the N501Y and E484K mutation, with all E484K positive specimens with a Ct  $\leq$  30 forwarded for further genomic analysis. If found to be positive for the N501Y mutation only, no further genomic analysis are performed as these are presumed to be B.1.1.7. As of May 26, 2021, cases where an E484K mutation is detected will no longer be reflexed for sequencing as VOC testing labs switched to a representative sampling method where only a proportion of all positives with a Ct  $\leq$  30 are forwarded for further genomic analysis.

**Data Source:** CCM

# Technical Notes

## Data Sources

- The data for this report were based on information successfully extracted from the Public Health Case and Contact Management Solution (CCM) for all PHUs by PHO as of **June 20, 2021 at 1 p.m.** for cases reported from February 1, 2021 onwards and as of **June 14, 2021 at 9 a.m.** for cases reported up to January 31, 2021.
- VOC data for this report were based on information successfully extracted from CCM for all PHUs by PHO as of **June 20, 2021 at 1 p.m.** for cases reported from April 1, 2021 onwards and as of **June 14, 2021 at 9 a.m.** for cases reported up to March 31, 2021.
- CCM is a dynamic disease reporting system, which allows ongoing updates to data previously entered. As a result, data extracted from CCM represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario. Data were extracted on November 26, 2019.
- COVID-19 test data were based on information from The Provincial COVID-19 Diagnostics Network, reported by member microbiology laboratories.

## Data Caveats

- The data only represent cases reported to public health units and recorded in CCM. As a result, all counts will be subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Lags in CCM data entry due to weekend staffing may result in lower case counts than would otherwise be recorded.
- Only cases meeting the confirmed case classification as listed in the [MOH Case Definition – Coronavirus Disease \(COVID-19\) document](#) are included in the report counts from CCM
- Cases of confirmed reinfection, as defined in the provincial case definitions, are counted as unique investigations.
- Case classification information may be updated for individuals with a positive result issued from a point-of-care assays.
- The number of tests performed does not reflect the number of specimens or persons tested. More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.
- Reported date is the date the case was reported to the public health unit.

- Case episode date represents an estimate of disease onset. This date is calculated based on the earliest date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are classified as resolved:
  - Cases that are reported as 'recovered' in CCM
  - Cases that are not hospitalized and are 14 days past their episode date
  - Cases that are currently hospitalized (no hospital end date entered) and have a status of 'closed' in CCM (indicating public health unit follow-up is complete) and are 14 days past their symptom onset date or specimen collection date
- Hospitalization includes all cases for which a hospital admission date was reported or hospitalization/ICU was reported as 'Yes' at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU refers to the case's public health unit of residence at the time of illness onset and not necessarily the location of exposure. Cases for which the DHU was reported as MOH-PHO (to signify a case that is not a resident of Ontario) have been excluded from the analyses.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with a confirmed outbreak, was a contact of a case, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
  - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
  - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- Deaths are determined by using the outcome field in CCM. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.
  - The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.

- COVID-19 cases from CCM for which the Classification and/or Disposition was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, IGNORE, DUPLICATE or any variation on these values have been excluded. The provincial case count for COVID-19 may include some duplicate records, if these records were not identified and resolved.
- Ongoing outbreaks include all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded, or where the outbreak started more than five months ago, even for outbreaks where the Outbreak Status value selected in CCM is 'OPEN'. The start of the outbreak is determined by the onset date of first case, or if missing the outbreak reported date, or else if that is also missing, then the outbreak created date.
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of a long-term care home'; or 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility'. 'Long-term care home residents' excludes cases that reported 'Yes' to any of the health care worker occupational risk factors.
- The 'health care workers' variable includes cases that reported 'Yes' to any of the occupation of health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers' reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.
- Percent change is calculated by taking the difference between the current period (i.e., daily count or sum of the daily count over a 7-day period) and previous period (i.e., daily count or sum of the daily count over a 7-day period), divided by the previous period.
- Public Health Ontario conducts testing and genomic analyses for SARS-CoV-2 positive specimens using the criteria outlined here: <https://www.publichealthontario.ca/en/laboratory-services/test-information-index/covid-19-voc>
- Lineage nomenclature is dynamic. PANGO lineage naming and assignment may change as more samples are sequenced and analyzed.
- Variant status may be updated based on scientific evidence. Variants designated as a VOC in Canada is available on the [Public Health Agency of Canada's SARS-CoV-2 Variants webpage](#).
- Changes to the VOC testing algorithm may occur over time and trends should be interpreted with caution. Since February 3, 2021 all PCR positive SARS-CoV-2 specimens with Ct values  $\leq 35$  are tested for a N501Y mutation. As of March 22, 2021, positive specimens with a Ct  $\leq 35$  are tested for both the N501Y and E484K mutation, with all E484K positive specimens with a Ct  $\leq 30$  forwarded for further genomic analysis. If found to be positive for the N501Y mutation only, no further genomic analysis are performed as these are presumed to be B.1.1.7. As of May 26, 2021, cases where a E484K mutation is detected will no longer be reflexed for sequencing as

VOC testing labs switched to a representative sampling method where only a proportion of all positives with a Ct  $\leq$  30 are forwarded for further genomic analysis.

- The laboratory detection of a variant of concern is a multi-step process. Samples that test positive for SARS-CoV-2 and have a cycle threshold (Ct) value  $\leq$  35 can be tested for mutations common to variants of concern. If positive for the mutation of interest with a Ct value of  $\leq$ 30, these samples may then undergo genomic analyses to identify the VOC lineage. VOC lineages may still be confirmed using genomic analysis despite specific S gene mutation(s) being documented as 'unable to complete' due to poor sequence quality at the genome position.
- VOC testing data are analyzed for cases with a reported date on or after February 07, 2021. VOC testing data are based on CCM information reported within the laboratory object for select Logical Observation Identifiers Names and Codes (LOINC) and supplemented with information from the Investigation Subtype field. A confirmed Case Investigation is assigned a VOC test value (e.g., VOC test detected, VOC test not detected) based on the following hierarchy:
  - If multiple laboratory results are identified, a VOC test value is assigned based on the following hierarchy: Detected > Not Detected > Unable to complete
  - If a laboratory result is 'Not Detected' or 'Unable to complete', but data on the Investigation Subtype field is listed as a lineage or mutation common to a VOC, then the VOC test value is set to 'Detected'
- If a VOC is identified through genomic analysis cases initially classified as a mutation may be updated and moved to the appropriate lineage (B.1.1.7, B.1.351 and P.1)
- LOINCs are a set of internationally used result description codes. In the absence of a standard LOINC, Ontario Health can create local result codes, which are identified with an 'XON' prefix. LOINCs incorporate details of the result value (e.g. test method, target detected - such as IgG, DNA, isolate etc.) and are unique to each result.
- VOC testing data in this report are assigned on a per case basis. Multiple laboratory results may be associated to a single case investigation, but for analysis purposes are only counted once.
  - The percent of cases that test VOC positive is calculated by taking the number of VOC test positive, divided by the total number of confirmed COVID-19 cases for a given reported date.
- The VOC percent positive may be higher than described in this report. As testing algorithms change, the VOC percent positivity may not be reflective of the exact number of COVID-19 cases due to VOCs
- Only CCM case investigations with a CONFIRMED classification have their laboratory records with VOC testing information included in the percent positivity calculations

## Appendix A

**Table A1. Weekly rates of confirmed COVID-19 cases per 100,000 population over recent rolling 7-day periods, by reported date and public health unit: Ontario, June 5 to June 17, 2021**

Public Health Unit Name	June 5 to June 11	June 6 to June 12	June 7 to June 13	June 8 to June 14	June 9 to June 15	June 10 to June 16	June 11 to June 17	% change from June 5 – June 11 to June 11 - June 17
<b>NORTH WEST</b>								
Northwestern Health Unit	6.8	6.8	6.8	8.0	9.1	9.1	6.8	0.0%
Thunder Bay District Health Unit	15.3	17.3	15.3	16.7	16.7	13.3	10.7	-30.1%
<b>NORTH EAST</b>								
Algoma Public Health	2.6	2.6	2.6	2.6	0.9	0.9	0.9	-65.4%
North Bay Parry Sound District Health Unit	19.3	21.6	21.6	28.5	30.1	25.4	30.1	+56.0%
Porcupine Health Unit	309.2	320.0	293.6	269.7	272.0	228.9	220.5	-28.7%
Public Health Sudbury & Districts	8.0	6.5	6.0	7.0	7.0	8.0	8.5	+6.3%
Timiskaming Health Unit	6.1	3.1	3.1	3.1	3.1	0.0	0.0	N/A
<b>EASTERN</b>								
Ottawa Public Health	18.6	17.7	17.4	17.9	17.3	16.4	15.8	-15.1%
Eastern Ontario Health Unit	3.8	3.8	3.8	4.3	3.8	6.2	6.2	+63.2%
Hastings Prince Edward Public Health	1.8	3.0	3.0	3.0	3.6	2.4	2.4	+33.3%
Kingston, Frontenac and Lennox & Addington Public Health	1.4	1.4	1.4	0.9	0.9	0.5	0.9	-35.7%

Public Health Unit Name	June 5 to June 11	June 6 to June 12	June 7 to June 13	June 8 to June 14	June 9 to June 15	June 10 to June 16	June 11 to June 17	% change from June 5 – June 11 to June 11 - June 17
Leeds, Grenville & Lanark District Health Unit	2.9	4.0	4.6	5.2	4.6	2.9	4.0	+37.9%
Renfrew County and District Health Unit	9.2	8.3	8.3	5.5	7.4	6.4	5.5	-40.2%
<b>CENTRAL EAST</b>								
Durham Region Health Department	26.8	25.4	22.3	22.5	22.2	21.1	16.8	-37.3%
Haliburton, Kawartha, Pine Ridge District Health Unit	13.2	10.1	10.1	9.0	11.1	11.6	11.6	-12.1%
Peel Public Health	39.2	35.9	33.3	32.4	28.9	25.8	25.4	-35.2%
Peterborough Public Health	16.2	15.5	16.9	19.6	20.3	19.6	16.9	+4.3%
Simcoe Muskoka District Health Unit	18.2	16.5	16.2	15.2	12.0	13.0	9.8	-46.2%
York Region Public Health	17.0	14.2	13.4	12.7	11.4	10.4	8.5	-50.0%
<b>TORONTO</b>								
Toronto Public Health	22.5	21.3	20.2	19.4	18.2	17.0	16.4	-27.1%
<b>SOUTH WEST</b>								
Chatham-Kent Public Health	3.8	2.8	2.8	1.9	2.8	3.8	4.7	+23.7%
Grey Bruce Health Unit	13.0	13.5	17.1	17.7	21.8	18.2	18.8	+44.6%
Huron Perth Public Health	16.5	17.9	20.0	18.6	20.0	21.5	16.5	0.0%
Lambton Public Health	17.6	13.7	13.0	16.0	15.3	12.2	12.2	-30.7%
Middlesex-London Health Unit	16.2	15.6	17.3	18.9	18.9	16.0	15.8	-2.5%



Public Health Unit Name	June 5 to June 11	June 6 to June 12	June 7 to June 13	June 8 to June 14	June 9 to June 15	June 10 to June 16	June 11 to June 17	% change from June 5 – June 11 to June 11 - June 17
Southwestern Public Health	7.6	7.6	9.9	11.8	11.8	12.8	13.2	+73.7%
Windsor-Essex County Health Unit	20.9	17.2	16.2	16.5	13.9	11.8	11.5	-45.0%
<b>CENTRAL WEST</b>								
Brant County Health Unit	32.2	27.7	25.8	24.5	26.4	21.3	16.8	-47.8%
City of Hamilton Public Health Services	32.9	27.2	27.0	25.0	23.5	20.3	19.6	-40.4%
Haldimand-Norfolk Health Unit	17.5	17.5	14.0	15.8	14.0	12.3	14.0	-20.0%
Halton Region Public Health	22.3	20.5	19.5	19.4	17.4	14.7	13.2	-40.8%
Niagara Region Public Health	30.7	30.1	27.9	24.6	23.7	22.6	20.3	-33.9%
Region of Waterloo Public Health and Emergency Services	63.7	72.4	73.4	74.8	77.3	78.0	75.8	+19.0%
Wellington-Dufferin-Guelph Public Health	12.5	13.8	13.5	10.6	10.9	12.5	12.5	0.0%
<b>TOTAL ONTARIO</b>	<b>24.6</b>	<b>23.5</b>	<b>22.6</b>	<b>22.1</b>	<b>21.2</b>	<b>19.7</b>	<b>18.6</b>	<b>-24.4%</b>

**Note:** Rates are based on the sum of the daily case counts during the date ranges specified in each column.

**Data Source:** CCM

**Table A2. Summary of confirmed COVID-19 cases with a mutation or VOC by public health unit: Ontario as of June 20, 2021**

Public Health Unit Name	Cumulative count for Lineage B.1.1.7*	Cumulative count for Lineage B.1.351	Cumulative count for Lineage P.1	Cumulative count for Lineage B.1.617.2	Cumulative count for mutations**
Algoma Public Health	67	0	12	2	28
Brant County Health Unit	664	2	87	4	494
Chatham-Kent Public Health	107	5	14	0	115
City of Hamilton Public Health Services	4,909	61	100	23	2,113
Durham Region Health Department	9,466	49	189	25	1,282
Eastern Ontario Health Unit	646	41	17	1	276
Grey Bruce Health Unit	301	0	5	8	54
Haldimand-Norfolk Health Unit	366	3	21	6	400
Haliburton, Kawartha, Pine Ridge District Health Unit	441	0	17	5	314
Halton Region Public Health	5,064	23	141	38	626
Hastings Prince Edward Public Health	74	0	7	0	410
Huron Perth Public Health	156	0	5	6	147
Kingston, Frontenac and Lennox & Addington Public Health	433	2	35	0	129
Lambton Public Health	412	0	17	4	134
Leeds, Grenville & Lanark District Health Unit	290	18	0	0	41
Middlesex-London Health Unit	3,334	2	85	2	193

Public Health Unit Name	Cumulative count for Lineage B.1.1.7*	Cumulative count for Lineage B.1.351	Cumulative count for Lineage P.1	Cumulative count for Lineage B.1.617.2	Cumulative count for mutations**
Niagara Region Public Health	4,220	3	12	4	1,082
North Bay Parry Sound District Health Unit	165	28	2	2	13
Northwestern Health Unit	54	0	1	0	16
Ottawa Public Health	6,568	326	30	8	532
Peel Public Health	30,093	132	1,376	302	3,654
Peterborough Public Health	563	4	7	2	161
Porcupine Health Unit	1,003	2	0	29	8
Public Health Sudbury & Districts	590	9	5	1	342
Region of Waterloo Public Health and Emergency Services	3,067	11	61	110	297
Renfrew County and District Health Unit	222	6	4	1	14
Simcoe Muskoka District Health Unit	3,832	26	158	17	834
Southwestern Public Health	636	2	11	1	179
Thunder Bay District Health Unit	102	0	2	4	72
Timiskaming Health Unit	82	1	0	0	0
Toronto Public Health	44,577	315	1,305	208	8,862
Wellington-Dufferin-Guelph Public Health	2,066	1	61	30	192
Windsor-Essex County Health Unit	1,810	5	16	1	126
York Region Public Health	15,835	77	451	43	2,707

Public Health Unit Name	Cumulative count for Lineage B.1.1.7*	Cumulative count for Lineage B.1.351	Cumulative count for Lineage P.1	Cumulative count for Lineage B.1.617.2	Cumulative count for mutations**
<b>TOTAL ONTARIO</b>	<b>142,215</b>	<b>1,154</b>	<b>4,254</b>	<b>887</b>	<b>25,847</b>

**Note:** Interpret the VOC and mutation trends with caution due to the varying time required to complete VOC testing and/or genomic analysis following the initial positive test for SARS-CoV-2. Due to the nature of the genomic analysis, test results may be completed in batches. Data corrections or updates can result in case records being removed and/or updated and may result in totals differing from past publicly reported case counts. Data for calculating the change in cases and the cumulative case count uses data from the Investigation Subtype field only. Changes to the VOC testing algorithm may impact counts and trends. Further details can be found in the [data caveats](#) section.

\*Includes all confirmed COVID-19 cases where lineage B.1.1.7 was identified by genomic analysis and those presumed to be B.1.1.7 based on positive N501Y and negative E484K mutation.

\*\*Mutations includes all confirmed COVID-19 cases with the following mutations detected, reported from the Investigation Subtype field: N501Y and E484K, N501Y (E484K unknown), E484K (N501Y negative), E484K (N501Y unknown).

If a VOC is identified through genomic analysis, the change in cases and/or cumulative case counts for mutations will fluctuate as the case is moved to one of the listed lineages.

**Data Source:** CCM

**Table A3. Weekly percent positivity for cases positive for mutations or VOCs over recent rolling 7-day periods using all confirmed cases as the denominator, by reported date and public health unit: Ontario, June 3 to June 15, 2021**

Public Health Unit Name	June 3 to June 9	June 4 to June 10	June 5 to June 11	June 6 to June 12	June 7 to June 13	June 8 to June 14	June 9 to June 15
Algoma Public Health	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Brant County Health Unit	74.1	70.9	64.0	67.4	70.0	73.7	70.7
Chatham-Kent Public Health	77.8	83.3	75.0	66.7	66.7	100.0	100.0
City of Hamilton Public Health Services	67.2	59.7	56.4	54.0	51.3	45.9	36.0
Durham Region Health Department	75.6	74.1	75.9	76.8	76.7	73.8	72.8
Eastern Ontario Health Unit	50.0	50.0	87.5	100.0	100.0	100.0	87.5
Grey Bruce Health Unit	26.9	33.3	31.8	26.1	20.7	20.0	13.5
Haldimand-Norfolk Health Unit	95.7	100.0	100.0	90.0	87.5	72.2	62.5
Haliburton, Kawartha, Pine Ridge District Health Unit	45.2	43.3	36.0	36.8	36.8	35.3	33.3
Halton Region Public Health	50.3	44.4	47.8	44.1	43.0	45.0	48.1
Hastings Prince Edward Public Health	50.0	50.0	33.3	60.0	60.0	60.0	50.0
Huron Perth Public Health	52.6	47.8	39.1	36.0	32.1	30.8	32.1
Kingston, Frontenac and Lennox & Addington Public Health	80.0	100.0	66.7	66.7	66.7	50.0	50.0
Lambton Public Health	61.8	61.9	60.9	55.6	52.9	57.1	50.0

<b>Public Health Unit Name</b>	<b>June 3 to June 9</b>	<b>June 4 to June 10</b>	<b>June 5 to June 11</b>	<b>June 6 to June 12</b>	<b>June 7 to June 13</b>	<b>June 8 to June 14</b>	<b>June 9 to June 15</b>
Leeds, Grenville & Lanark District Health Unit	16.7	16.7	20.0	14.3	25.0	44.4	50.0
Middlesex-London Health Unit	72.2	79.1	76.8	81.0	81.8	82.3	81.3
Niagara Region Public Health	62.0	63.8	64.8	64.1	63.6	59.5	57.1
North Bay Parry Sound District Health Unit	94.1	86.4	80.0	82.1	82.1	78.4	79.5
Northwestern Health Unit	25.0	20.0	16.7	16.7	16.7	28.6	37.5
Ottawa Public Health	44.6	43.1	46.4	48.7	44.0	43.4	46.7
Peel Public Health	64.9	63.6	62.2	58.7	58.2	56.3	52.4
Peterborough Public Health	91.7	96.0	91.7	87.0	72.0	72.4	73.3
Porcupine Health Unit	57.7	47.9	55.0	54.7	55.9	55.1	51.1
Public Health Sudbury & Districts	60.0	54.5	50.0	46.2	41.7	57.1	64.3
Region of Waterloo Public Health and Emergency Services	44.0	36.6	31.2	25.1	17.7	14.2	11.5
Renfrew County and District Health Unit	66.7	60.0	60.0	66.7	77.8	83.3	87.5
Simcoe Muskoka District Health Unit	71.5	73.9	68.8	70.7	66.0	62.6	63.9
Southwestern Public Health	82.4	77.8	81.3	75.0	57.1	56.0	48.0
Thunder Bay District Health Unit	53.8	50.0	43.5	46.2	47.8	36.0	32.0
Timiskaming Health Unit	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Public Health Unit Name	June 3 to June 9	June 4 to June 10	June 5 to June 11	June 6 to June 12	June 7 to June 13	June 8 to June 14	June 9 to June 15
Toronto Public Health	70.0	68.4	67.0	67.2	68.8	66.4	64.3
Wellington-Dufferin-Guelph Public Health	66.1	60.8	61.5	55.8	47.6	42.4	38.2
Windsor-Essex County Health Unit	59.6	56.3	53.9	58.9	55.1	54.3	55.9
York Region Public Health	69.7	69.3	71.6	71.3	70.1	69.2	65.7
<b>TOTAL ONTARIO</b>	<b>63.3</b>	<b>60.7</b>	<b>59.4</b>	<b>57.3</b>	<b>55.3</b>	<b>53.3</b>	<b>50.3</b>

**Note:** Data for calculating the number of cases tested for mutations common to VOCs or lineages using genomic analyses are obtained using information from the Laboratory object in CCM in addition to the data from the Investigation subtype field. Therefore, comparisons to counts using only information from the Investigation Subtype field may not align. The percent of cases due to a VOC may be higher than described in this report. While all confirmed COVID-19 cases are included in the denominator, not all cases were able to be tested for VOCs. Percent positivity is based on the sum of the daily cases that test positive divided by the number of cases reported during the date ranges specified in each column.

**Data Source:** CCM

**Table A4. Weekly percent positivity for cases positive for mutations or VOCs over recent rolling 7-day periods using cases tested for mutations or VOCs as the denominator, by reported date and public health unit: Ontario, June 3 to June 15, 2021**

Public Health Unit Name	June 3 to June 9	June 4 to June 10	June 5 to June 11	June 6 to June 12	June 7 to June 13	June 8 to June 14	June 9 to June 15
Algoma Public Health	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Brant County Health Unit	97.6	97.5	97.0	100.0	100.0	100.0	93.5
Chatham-Kent Public Health	87.5	83.3	75.0	66.7	66.7	100.0	100.0
City of Hamilton Public Health Services	80.2	73.7	69.6	68.5	66.1	60.7	50.0
Durham Region Health Department	92.1	91.0	92.9	92.1	90.4	88.1	87.1
Eastern Ontario Health Unit	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Grey Bruce Health Unit	53.8	40.0	38.9	31.6	24.0	23.1	16.7
Haldimand-Norfolk Health Unit	100.0	100.0	100.0	100.0	100.0	92.9	83.3
Haliburton, Kawartha, Pine Ridge District Health Unit	56.0	56.5	50.0	50.0	43.8	40.0	36.8
Halton Region Public Health	63.4	59.3	60.0	56.6	55.9	58.7	64.2
Hastings Prince Edward Public Health	50.0	50.0	50.0	75.0	75.0	75.0	60.0
Huron Perth Public Health	71.4	68.8	56.3	50.0	42.9	40.0	45.0
Kingston, Frontenac and Lennox & Addington Public Health	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Lambton Public Health	91.3	86.7	87.5	83.3	81.8	80.0	76.9



Public Health Unit Name	June 3 to June 9	June 4 to June 10	June 5 to June 11	June 6 to June 12	June 7 to June 13	June 8 to June 14	June 9 to June 15
Leeds, Grenville & Lanark District Health Unit	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Middlesex-London Health Unit	96.3	96.0	95.5	94.1	94.7	95.2	94.0
Niagara Region Public Health	98.0	96.3	95.9	95.8	93.3	92.0	91.4
North Bay Parry Sound District Health Unit	100.0	95.0	90.9	92.0	92.0	93.5	93.9
Northwestern Health Unit	50.0	50.0	50.0	50.0	50.0	66.7	75.0
Ottawa Public Health	95.4	95.7	95.8	94.8	90.0	91.1	90.4
Peel Public Health	82.9	81.6	79.4	76.5	77.0	76.3	74.3
Peterborough Public Health	91.7	96.0	95.7	90.9	81.8	80.8	81.5
Porcupine Health Unit	95.9	92.9	94.0	93.6	93.8	92.5	92.1
Public Health Sudbury & Districts	85.7	85.7	80.0	75.0	71.4	80.0	81.8
Region of Waterloo Public Health and Emergency Services	51.8	44.1	37.4	30.1	22.1	18.1	15.0
Renfrew County and District Health Unit	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Simcoe Muskoka District Health Unit	82.2	85.9	82.4	85.4	82.1	79.2	79.3
Southwestern Public Health	93.3	93.3	92.9	85.7	70.6	63.6	57.1
Thunder Bay District Health Unit	100.0	100.0	100.0	100.0	91.7	90.0	88.9
Timiskaming Health Unit	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Public Health Unit Name	June 3 to June 9	June 4 to June 10	June 5 to June 11	June 6 to June 12	June 7 to June 13	June 8 to June 14	June 9 to June 15
Toronto Public Health	82.9	82.3	82.5	83.7	84.7	84.5	83.5
Wellington-Dufferin-Guelph Public Health	74.0	70.5	72.7	68.6	60.6	58.3	56.5
Windsor-Essex County Health Unit	74.7	73.0	71.6	71.7	70.4	73.1	84.6
York Region Public Health	81.8	80.3	82.8	81.6	81.6	80.6	78.6
<b>TOTAL ONTARIO</b>	<b>81.5</b>	<b>79.1</b>	<b>77.5</b>	<b>75.1</b>	<b>72.9</b>	<b>71.4</b>	<b>69.2</b>

**Note:** Data for calculating the number of cases tested for mutations common to VOCs or lineages using genomic analyses are obtained using information from the Laboratory object in CCM in addition to the data from the Investigation subtype field. Therefore, comparisons to counts using only information from the Investigation Subtype field may not align. The percent of cases due to a VOC may be higher than described in this report. Percent positivity is based on the sum of the daily cases that test positive divided by the number of cases that were tested for mutations common to VOCs or lineages (e.g. those identified as 'Detected' or 'Not Detected') during the date ranges specified in each column.

**Data Source:** CCM

## Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Epidemiologic summary: COVID-19 in Ontario – January 15, 2020 to June 20, 2021. Toronto, ON: Queen’s Printer for Ontario; 2021.

## Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario’s government, public health organizations and health care providers. PHO’s work is guided by the current best available evidence at the time of publication. The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use. This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

## For Further Information

For more information, [cd@oahpp.ca](mailto:cd@oahpp.ca).

## Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit [publichealthontario.ca](http://publichealthontario.ca).



©Queen’s Printer for Ontario, 2021