

Weekly Epidemiologic Summary

COVID-19 in Ontario: Focus on October 4, 2020 to October 10, 2020

This report includes the most current information available from CCM and other case management systems (CCM plus) as of **October 13, 2020**.

Please visit the interactive [Ontario COVID-19 Data Tool](#) to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A [daily summary](#) is available and provides an epidemiologic summary of recent COVID-19 activity in Ontario. This weekly report provides an epidemiologic summary of COVID-19 activity in Ontario over time.

Highlights


- There are a total of 59,552 confirmed cases of COVID-19 in Ontario with a public health unit reported date up to October 10, 2020.
- For the period with a public health unit reported date between October 4 and 10, 2020 (week 41):
 - A total of 5,059 cases were reported to public health compared to 4,255 cases the previous week (September 27 to October 3).
 - Week 41 saw the greatest number of COVID-19 cases and outbreaks reported in Ontario to date, with over 5,000 cases and 127 outbreaks reported. In contrast, at the previous peak of the outbreak in April, week 16 (April 12 to 18), 4,267 cases and 91 outbreaks were reported.
 - The number and rate of COVID-19 in the age 80 and older age group has been increasing since week 39 with the current week's rate of 29.7/100,000 surpassing rates in the under 20 and 60 to 79 age groups.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

Data corrections or updates can result in case records being removed and or updated from past reports. Thus comparisons of case counts by public health unit reported date may not align with daily change in cases publicly reported by the province for the same time period, which reflects the difference in cumulative counts between one day and the next.

Cases Over Time


Figure 1. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario



Note: Include cases with reported dates ranging from week 4 (January 19 and 25, 2020) to week 41 (October 4 and 10, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus

Figure 2. Confirmed cases of COVID-19 by likely source of acquisition and approximation of symptom onset week: Ontario



Note: Not all cases have an episode date. Cases without an episode date are not included in the figure. The definition for how episode date is defined is available in the technical notes. Include cases with episode dates ranging from week 4 (January 19 and 25, 2020) to week 41 (October 4 and 10, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus.

Case Characteristics

Table 1. Summary of confirmed cases of COVID-19 by public health unit reported date: Ontario


	Reported week 40 (September 27 to October 3)	Reported week 41 (October 4 to 10)	Cumulative case count up to October 10	Cumulative rate per 100,000 population
Total number of cases	4,255	5,059	59,552	400.6
Gender: Male	2,161	2,445	28,436	388.5
Gender: Female	2,067	2,561	30,706	407.0
Ages: 19 and under	654	792	5,474	174.5
Ages: 20-39	1,985	2,139	21,283	512.1
Ages: 40-59	1,066	1,362	16,845	427.8
Ages: 60-79	404	557	9,293	314.5
Ages: 80 and over	144	202	6,644	978.1
Number resolved	N/A	N/A	52,441	N/A

Note: Not all cases have an age or gender reported.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus


Figure 3. Percentage of confirmed cases of COVID-19 by gender and public health unit reported week: Ontario



Note: Not all cases have a gender reported. The denominator for calculating weekly percentages includes all cases. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from Week 9 (February 23 and 29, 2020) to week 41 (October 4 and 10, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus


Figure 4a. Rate of confirmed cases of COVID-19 per 100,000 population by age group and public health unit reported week: Ontario



Note: Not all cases have an age reported. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 41 (October 4 and 10, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus

Figure 4b. Percentage of confirmed cases of COVID-19 by age group and public health unit reported week: Ontario




Note: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 41 (October 4 and 10, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus

Deaths

Figure 5. Deaths among confirmed cases of COVID-19 by week of death: Ontario



Note: Cases without a death date are not included in the figure. Include cases with date of death ranging from week 4 (January 19 and 25, 2020) to week 41 (October 4 and 10, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus

Table 2. Summary of deaths among confirmed cases of COVID-19 by public health unit reported week: Ontario

Deaths	Reported week 40 (September 27 to October 3)	Reported week 41 (October 4 to 10)	Cumulative case count up to October 10	Cumulative rate per 100,000 population
Number of deaths	29	9	3,017	20.3
Gender: Male	11	4	1,378	18.8
Gender: Female	16	5	1,605	21.3
Ages: 19 and under	0	0	1	0.0
Ages: 20-39	0	0	11	0.3
Ages: 40-59	0	0	125	3.2
Ages: 60-79	10	0	803	27.2
Ages: 80 and over	19	9	2,077	305.8

Note: Not all cases have a reported age or gender. Reported week is the week the case was reported to the public health unit. This is different than the “week of death” presented in Figure 5 which reflects the week the case was reported to have a ‘Fatal’ outcome.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus

Exposure

Table 3. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario

	Reported week 40 (September 27 to October 3)	Percentage	Reported week 41 (October 4 to 10)	Percentage	Cumulative case count up to October 10	Cumulative percentage
Travel	49	1.2%	26	0.5%	2,667	4.5%
Outbreak-associated or close contact of a confirmed case	2,016	47.4%	1,999	39.5%	39,539	66.4%
Epidemiological link – type unspecified	75	1.8%	72	1.4%	466	0.8%
No known epidemiological link	1,927	45.3%	2,229	44.1%	15,486	26.0%
Information missing or unknown	188	4.4%	733	14.5%	1,394	2.3%
Total	4,255		5,059		59,552	

Note: Information for how cases are grouped within each category is available in the technical notes.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus.

Sub-populations of interest

Table 4. Summary of cases of COVID-19 among health care workers: Ontario

Health care workers	Reported week 40 (September 27 to October 3)	Reported week 41 (October 4 to 10)	Cumulative case count up to October 10
Number of cases	178	206	7,238
Ever hospitalized	3	2	243
Ever in ICU	0	0	59

Note: Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus


Table 5. Summary of cases of COVID-19 associated with long-term care home outbreaks: Ontario

Long-term care home associated cases	Reported week 40 (September 27 to October 3)	Reported week 41 (October 4 to 10)	Cumulative case count up to October 10
Residents	84	80	6,311
Deaths among residents	14	4	1,968
Health care workers	28	45	2,703
Deaths among health care workers	0	0	8

Note: Information on how long-term care home residents and health care workers are identified is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus


Figure 6. Rate and number of confirmed cases of COVID-19 for each quintile of neighbourhood diversity: Ontario, week 40 (September 27 to October 3, 2020) and week 41 (October 4 to 10, 2020).



Note: Neighbourhood diversity is measured using the ethnic concentration dimension of the Ontario Marginalization Index. The ethnic concentration dimension is based on the proportion of non-white and non-Indigenous residents and/or the proportion of immigrants that arrived in Canada within the past five years.

Data Source: CCM plus, Ontario Marginalization Index

Figure 7. Rate and number of confirmed cases of COVID-19 for each quintile of neighbourhood deprivation: Ontario, week 40 (September 27 to October 3, 2020) and week 41 (October 4 to 10, 2020).




Note: Neighbourhood deprivation is measured using the material deprivation dimension of the Ontario Marginalization Index. The material deprivation dimension uses Canadian census data on income, quality of housing, educational attainment and family structure characteristics to assess the ability of individuals and communities to access and attain basic material needs.

Data Source: CCM plus, Ontario Marginalization Index

Geography


Figure 8. Percentage of COVID-19 cases by geographic region and public health unit reported week: Ontario



Note: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 41 (October 4 and 10, 2020). Table 2A in [Appendix A](#) has a listing of public health units by region.

Data Source: CCM plus

Figure 9. Rate of confirmed cases of COVID-19 in public health reported week 41 (October 4 to 10, 2020) by public health unit: Ontario



Data Source: CCM plus

Outbreaks

Table 6. Number of public health unit declared COVID-19 outbreaks by setting type: Ontario

Setting Type	Reported week 41 (October 4 to 10)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to October 10
Institution: Long-term care homes	21	63	501
Institution: Retirement homes	15	45	235
Institution: Hospitals	1	10	106
Institutions Subtotal	37	118	842
Congregate: Correctional facility	0	1	6
Congregate: Shelter	1	8	56
Congregate: Group home	10	24	120
Congregate Setting Subtotal	11	33	182
Non-congregate setting: Workplace	27	126	396
Non-congregate setting: Childcare	20	33	82
Non-congregate setting: Elementary/Secondary School	18	35	51*
Non-congregate setting: Post-Secondary School	0	0	0*
Non-congregate setting: Other	14	75	155
Non-Congregate Settings Subtotal	79	269	684
Total number of outbreaks	127	420	1,708

Note: If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Ongoing outbreaks includes all outbreaks that are 'Open' in iPHIS without a 'Declared Over Date' recorded. Interpret information for the most recent week with caution due to reporting lags. Non-congregate settings: Workplace includes farms, food processing facilities, other. Non-congregate setting: Other includes restaurants, community centres, etc. *Cumulative counts include COVID-19 school outbreaks reported starting week 36 (August 30 to September 5, 2020).

Data Source: CCM plus


Table 7. Confirmed cases of COVID-19 associated with COVID-19 outbreaks by setting type and public health unit reported week: Ontario

Cases associated with the outbreak setting type	Reported week 40 (September 27 to October 3)	Reported week 41 (October 4 to 10)	Cumulative number of cases
Institution: Long-term care homes	128	144	9,657
Institution: Retirement homes	41	69	1,746
Institution: Hospitals	64	17	1,082
Institutions Subtotal	233	230	12,485
Congregate: Correctional facility	0	0	119
Congregate: Shelter	3	1	604
Congregate: Group home	23	26	535
Congregate Setting Subtotal	26	27	1,258
Non-congregate setting: Workplace	46	34	2,809
Non-congregate setting: Childcare	17	17	116
Non-congregate setting: Other	45	88	729
Non-Congregate Settings Subtotal	108	139	3,654
Total number of cases	367	396	17,397

Note: Interpret case counts for the most recent week with caution due to reporting lags. Non-congregate setting: Workplace includes farms, food processing facilities, other. Non-congregate setting: Other includes restaurants, community centres, etc.

Data Source: CCM plus


Figure 10. Public health unit declared COVID-19 outbreaks by status (ongoing or closed) and public health unit outbreak reported week: Ontario



Note: If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Ongoing outbreaks includes all outbreaks that are 'Open' in iPHIS without a 'Declared Over Date' recorded. Closed outbreaks are 'Closed' or have a 'Declared Over Date' recorded in iPHIS. Week 8 refers to February 16 and 22, 2020 and week 41 refers to October 4 and 10, 2020.

Data Source: CCM plus

Figure 11. Public health unit declared COVID-19 outbreaks by outbreak setting type and public health unit reported week: Ontario



Note: If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Week 8 refers to February 16 and 22, 2020 and week 41 refers to October 4 and 10, 2020. Congregate settings include group homes, shelters, correctional facilities, etc. Non-congregate settings include outbreaks within workplaces, childcare, schools, restaurants, etc.

Data Source: CCM plus

Technical Notes

Data Sources

- The data for this report were based on:
 - Information extracted from the Ontario Ministry of Health (Ministry) integrated Public Health Information System (iPHIS) database for Toronto Public Health as of **October 13, 2020 at 3 p.m.**
 - Information successfully uploaded to the Ministry from local systems: Toronto Public Health (Coronavirus Rapid Entry System) CORES, The Ottawa Public Health COVID-19 Ottawa Database (The COD) and Middlesex-London COVID-19 Case and Contact Management Tool (CCMtool) as of **October 13, 2020 at 2 p.m.**
 - Information successfully uploaded to the Ministry from the Public Health Case and Contact Management Solution (CCM) as of **October 13, 2020 at 1 p.m.**
- CCM plus (which includes CCM, iPHIS, CORES, The COD and COVID-19 CCMtool) are dynamic disease reporting systems, which allow ongoing updates to data previously entered. As a result, data extracted from CCM and the local systems represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario. Data were extracted on November 26, 2019.
- Postal Code Conversion File Plus (PCCF+) version 7B from Statistics Canada 2016 Canadian census dissemination area profiles.
- The health equity (neighbourhood-level diversity and deprivation) analyses use data from the 2016 Ontario Marginalization Index and population counts from the 2016 Canada Census:
 - Matheson FI; van Ingen T. 2016 Ontario marginalization index. Toronto, ON: Providence St. Joseph's and St. Michael's Healthcare; 2018. Joint publication with Public Health Ontario.
 - Statistics Canada. Census of Population, 2016: Profile for Canada, Provinces, Territories, Census Divisions, Census Subdivisions and Dissemination Areas. Retrieved from: https://www12.statcan.gc.ca/census-recensement/2016/dp-pd/prof/details/download-telecharger/comp/GetFile.cfm?Lang=E&FILETYPE=CSV&GEONO=044_ONTARIO.

Data Caveats and Methods: Case Data

- The data only represent cases reported to public health units and recorded in CCM plus. As a result, all counts are subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.

- Observed trends over time should be interpreted with caution for the most recent period due to reporting and/or data entry lags.
- All cases meeting the confirmed case classification as listed in the MOH [COVID-19 case definition](#) are included except where noted (e.g., analyses that describe the relationship between COVID-19 and marginalization). This includes persons with a positive detection of serum/plasma immunoglobulin G (IgG) antibodies to SARS-CoV-2, which was added to the confirmed case definition on **August 6, 2020**.
- CCM/iPHIS cases for which the Disposition Status was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, DOES NOT MEET, IGNORE, DUPLICATE-DO NOT USE, or any variation on these values have been excluded. The provincial case count for COVID-19 includes cases that are counted once across all systems from which the case data are obtained. Duplicate records may exist if these records were not identified and resolved prior to data upload to the Ministry.
- Reported date is the date the case was reported to the public health unit. This is different than the daily change in cases released by the Province for the same time period, which reflects the difference in cumulative counts reported to the Province between one day and the next.
- Reported weeks were created to align with the Public Health Agency of Canada (PHAC) influenza surveillance weeks.
- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
- Cases with unknown or missing ages were excluded from age-specific analyses.
- Health care worker includes cases that reported 'Yes' to any of the following occupations: health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are considered resolved:
 - Cases that are reported as 'recovered' in CCM based on local public health unit assessment
 - Cases that are not hospitalized and are 14 days past their symptom onset date or specimen collection date (where symptom onset date is not known)
 - Cases that are currently hospitalized (no hospitalization end date entered) and have a case status of 'closed' indicating that public health follow up is complete and are 14 days past their symptom onset date or specimen collection date
- Data on hospital admissions, ICU admissions and deaths are likely under-reported as these events may occur after the completion of public health follow up of cases. Cases that were admitted to hospital or died after follow-up was completed may not be captured in CCM.

- Deaths are determined by using the outcome field in CCM plus. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.
 - The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.
- Hospitalization includes all cases for which a hospital admission date was reported at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM and local systems. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with an outbreak, was a contact of a case, had an Epidemiological link with type unspecified, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
 - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
 - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of a long-term care home'; or 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility'. 'Long-term care home residents' excludes cases that reported 'Yes' to any of the health care worker occupational risk factors.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers' reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.

- School classification types are defined by the Ministry of Education.
 - Elementary/Secondary schools include public or private schools educating children in a combination of elementary and secondary grades (e.g., Kindergarten to Grade 8, Grades 9 to 12, and Kindergarten to Grade 12).
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU refers to the case's public health unit of residence at the time of illness onset and not necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a case that is not a resident of Ontario) have been excluded from the analyses.
 - GTA health units include: Durham Region Health Department, Peel Public Health, Toronto Public Health and York Region Public Health
- Ongoing outbreaks are those that are reported in iPHIS as 'Open' and without a 'Declared Over Date' recorded.
- Outbreaks are declared by the local medical officer of health or their designate in accordance to the Health Protection and Promotion Act and criteria outlined in [Ministry guidance documents](#).
- School outbreaks include outbreaks declared on or after week 36 (August 30 to September 5, 2020).

Data Caveats and Methods: ON-Marg

- ON-Marg is a data tool that combines a wide range of demographic indicators into multiple distinct dimensions of marginalization. It is an area-based index which assigns a measure of marginalization based on neighbourhood versus individual characteristics. As such, the broader demographic trends of an area may not reflect all residents of a neighbourhood owing to the inherent heterogeneity of demographic characteristics which can vary substantially especially across large rural geographies. For more information, please visit [PHO's ON-Marg website](#).
- Neighbourhood diversity is defined using the ethnic concentration dimension of ON-Marg, which measures populations who may experience marginalization related to racism and discrimination. It is based on the proportion of non-white and non-Indigenous residents (visible minority) and/or the proportion of immigrants that arrived in Canada within the past five years. 'Visible minority' is a term used by Statistics Canada that, although is considered to be outdated, is used here to be consistent with the Canadian census.
- Neighbourhood deprivation is defined using the material deprivation dimension of ON-Marg, which is closely connected to poverty. It refers to the inability of individuals and communities to access and attain basic material needs. The indicators included in this dimension measure income, quality of housing, educational attainment and family structure characteristics.
- "Neighbourhoods" are considered to be Statistic Canada dissemination areas (DA). The Postal Code Conversion File Plus (PCCF+) version 7B was used to match individuals to a DA based on their postal code, which were subsequently assigned to a quintile of marginalization that contained 20% of Ontario neighbourhoods. The quintiles for the ethnic concentration and the material deprivation dimensions are ordered from quintiles 1 to 5, with quintile 1 having the

lowest level of marginalization (i.e., least diverse or least deprived) and quintile 5 having the highest level of marginalization (i.e., most diverse or most deprived).

- The following were not included in analyses that summarize the impact of COVID-19 among Ontarians who may experience marginalization:
 - People who have tested positive for COVID-19 that reside in long-term care settings are not included in the census data from which the marginalization indicators (ethnic concentration and material deprivation) are derived. Although these cases represent a large number of cases overall and deaths, their exclusion ensures appropriate comparisons since long-term care residents are excluded from ON-Marg.
 - People who have tested positive for COVID-19 that reside in census dissemination areas where data has been suppressed, and cases that have missing or invalid postal codes could not be assigned to a quintile of marginalization.
 - Due to data suppression for some census indicators on Indian Reserves in Ontario, residents of Indian Reserves could not be included in ON-Marg and therefore people who have tested positive for COVID-19 and are living on Indian Reserves could not be assigned to a quintile of marginalization. While Indigenous individuals living off reserves are included in this analysis, Indigeneity data is not currently collected or captured in dimensions of ON-Marg.

Appendix A

Table 1A. Confirmed cases of COVID-19 by public health unit reported week: Ontario

Reported Week	Start date	End date	Number of cases	Cumulative count
2	January 5, 2020	January 11, 2020	0	0
3	January 12, 2020	January 18, 2020	0	0
4	January 19, 2020	January 25, 2020	3	3
5	January 26, 2020	February 1, 2020	0	3
6	February 2, 2020	February 8, 2020	0	3
7	February 9, 2020	February 15, 2020	0	3
8	February 16, 2020	February 22, 2020	1	4
9	February 23, 2020	February 29, 2020	13	17
10	March 1, 2020	March 7, 2020	15	32
11	March 8, 2020	March 14, 2020	145	177
12	March 15, 2020	March 21, 2020	446	623
13	March 22, 2020	March 28, 2020	1,320	1,943
14	March 29, 2020	April 4, 2020	2,797	4,740
15	April 5, 2020	April 11, 2020	3,165	7,905
16	April 12, 2020	April 18, 2020	4,267	12,172
17	April 19, 2020	April 25, 2020	3,649	15,821
18	April 26, 2020	May 2, 2020	2,899	18,720
19	May 3, 2020	May 9, 2020	2,352	21,072
20	May 10, 2020	May 16, 2020	2,228	23,300
21	May 17, 2020	May 23, 2020	2,621	25,921

Reported Week	Start date	End date	Number of cases	Cumulative count
22	May 24, 2020	May 30, 2020	2,612	28,533
23	May 31, 2020	June 6, 2020	2,306	30,839
24	June 7, 2020	June 13, 2020	1,471	32,310
25	June 14, 2020	June 20, 2020	1,233	33,543
26	June 21, 2020	June 27, 2020	1,254	34,797
27	June 28, 2020	July 4, 2020	1,082	35,879
28	July 5, 2020	July 11, 2020	864	36,743
29	July 12, 2020	July 18, 2020	926	37,669
30	July 19, 2020	July 25, 2020	1,000	38,669
31	July 26, 2020	August 1, 2020	804	39,473
32	August 2, 2020	August 8, 2020	597	40,070
33	August 9, 2020	August 15, 2020	616	40,686
34	August 16, 2020	August 22, 2020	722	41,408
35	August 23, 2020	August 29, 2020	856	42,264
36	August 30, 2020	September 5, 2020	964	43,228
37	September 6, 2020	September 12, 2020	1,501	44,729
38	September 13, 2020	September 19, 2020	2,379	47,108
39	September 20, 2020	September 26, 2020	3,130	50,238
40	September 27, 2020	October 3, 2020	4,255	54,493
41	October 4, 2020	October 10, 2020	5,059	59,552

Table 2A. Confirmed cases of COVID-19 by public health unit and region: Ontario

Public Health Unit Name	Cases reported week 40	Rate per 100,000 population Reported week 40	Cases reported week 41	Rate per 100,000 population Reported week 41
Northwestern Health Unit	15	17.1	1	1.1
Thunder Bay District Health Unit	1	0.7	2	1.3
TOTAL NORTH WEST	16	6.7	3	1.3
Algoma Public Health	2	1.7	5	4.4
North Bay Parry Sound District Health Unit	0	0.0	1	0.8
Porcupine Health Unit	2	2.4	2	2.4
Public Health Sudbury & Districts	4	2.0	2	1.0
Timiskaming Health Unit	2	6.1	0	0.0
TOTAL NORTH EAST	10	1.8	10	1.8
Ottawa Public Health	642	60.9	746	70.7
Eastern Ontario Health Unit	25	12.0	48	23.0
Hastings Prince Edward Public Health	7	4.2	3	1.8
Kingston, Frontenac and Lennox & Addington Public Health	19	8.9	19	8.9
Leeds, Grenville & Lanark District Health Unit	17	9.8	9	5.2
Renfrew County and District Health Unit	5	4.6	10	9.2
TOTAL EASTERN	715	37.1	835	43.3

Public Health Unit Name	Cases reported week 40	Rate per 100,000 population Reported week 40	Cases reported week 41	Rate per 100,000 population Reported week 41
Durham Region Health Department	115	16.1	138	19.4
Haliburton, Kawartha, Pine Ridge District Health Unit	3	1.6	3	1.6
Peel Public Health	707	44.0	845	52.6
Peterborough Public Health	10	6.8	2	1.4
Simcoe Muskoka District Health Unit	70	11.7	135	22.5
York Region Public Health	316	25.8	498	40.6
TOTAL CENTRAL EAST	1,221	27.3	1,621	36.2
Toronto Public Health	1,820	58.3	1,768	56.7
TOTAL TORONTO	1,820	58.3	1,768	56.7
Chatham-Kent Public Health	3	2.8	0	0.0
Grey Bruce Health Unit	9	5.3	5	2.9
Huron Perth Public Health	4	2.9	5	3.6
Lambton Public Health	1	0.8	0	0.0
Middlesex-London Health Unit	37	7.3	80	15.8
Southwestern Public Health	7	3.3	5	2.4
Windsor-Essex County Health Unit	28	6.6	45	10.6
TOTAL SOUTH WEST	89	5.3	140	8.3
Brant County Health Unit	11	7.1	21	13.5

Public Health Unit Name	Cases reported week 40	Rate per 100,000 population Reported week 40	Cases reported week 41	Rate per 100,000 population Reported week 41
City of Hamilton Public Health Services	60	10.1	185	31.2
Haldimand-Norfolk Health Unit	2	1.8	7	6.1
Halton Region Public Health	114	18.4	238	38.4
Niagara Region Public Health	79	16.7	75	15.9
Region of Waterloo Public Health and Emergency Services	89	15.2	103	17.6
Wellington-Dufferin-Guelph Public Health	29	9.3	53	17.0
TOTAL CENTRAL WEST	384	13.5	682	23.9
TOTAL ONTARIO	4,255	28.6	5,059	34.0

Note: Interpret information for the most recent week with caution due to reporting lags.

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Weekly epidemiologic summary: COVID-19 in Ontario – focus on October 4, 2020 to October 10, 2020. Toronto, ON: Queen's Printer for Ontario; 2020.

For Further Information

For more information, email cd@oahpp.ca.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

