

## Weekly Epidemiologic Summary

# COVID-19 in Ontario: Focus on January 31, 2021 to February 6, 2021

This report includes the most current information available from CCM as of February 9, 2021.

Please visit the interactive <u>Ontario COVID-19 Data Tool</u> to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A <u>daily summary</u> is available and provides an epidemiologic summary of recent COVID-19 activity in Ontario. This weekly report provides an epidemiologic summary of COVID-19 activity in Ontario over time.

## Highlights

- There are a total of 279,058 confirmed cases of COVID-19 in Ontario with a public health unit reported date up to February 6, 2021.
- For the period with a public health unit reported date between January 31 to February 6, 2021 (week 5):
  - A total of 9,751 cases were reported to public health compared to 12,846 cases the previous week (January 24 to 30, 2021).
  - Overall, there was a decrease in the number of cases, outbreaks and deaths reported in the current week. There were less than 10,000 COVID-19 cases reported in a week for the first time since November.
  - Over a third of public health units have reported at least one case of a variant of concern (231 cases as of February 6th). Over half of these cases were reported in Simcoe Muskoka County Health Unit (n=130).

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

Data corrections or updates can result in case records being removed and or updated from past reports. Thus comparisons of case counts by public health unit reported date may not align with daily change in cases publicly reported by the province for the same time period, which reflects the difference in cumulative counts between one day and the next.

### **Cases Over Time**

## Figure 1. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario



**Reported week** 

**Note:** Include cases with reported dates ranging from week 4 (January 19 and 25, 2020) to week 5 (January 31 and February 6, 2021). See <u>Table 1A</u> in Appendix A for a list of the weeks and corresponding start and end dates.

## Figure 2. Confirmed cases of COVID-19 by likely source of acquisition and approximation of symptom onset week: Ontario



Episode week

**Note:** Not all cases have an episode date. Cases without an episode date are not included in the figure. The definition for how episode date is defined is available in the technical notes. Include cases with episode dates ranging from week 4 (January 19 and 25, 2020) to week 5 (January 31 and February 6, 2021). See <u>Table 1A</u> in Appendix A for a list of the weeks and corresponding start and end dates.

## **Case Characteristics**

Table 1. Summary of confirmed cases of COVID-19 by public health unit reported date:Ontario

	Reported week 4 (January 24 to 30)	Reported week 5 (January 31 to February 6)	Cumulative case count up to February 6	Cumulative rate per 100,000 population
Total number of cases	12,846	9,751	279,058	1,877.40
Gender: Male	6,322	4,793	136,594	1,866.20
Gender: Female	6,415	4,845	140,836	1,866.60
Ages: 19 and under	1,694	1,295	36,514	1,164.20
Ages: 20-39	4,573	3,564	102,005	2,454.30
Ages: 40-59	3,836	2,941	80,706	2,049.70
Ages: 60-79	1,899	1,416	40,303	1,363.90
Ages: 80 and over	840	533	19,481	2,867.90
Number resolved	N/A	N/A	261,624	N/A

Note: Not all cases have an age or gender reported.

Interpret information for the most recent week with caution due to reporting lags.





**Note:** Not all cases have a gender reported. The denominator for calculating weekly percentages includes all cases. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from Week 9 (February 23 and 29, 2020) to week 5 (January 31 and February 6, 2021). See <u>Table 1A</u> in Appendix A for a list of the weeks and corresponding start and end dates.





**Note**: Not all cases have an age reported. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 5 (January 31 and February 6, 2021). See <u>Table 1A</u> in Appendix A for a list of the weeks and corresponding start and end dates.





**Reported week** 

**Note**: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 5 (January 31 and February 6, 2021). See <u>Table 1A</u> in Appendix A for a list of the weeks and corresponding start and end dates.

### Deaths





#### Death week

**Note**: Cases without a death date are not included in the figure. Include cases with date of death ranging from week 4 (January 19 and 25, 2020) to week 5 (January 31 and February 6, 2021). See <u>Table 1A</u> in Appendix A for a list of the weeks and corresponding start and end dates.

## Table 2. Summary of deaths among confirmed cases of COVID-19 by public health unit reported week: Ontario

Deaths	Reported week 4 (January 24 to 30)	Reported week 5 (January 31 to February 6)	Cumulative case count up to February 6	Cumulative rate per 100,000 population
Number of deaths	138	35	6,594	44.4
Gender: Male	69	15	3,159	43.2
Gender: Female	68	20	3,392	45.0
Ages: 19 and under	0	0	2	0.1
Ages: 20-39	1	1	26	0.6
Ages: 40-59	9	2	256	6.5
Ages: 60-79	43	7	1,790	60.6
Ages: 80 and over	85	25	4,519	665.3

**Note:** Age and gender may not be reported for all cases. Reported week is the week the case was reported to the public health unit. This is different than the "week of death" presented in Figure 5 which reflects the week the case was reported to have a 'Fatal' outcome.

Interpret information for the most recent week with caution due to reporting lags.

### Exposure

Table 3. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario

	Reported week 4 (January 24 to 30)	Percentage	Reported week 5 (January 31 to February 6)	Percentage	Cumulative case count up to February 6	Cumulative percentage
Travel	135	1.1%	127	1.3%	4,949	1.8%
Outbreak-associated or close contact of a confirmed case	7,434	57.9%	5,113	52.4%	172,748	61.9%
Epidemiological link – type unspecified	1	0.0%	0	0.0%	188	0.1%
No known epidemiological link	3,836	29.9%	3,817	39.1%	65,282	23.4%
Information missing or unknown	1,440	11.2%	694	7.1%	35,891	12.9%
Total	12,846		9,751		279,058	

**Note:** Information for how cases are grouped within each category is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

## Sub-populations of interest

Health care workers	Reported week 4 (January 24 to 30)	Reported week 5 (January 31 to February 6)	Cumulative case count up to February 6
Number of cases	694	377	18,575
Ever hospitalized	4	4	363
Ever in ICU	1	1	79

### Table 4. Summary of cases of COVID-19 among health care workers: Ontario

Note: Interpret information for the most recent week with caution due to reporting lags.

#### Data Source: CCM

## Table 5. Summary of cases of COVID-19 associated with long-term care home outbreaks:Ontario

Long-term care home associated cases	Reported week 4 (January 24 to 30)	Reported week 5 (January 31 to February 6)	Cumulative case count up to February 6
Residents	453	189	14,823
Deaths among residents	41	12	3,759
Health care workers	252	112	6,441
Deaths among health care workers	0	0	10

**Note:** Information on how long-term care home residents and health care workers are identified is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

	Reported week 4 (January 24 to 30)	Reported week 5 (January 31 to February 6)	Cumulative case count from August 30 up to February 6
Ages: 4-8	331	255	5,958
Ages: 9-13	350	300	8,167
Ages: 14-17	430	305	8,592

### Table 6: Summary of cases of COVID-19 among school aged children by age group: Ontario

**Note:** Interpret information for the most recent week with caution due to reporting lags. Includes all confirmed cases of COVID-19 for specified ages, regardless of school attendance. Cumulative counts include cases of COVID-19 reported starting week 36 (August 30 to September 5, 2020).

Figure 6. Rate and number of confirmed cases of COVID-19 for each quintile of neighbourhood diversity: Ontario, week 4 (January 24 to 30, 2021) and week 5 (January 31 to February 6, 2021).



Quintiles of neighbourhood diversity

**Note:** Neighbourhood diversity is measured using the ethnic concentration dimension of the Ontario Marginalization Index. The ethnic concentration dimension is based on the proportion of non-white and non-Indigenous residents and/or the proportion of immigrants that arrived in Canada within the past five years.

Data Source: CCM, Ontario Marginalization Index

Figure 7. Rate and number of confirmed cases of COVID-19 for each quintile of neighbourhood deprivation: Ontario, week 4 (January 24 to 30, 2021) and week 5 (January 31 to February 6, 2021).



Quintiles of neighbourhood deprivation

**Note:** Neighbourhood deprivation is measured using the material deprivation dimension of the Ontario Marginalization Index. The material deprivation dimension uses Canadian census data on income, quality of housing, educational attainment and family structure characteristics to assess the ability of individuals and communities to access and attain basic material needs.

Data Source: CCM, Ontario Marginalization Index

### Geography





**Note:** Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 5 (January 31 and February 6, 2021). Table 2A in <u>Appendix A</u> has a listing of public health units by region.

Figure 9. Rate of confirmed cases of COVID-19 in public health reported week 5 (January 31 to February 6, 2021) by public health unit: Ontario



**Note:** The provincial rate of confirmed cases of COVID-19 reported in week 5 was 65.6 cases per 100,000 population.

## Outbreaks

Table 7. Number of	public health unit declared	d COVID-19 outbreaks b	v setting type: Ontario
			y betting type: ontano

Setting Type	Reported week 5 (January 31 to February 6)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to February 6
Congregate Care	69	376	2,301
Long-term care homes	34	208	1,221
Retirement homes	21	109	699
Hospitals	14	59	381
Congregate Living	24	105	735
Correctional facility	4	14	29
Shelter	2	18	128
Group Home/supportive housing	13	55	467
Short-term accommodations	3	5	15
Congregate other	2	13	96
Education	20	66	974
Child care	16	46	363
School – Elementary*	2	14	433
School – Elementary/secondary*	0	1	28
School – Secondary*	2	4	132
School – Post-secondary*	0	1	18
Other settings	75	219	1,911
Bar/restaurant/nightclub	1	6	149
Medical/health services	1	8	85

Setting Type	Reported week 5 (January 31 to February 6)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to February 6
Personal service settings	0	1	13
Recreational fitness	0	2	54
Retail	12	24	215
Other recreation	5	11	94
Workplace - Farm	3	15	86
Workplace - Food processing	3	15	155
Other types of workplaces	49	130	1,038
Other	0	1	4
Unknown	1	6	18
Total number of outbreaks	188	766	5,921

**Note:** Reported week is based on the outbreak reported date, and if unavailable, the date the public health unit created the outbreak. Ongoing outbreaks includes all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'. Interpret information for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, construction, etc. Other recreation includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.

\*Cumulative counts include COVID-19 school outbreaks reported starting week 36 (August 30 to September 5, 2020).

Ongoing re-classification of settings for reported outbreaks can result in outbreak counts that may differ from previously reported counts.

## Table 8. Confirmed cases of COVID-19 associated with COVID-19 outbreaks by setting type and public health unit reported week: Ontario

Cases associated with the outbreak setting type	Reported week 4 (January 24 to 30)	Reported week 5 (January 31 to February 6)	Cumulative number of cases
Congregate Care	1,485	799	34,773
Long-term care homes	877	461	24,090
Retirement homes	303	176	6,208
Hospitals	305	162	4,475
Congregate Living	421	400	4,888
Correctional facility	144	157	850
Shelter	101	122	1,152
Group Home/supportive housing	110	106	2,172
Short-term accommodations	13	4	47
Congregate other	53	11	667
Education	107	73	3,704
Child care	62	50	912
School – Elementary*	23	18	1,891
School – Elementary/secondary*	2	1	201
School – Secondary*	11	2	631
School – Post-secondary*	9	2	69
Other settings	757	492	14,503
Bar/restaurant/nightclub	4	3	594
Medical/health services	16	9	375
Personal service settings	0	2	44
Recreational fitness	1	0	451

Cases associated with the outbreak setting type	Reported week 4 (January 24 to 30)	Reported week 5 (January 31 to February 6)	Cumulative number of cases
Retail	36	19	972
Other recreation	11	24	851
Workplace - Farm	54	83	2,375
Workplace - Food processing	158	97	2,005
Other types of workplaces	463	253	6,711
Other	0	0	4
Unknown	14	2	121
Total number of cases	2,770	1,764	57,868

**Note:** Interpret case counts for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, construction, etc. Other recreation includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.

\*Cumulative counts include cases of COVID-19 associated with school outbreaks reported starting week 36 (August 30 to September 5, 2020).

Ongoing re-classification of settings for reported outbreaks can result in case counts that may differ from previously reported counts.

Figure 10. Public health unit declared COVID-19 outbreaks by status (ongoing or closed) and public health unit outbreak reported week: Ontario



**Note:** If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Ongoing outbreaks includes all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded. Closed outbreaks are 'Closed' or have a 'Declared Over Date' recorded in CCM or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'. Week 8 refers to February 16 and 22, 2020 and week 5 refers to January 31 and February 6, 2021.

## Figure 11. Public health unit declared COVID-19 outbreaks by outbreak setting type and public health unit reported week: Ontario



**Note:** If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Week 8 refers to February 16 and 22, 2020 and week 5 refers to January 31 and February 6, 2021. Congregate living include group homes, shelters, correctional facilities, etc. Other settings include outbreaks within workplaces, childcare, schools, restaurants, recreation etc.

## Variant COVID-19 Cases

### Table 9a. Summary of cases by variant of concern (VOC): Ontario

Variant	Cumulative case count up to February 6
Lineage B.1.1.7	228
Lineage B.1.351	3

**Note:** Further details on screening for variants of concern can be found in the <u>technical notes</u>. Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks.

Data Source: CCM

### Table 9b. Ontario SARS-Co-V-2 Variant of Concern (VOC) screening data

	Cumulative count up to February 6		
Specimens screened	8,913		

**Note:** Individuals may have more than one specimen screened for VOCs. Cumulative counts include VOC screening data starting December 1, 2020. Ongoing sequencing can result in count that may differ from previously reported counts.

Data Source: PHO Laboratory (LIS) and other Ontario sequencing laboratories



Figure 12. Number of confirmed COVID-19 variants of concern (VOC) by public health unit: Ontario

**Note:** Further details on testing for variants of concern can be found in the <u>Technical Notes</u>. The cumulative number of cases with a variant of concern by public health unit and region are available in <u>Appendix A: Table 3A</u>. Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks.





**Reported week** 

**Note:** Reported week is based on the date the case was reported, not the date that the VOC was identified. Include cases with reported dates ranging from week 49 (November 29 and December 5, 2020) to week 5 (January 31 and February 6, 2021). Additional testing was conducted in week 3 which led to an increase in the number of cases with variants of concern identified. Further details on screening for variants of concern can be found in the <u>technical notes</u>. Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks. See <u>Table 1A</u> in Appendix A for a list of the weeks and corresponding start and end dates.

## **Technical Notes**

### **Data Sources**

- The data for this report were based on:
  - Information successfully extracted from the Public Health Case and Contact Management Solution (CCM) for all PHUS by PHO as of **February 9, 2021 at 1 p.m.**
  - Public Health Ontario Laboratory Information System (LIS) and other sequencing laboratories performing VOC screening in Ontario as of **February 9, 2021**.
- CCM is a dynamic disease reporting systems, which allow ongoing updates to data previously entered. As a result, data extracted from CCM represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario. Data were extracted on November 26, 2019.
- Statistics Canada Postal Code Conversion File (PCCF), reference date of May 2020.
- The health equity (neighbourhood-level diversity and deprivation) analyses use data from the 2016 Ontario Marginalization Index and population counts from the 2016 Canada Census:
  - Matheson FI; van Ingen T. 2016 Ontario marginalization index. Toronto, ON: Providence St. Joseph's and St. Michael's Healthcare; 2018. Joint publication with Public Health Ontario.
  - Statistics Canada. Census of Population, 2016: Profile for Canada, Provinces, Territories, Census Divisions, Census Subdivisions and Dissemination Areas. Retrieved from: <u>https://www12.statcan.gc.ca/census-recensement/2016/dp-pd/prof/details/download-telecharger/comp/GetFile.cfm?Lang=E&FILETYPE=CSV&GEONO=044\_ONTARIO</u>.

### **Data Caveats and Methods: Case Data**

- The data only represent cases reported to public health units and recorded in CCM. As a result, all counts are subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Observed trends over time should be interpreted with caution for the most recent period due to reporting and/or data entry lags.
- All cases meeting the confirmed case classification as listed in the MOH <u>COVID-19 case definition</u> are included except where noted (e.g., analyses that describe the relationship between COVID-19 and marginalization). This includes persons with a positive detection of serum/plasma immunoglobulin G (IgG) antibodies to SARS-CoV-2, which was added to the confirmed case definition on August 6, 2020.

- Cases of confirmed reinfection, i.e. where genome sequencing indicates the two episodes are caused by different viral lineages, added to the confirmed case definition on November 20, 2020, are counted as unique investigations.
- COVID-19 cases from CCM for which the Classification and/or Disposition was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, IGNORE, DUPLICATE, or any variation on these values have been excluded. The provincial case count for COVID-19 includes cases that are counted once across all systems from which the case data are obtained. Duplicate records may exist if these records were not identified and resolved prior to data upload to the Ministry.
- Reported date is the date the case was reported to the public health unit. This is different than the daily change in cases released by the Province for the same time period, which reflects the difference in cumulative counts reported to the Province between one day and the next.
- Reported weeks were created to align with the Public Health Agency of Canada (PHAC) influenza surveillance weeks.
- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
- Cases with unknown or missing ages were excluded from age-specific analyses.
- Health care worker includes cases that reported 'Yes' to any of the following occupations: health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are considered resolved:
  - Cases that are reported as 'recovered' in CCM based on local public health unit assessment
  - Cases that are not hospitalized and are 14 days past their symptom onset date or specimen collection date (where symptom onset date is not known)
  - Cases that are currently hospitalized (no hospitalization end date entered) and have a case status of 'closed' indicating that public health follow up is complete and are 14 days past their symptom onset date or specimen collection date
- Data on hospital admissions, ICU admissions and deaths are likely under-reported as these events may occur after the completion of public health follow up of cases. Cases that were admitted to hospital or died after follow-up was completed may not be captured in CCM.
- Deaths are determined by using the outcome field in CCM. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.
  - The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.

- Hospitalization includes all cases for which a hospital admission date was reported at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM and local systems. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with a confirmed outbreak, was a contact of a case, had an Epidemiological link with type unspecified, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
  - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
  - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of a long-term care home'; or 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility'. 'Long-term care home residents' excludes cases that reported 'Yes' to any of the health care worker occupational risk factors.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers' reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.
- 'Cases associated with school outbreaks' includes cases that are linked to an outbreak, by school classification type (Elementary, Elementary/Secondary, Secondary, Post-Secondary), that met the definition of a <u>school outbreak</u>.
- School classification types are defined by the Ministry of Education.

- Elementary/Secondary schools include public or private schools educating children in a combination of elementary and secondary grades (e.g., Kindergarten to Grade 8, Grades 9 to 12, and Kindergarten to Grade 12).
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU
  refers to the case's public health unit of residence at the time of illness onset and not
  necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a
  case that is not a resident of Ontario) have been excluded from the analyses.
  - GTA health units include: Durham Region Health Department, Peel Public Health, Toronto Public Health and York Region Public Health
- Ongoing outbreaks are those that are reported in CCM as 'Open' and without a 'Declared Over Date' recorded. Closed outbreaks are 'Closed' or have a 'Declared Over Date' recorded in CCM or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'.
- Outbreaks are declared by the local medical officer of health or their designate in accordance to the Health Protection and Promotion Act and criteria outlined in <u>Ministry guidance documents</u>.
- School outbreaks include outbreaks declared on or after week 36 (August 30 to September 5, 2020).
- A confirmed VOC case is defined as a COVID-19 case in whom a designated VOC was detected by genome sequencing in their clinical SARS-CoV-2 positive specimen. Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks.
- PANGO lineage B.1.1.7 (also known as VOC-202012/01 or 501Y.V1)
  - This lineage was first detected in England in September, 2020. Early evidence suggests that the N501Y mutation may increase SARS-CoV-2 transmissibility. The PANGO lineage B.1.1.7 is assigned to genome sequences with at least 5 of the 17 defining B.1.1.7 SNPs.
- PANGO lineage B.1.351 (also known as 501Y.V2)
  - This lineage was first detected October, 2020 in South Africa and has several mutations of concern, including spike (S) gene: N501Y, K417N, and E484K. Early evidence suggests that these mutations may increase SARS-CoV-2 transmissibility and decrease vaccine efficacy. The PANGO lineage B.1.351 will be assigned to genome sequences at least 5 of the 9 defining B.1.351 SNPs.
- Public Health Ontario conducts variants of concern (VOC) surveillance on SARS-CoV-2 positive specimens. Additional SARS-CoV-2 specimens are referred to PHO Laboratory for screening provided they meet the criteria outlined here: <u>https://www.publichealthontario.ca/en/laboratory-services/test-information-index/covid-19voc</u>

- Other Ontario laboratories conducting sequencing include: The Hospital for Sick Children (SickKids), Sunnybrook Health Sciences, and McMaster University.
- VOC surveillance data should be interpreted with caution due to the lag between initial laboratory detection of SARS-CoV-2 and subsequent variant screening. Laboratory confirmation of VOCs by genome sequencing occurs at variable intervals after initial detection, depending when the request is made to have the screening conducted.

### **Data Caveats and Methods: ON-Marg**

- ON-Marg is a data tool that combines a wide range of demographic indicators into multiple distinct dimensions of marginalization. It is an area-based index which assigns a measure of marginalization based on neighbourhood versus individual characteristics. As such, the broader demographic trends of an area may not reflect all residents of a neighbourhood owing to the inherent heterogeneity of demographic characteristics which can vary substantially especially across large rural geographies. For more information, please visit <u>PHO's ON-Marg website</u>.
- Neighbourhood diversity is defined using the ethnic concentration dimension of ON-Marg, which measures populations who may experience marginalization related to racism and discrimination. It is based on the proportion of non-white and non-Indigenous residents (visible minority) and/or the proportion of immigrants that arrived in Canada within the past five years. 'Visible minority' is a term used by Statistics Canada that, although is considered to be outdated, is used here to be consistent with the Canadian census.
- Neighbourhood deprivation is defined using the material deprivation dimension of ON-Marg, which is closely connected to poverty. It refers to the inability of individuals and communities to access and attain basic material needs. The indicators included in this dimension measure income, quality of housing, educational attainment and family structure characteristics.
- "Neighbourhoods" are considered to be Statistic Canada dissemination areas (DA). The Single Link Indicator Postal Code Conversion File (PCCF) was used to match individuals to a DA based on their postal code, which were subsequently assigned to a quintile of marginalization that contained 20% of Ontario neighbourhoods. The quintiles for the ethnic concentration and the material deprivation dimensions are ordered from quintiles 1 to 5, with quintile 1 having the lowest level of marginalization (i.e., least diverse or least deprived) and quintile 5 having the highest level of marginalization (i.e., most diverse or most deprived).
- The following were not included in analyses that summarize the impact of COVID-19 among Ontarians who may experience marginalization:
  - People who have tested positive for COVID-19 that reside in institutional and congregate settings are not included in the census data from which the marginalization indicators (ethnic concentration and material deprivation) are derived. Although these cases represent a large number of cases overall and deaths, their exclusion ensures appropriate comparisons since institutional and congregate setting residents are excluded from ON-Marg.

- People who have tested positive for COVID-19 that reside in census dissemination areas where data has been suppressed, and cases that have missing or invalid postal codes could not be assigned to a quintile of marginalization.
- Due to data suppression for some census indicators on Indian Reserves in Ontario, residents of Indian Reserves could not be included in ON-Marg and therefore people who have tested positive for COVID-19 and are living on Indian Reserves could not be assigned to a quintile of marginalization. While Indigenous individuals living off reserves are included in this analysis, Indigeneity data is not currently collected or captured in dimensions of ON-Marg.

## Appendix A

Reported Week	Start date	End date	Number of cases	Cumulative count
2	January 5, 2020	January 11, 2020	0	0
3	January 12, 2020	January 18, 2020	0	0
4	January 19, 2020	January 25, 2020	3	3
5	January 26, 2020	February 1, 2020	0	3
6	February 2, 2020	February 8, 2020	0	3
7	February 9, 2020	February 15, 2020	0	3
8	February 16, 2020	February 22, 2020	1	4
9	February 23, 2020	February 29, 2020	13	17
10	March 1, 2020	March 7, 2020	14	31
11	March 8, 2020	March 14, 2020	147	178
12	March 15, 2020	March 21, 2020	437	615
13	March 22, 2020	March 28, 2020	1,307	1,922
14	March 29, 2020	April 4, 2020	2,781	4,703
15	April 5, 2020	April 11, 2020	3,136	7,839
16	April 12, 2020	April 18, 2020	4,208	12,047
17	April 19, 2020	April 25, 2020	3,632	15,679
18	April 26, 2020	May 2, 2020	2,888	18,567
19	May 3, 2020	May 9, 2020	2,344	20,911
20	May 10, 2020	May 16, 2020	2,192	23,103
21	May 17, 2020	May 23, 2020	2,616	25,719
22	May 24, 2020	May 30, 2020	2,602	28,321

### Table 1A. Confirmed cases of COVID-19 by public health unit reported week: Ontario

Reported Week	Start date	End date Number of cases		Cumulative count
23	May 31, 2020	June 6, 2020	2,304	30,625
24	June 7, 2020	June 13, 2020	1,472	32,097
25	June 14, 2020	June 20, 2020	1,232	33,329
26	June 21, 2020	June 27, 2020	1,252	34,581
27	June 28, 2020	July 4, 2020	1,083	35,664
28	July 5, 2020	July 11, 2020	867	36,531
29	July 12, 2020	July 18, 2020	931	37,462
30	July 19, 2020	July 25, 2020	992	38,454
31	July 26, 2020	August 1, 2020	804	39,258
32	August 2, 2020	August 8, 2020	594	39,852
33	August 9, 2020	August 15, 2020	610	40,462
34	August 16, 2020	August 22, 2020	730	41,192
35	August 23, 2020	August 29, 2020	853	42,045
36	August 30, 2020	September 5, 2020	978	43,023
37	September 6, 2020	September 12, 2020	1,506	44,529
38	September 13, 2020	September 19, 2020	2,377	46,906
39	September 20, 2020	September 26, 2020	3,126	50,032
40	September 27, 2020	October 3, 2020	4,229	54,261
41	October 4, 2020	October 10, 2020	5,044	59,305
42	October 11, 2020	October 17, 2020	5,289	64,594
43	October 18, 2020	October 24, 2020	6,051	70,645
44	October 25, 2020	October 31, 2020	6,398	77,043
45	November 1, 2020	November 7, 2020	7,619	84,662

Reported Week	Start date	End date	Number of cases	Cumulative count
46	November 8, 2020	November 14, 2020	10,440	95,102
47	November 15, 2020	November 21, 2020	9,963	105,065
48	November 22, 2020	November 28, 2020	11,067	116,132
49	November 29, 2020	December 5, 2020	12,702	128,834
50	December 6, 2020	December 12, 2020	13,057	141,891
51	December 13, 2020	December 19, 2020	15,665	157,556
52	December 20, 2020	December 26, 2020	15,664	173,220
53	December 27, 2020	January 2, 2021	20,453	193,673
1	January 3, 2021	January 9, 2021	24,910	218,583
2	January 10, 2021	January 16, 2021	21,389	239,972
3	January 17, 2021	January 23, 2021	16,489	256,461
4	January 24, 2021	January 30, 2021	12,846	269,307
5	January 31, 2021	February 6, 2021	9,751	279,058

### Table 2A. Confirmed cases of COVID-19 by public health unit and region: Ontario

Public Health Unit Name	Cases reported week 4	Rate per 100,000 population Reported week 4	Cases reported week 5	Rate per 100,000 population Reported week 5
Northwestern Health Unit	12	13.7	17	19.4
Thunder Bay District Health Unit	110	73.4	91	60.7
TOTAL NORTH WEST	122	51.3	108	45.4
Algoma Public Health	16	14.0	16	14.0
North Bay Parry Sound District Health Unit	5	3.9	7	5.4
Porcupine Health Unit	54	64.7	19	22.8
Public Health Sudbury & Districts	68	34.2	28	14.1
Timiskaming Health Unit	1	3.1	2	6.1
TOTAL NORTH EAST	144	25.7	72	12.9
Ottawa Public Health	403	38.2	354	33.6
Eastern Ontario Health Unit	130	62.3	76	36.4
Hastings Prince Edward Public Health	1	0.6	5	3.0
Kingston, Frontenac and Lennox & Addington Public Health	7	3.3	10	4.7
Leeds, Grenville & Lanark District Health Unit	26	15.0	15	8.7
Renfrew County and District Health Unit	4	3.7	5	4.6
TOTAL EASTERN	571	29.6	465	24.1
Durham Region Health Department	472	66.3	360	50.5

Public Health Unit Name	Cases reported week 4	Rate per 100,000 population Reported week 4	Cases reported week 5	Rate per 100,000 population Reported week 5
Haliburton, Kawartha, Pine Ridge District Health Unit	44	23.3	64	33.9
Peel Public Health	2,357	146.8	1,945	121.1
Peterborough Public Health	31	20.9	15	10.1
Simcoe Muskoka District Health Unit	309	51.5	284	47.4
York Region Public Health	1,208	98.5	887	72.4
TOTAL CENTRAL EAST	4,421	98.7	3,555	79.3
Toronto Public Health	4,278	137.1	3,215	103.0
TOTAL TORONTO	4,278	137.1	3,215	103.0
Chatham-Kent Public Health	116	109.1	83	78.1
Grey Bruce Health Unit	26	15.3	16	9.4
Huron Perth Public Health	70	50.1	44	31.5
Lambton Public Health	64	48.9	37	28.3
Middlesex-London Health Unit	243	47.9	191	37.6
Southwestern Public Health	84	39.7	85	40.2
Windsor-Essex County Health Unit	384	90.4	213	50.1
TOTAL SOUTH WEST	987	58.4	669	39.6
Brant County Health Unit	57	36.7	66	42.5
City of Hamilton Public Health Services	485	81.9	404	68.2
Haldimand-Norfolk Health Unit	37	32.4	34	29.8

Public Health Unit Name	Cases reported week 4	Rate per 100,000 population Reported week 4	Cases reported week 5	Rate per 100,000 population Reported week 5
Halton Region Public Health	352	56.9	378	61.1
Niagara Region Public Health	619	131.0	301	63.7
Region of Waterloo Public Health and Emergency Services	488	83.5	336	57.5
Wellington-Dufferin-Guelph Public Health	285	91.4	148	47.4
TOTAL CENTRAL WEST	2,323	81.5	1,667	58.5
TOTAL ONTARIO	12,846	86.4	9,751	65.6

**Note:** Interpret information for the most recent week with caution due to reporting lags.

Public Health Unit Name	Cumulative case count up to February 6 for Lineage B.1.1.7	Cumulative case count up to February 6 for Lineage B.1.351
Northwestern Health Unit	0	0
Thunder Bay District Health Unit	0	0
TOTAL NORTH WEST	0	0
Algoma Public Health	0	0
North Bay Parry Sound District Health Unit	0	0
Porcupine Health Unit	0	0
Public Health Sudbury & Districts	3	0
Timiskaming Health Unit	0	0
TOTAL NORTH EAST	3	0
Ottawa Public Health	6	1
Eastern Ontario Health Unit	0	0
Hastings Prince Edward Public Health	0	0
Kingston, Frontenac and Lennox & Addington Public Health	1	0
Leeds, Grenville & Lanark District Health Unit	0	0
Renfrew County and District Health Unit	0	0
TOTAL EASTERN	7	1
Durham Region Health Department	11	0
Haliburton, Kawartha, Pine Ridge District Health Unit	0	0
Peel Public Health	21	2
Peterborough Public Health	0	0
Simcoe Muskoka District Health Unit	130	0

### Table 3A. Confirmed COVID-19 variants of concern by public health unit and region: Ontario

Public Health Unit Name	Cumulative case count up to February 6 for Lineage B.1.1.7	Cumulative case count up to February 6 for Lineage B.1.351
York Region Public Health	20	0
TOTAL CENTRAL EAST	182	2
Toronto Public Health	29	0
TOTAL TORONTO	29	0
Chatham-Kent Public Health	0	0
Grey Bruce Health Unit	0	0
Huron Perth Public Health	0	0
Lambton Public Health	0	0
Middlesex-London Health Unit	4	0
Southwestern Public Health	0	0
Windsor-Essex County Health Unit	0	0
TOTAL SOUTH WEST	4	0
Brant County Health Unit	0	0
City of Hamilton Public Health Services	0	0
Haldimand-Norfolk Health Unit	1	0
Halton Region Public Health	1	0
Niagara Region Public Health	0	0
Region of Waterloo Public Health and Emergency Services	1	0
Wellington-Dufferin-Guelph Public Health	0	0
TOTAL CENTRAL WEST	3	0
TOTAL ONTARIO	228	3

**Note:** Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks.

Date	PHO Laboratory: # specimens screened	Other Ontario sequencing laboratories: # specimens screened	Ontario Total: # specimens screened
December 1, 2020 to January 2, 2021	1,880	N/A	1,880
January 3 to 9, 2021	333	N/A	333
January 10 to 16, 2021	542	79	621
January 17 to 23, 2021	969	217	1,186
January 24 to 30, 2021	2,193	96	2,289
January 31 to February 6, 2021	2,508	96	2,604

### Table 4A: Ontario SARS-CoV-2 Variant of Concern (VOC) screening data

**Note:** Individuals may have more than one specimen screened for VOCs. Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks. Starting the week of January 31st reporting of specimens screen-tested and confirmed for Variants of Concern has been switched from manual reporting to automated reporting through PHO Laboratory's Laboratory Information System (LIS). As a result there may be small gaps in the data that will be corrected in the following week.

Data Source: PHO Laboratory (LIS) and other Ontario sequencing laboratories

## Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

### Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Weekly epidemiologic summary: COVID-19 in Ontario – focus on January 31, 2021 to February 6, 2021. Toronto, ON: Queen's Printer for Ontario; 2021.

## For Further Information

For more information, email <u>cd@oahpp.ca</u>.

## Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

