

## WEEKLY EPIDEMIOLOGICAL SUMMARY

# COVID-19 in Ontario: Focus on August 8, 2021 to August 14, 2021

This report includes the most current information available from CCM as of **August 17, 2021**.

Please visit the interactive [Ontario COVID-19 Data Tool](#) to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A [daily summary](#) is available and provides an epidemiologic summary of recent COVID-19 activity in Ontario. This weekly report provides an epidemiologic summary of COVID-19 activity in Ontario over time.


## Highlights

- There are a total of 555,801 confirmed cases of COVID-19 in Ontario with a public health unit reported date up to August 14, 2021.
- For the period with a public health unit (PHU) reported date between August 8 to 14, 2021 (week 32):
  - A total of 3,174 cases were reported to public health compared to 1,911 cases the previous week (August 1 to 7, 2021).
  - The number of COVID-19 cases reported in Ontario continue to increase for week 32 with a 66.1% increase in the current week (21.5 per 100,000 population) compared to the previous week (12.9 per 100,000).
  - The rate of confirmed cases among 20-39 year olds has seen a sharp increase in the last two weeks and represents 50.7% of cases this week.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case. Data corrections or updates can result in case records being removed and or updated from past reports. Thus comparisons of case counts by public health unit reported date may not align with daily change in cases publicly reported by the province for the same time period, which reflects the difference in cumulative counts between one day and the next.

# Cases Over Time


**Figure 1. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario**



**Note:** Include cases with reported dates ranging from week-4 (January 19 and 25, 2020) to week 32 (August 8 and 14, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

**Data Source:** CCM

**Figure 2. Confirmed cases of COVID-19 by likely source of acquisition and approximation of symptom onset week: Ontario**



**Note:** Not all cases have an episode date. Cases without an episode date are not included in the figure. The definition for how episode date is defined is available in the technical notes. Include cases with episode dates ranging from week-4 (January 19 and 25, 2020) to week 32 (August 8 and 14, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

**Data Source:** CCM

## Case Characteristics

**Table 1. Summary of confirmed cases of COVID-19 by public health unit reported date: Ontario**


	Reported week 31 (August 1 to 7)	Reported week 32 (August 8 to 14)	Cumulative case count up to August 14	Cumulative rate per 100,000 population
Total number of cases	1,911	3,174	555,801	3,772.2
Gender: Male	931	1,591	277,079	3,806.3
Gender: Female	946	1,529	275,050	3,689.7
Ages: 0-4	106	125	14,922	2,063.9
Ages: 5-11	149	251	26,232	2,432.2
Ages: 12-19	194	304	49,205	3,701.1
Ages: 20-39	907	1,608	208,810	5,029.3
Ages: 40-59	385	641	157,890	4,053.1
Ages: 60-79	148	209	73,372	2,530.3
Ages: 80 and over	22	35	25,274	3,853.7
Number resolved	N/A	N/A	543,393	N/A

**Note:** Not all cases have an age or gender reported.

Interpret information for the most recent week with caution due to reporting lags.

**Data Source:** CCM


**Figure 3. Percentage of confirmed cases of COVID-19 by gender and public health unit reported week: Ontario**



**Note:** Not all cases have a gender reported. The denominator for calculating weekly percentages includes all cases. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week-9). Include cases with reported dates ranging from week-9 (February 23 and 29, 2020) to week 32 (August 8 and 14, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

**Data Source:** CCM


**Figure 4a. Rate of confirmed cases of COVID-19 per 100,000 population by age group and public health unit reported week: Ontario**



**Note:** Not all cases have an age reported. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 32 (August 8 and 14, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

**Data Source:** CCM

**Figure 4b. Percentage of confirmed cases of COVID-19 by age group and public health unit reported week: Ontario**




**Note:** Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 32 (August 8 and 14, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

**Data Source:** CCM

# Deaths

**Figure 5. Deaths among confirmed cases of COVID-19 by week of death: Ontario**





**Table 2. Summary of deaths among confirmed cases of COVID-19 by public health unit reported week: Ontario**

Deaths	Reported week 31 (August 1 to 7)	Reported week 32 (August 8 to 14)	Cumulative case count up to August 14	Cumulative rate per 100,000 population
Number of deaths	5	0	9,431	64.0
Gender: Male	3	0	4,805	66.0
Gender: Female	2	0	4,564	61.2
Ages: 19 and under	0	0	5	0.2
Ages: 20-39	1	0	90	2.2
Ages: 40-59	1	0	617	15.8
Ages: 60-79	0	0	3,047	105.1
Ages: 80 and over	3	0	5,671	864.7

**Note:** Age and gender may not be reported for all cases. Reported week is the week the case was reported to the public health unit. This is different than the “week of death” presented in Figure 5 which reflects the week the case was reported to have a ‘Fatal’ outcome.

Interpret information for the most recent week with caution due to reporting lags.

**Data Source:** CCM

## Exposure

**Table 3. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario**

	Reported week 31 (August 1 to 7)	Percentage	Reported week 32 (August 8 to 14)	Percentage	Cumulative case count up to August 14	Cumulative percentage
Travel	288	15.1%	403	12.7%	10,320	1.9%
Outbreak-associated or close contact of a confirmed case	892	46.7%	1,381	43.5%	332,878	59.9%
Epidemiological link – type unspecified	0	0.0%	0	0.0%	62	<0.1%
No known epidemiological link	611	32.0%	1,125	35.4%	161,602	29.1%
Information missing or unknown	120	6.3%	265	8.3%	50,939	9.2%
<b>Total</b>	<b>1,911</b>		<b>3,174</b>		<b>555,801</b>	

**Note:** Information for how cases are grouped within each category is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

**Data Source:** CCM

## Sub-populations of interest

**Table 4. Summary of cases of COVID-19 among health care workers: Ontario**

Health care workers	Reported week 31 (August 1 to 7)	Reported week 32 (August 8 to 14)	Cumulative case count up to August 14
Number of cases	32	56	23,268
Ever hospitalized	0	1	453
Ever in ICU	0	0	96

**Note:** Interpret information for the most recent week with caution due to reporting lags.

**Data Source:** CCM

**Table 5. Summary of cases of COVID-19 associated with long-term care home outbreaks: Ontario**

Long-term care home associated cases	Reported week 31 (August 1 to 7)	Reported week 32 (August 8 to 14)	Cumulative case count up to August 14
Residents	3	4	15,413
Deaths among residents	0	0	3,976
Health care workers	2	1	7,206
Deaths among health care workers	0	0	10

**Note:** Information on how long-term care home residents and health care workers are identified is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

**Data Source:** CCM

**Table 6: Summary of cases of COVID-19 among long-term care home (LTCH) residents and health care workers by vaccine category: Ontario**

Vaccine category	Number of resident cases	Percent of resident cases	Number of health care worker cases	Percent of health care worker cases	Total LTCH cases	Percent of LTCH cases
Breakthrough	112	16.6%	31	8.7%	143	13.9%
Partially vaccinated	159	23.6%	83	23.2%	242	23.4%
Not yet protected	403	59.8%	244	68.2%	647	62.7%
<b>Total post-vaccination cases</b>	<b>674</b>		<b>358</b>		<b>1,032</b>	

**Note:** Include cases reported from December 14, 2020 to August 16, 2021. The number of LTCH residents and health-care workers that have received at least one dose of vaccine can be found in the latest version of the [COVID-19 Vaccine Uptake in Ontario report](#).

**Data Source:** CCM/COVaxON

**Table 7. Summary of confirmed COVID-19 outbreaks in camps and cases associated with camp outbreaks reported July 4, 2021 to August 14, 2021: Ontario**

	Camp – Day	Camp - Overnight	Camp - Unspecified	Total
<b>Cases in camp outbreaks by age</b>	27	11	3	41
<12 years of age	26	9	0	35
12 years of age and older	1	2	3	6
<b>N cases per outbreak</b>				
≤ 1 case*	0	0	0	0
2 cases	2	0	0	2
3-5 cases	1	0	1	2
6-9 cases	1	0	0	1
≥10 cases	1	1	0	2
<b>Median number of cases per outbreak (IQR)</b>	3 (2-8)	11 (11-11)	3 (3-3)	3 (2-11)

IQR: Interquartile Range

**Note:** Due to reporting delays and potential variations in data entry processes across public health units, there may be additional camp-associated COVID-19 cases that have not yet been entered in CCM, or have not been entered as linked to a camp-associated outbreak. Results should be interpreted with caution due to potential under-detection of outbreak associated cases.

\*There may be COVID-19 outbreaks in camps that have zero cases linked to the outbreak in CCM. Median number of cases per outbreak includes cases in individuals that may include camp attendees and/or staff.


**Table 8: Summary of reinfection cases of COVID-19 by age group and public health unit reported week: Ontario**

Age Group	Reported Week 30 (August 1 to 7)	Reported Week 32 (August 8 to 14)	Cumulative count from November 1 up to August 14	Percent of reinfection cases
Ages: 0-4	0	0	7	2.7%
Ages: 5-11	0	0	2	0.8%
Ages: 12-19	3	0	29	11.1%
Ages: 20-39	7	8	117	44.8%
Ages: 40-59	0	0	76	29.1%
Ages: 60-79	0	0	22	8.4%
Ages: 80 and over	1	0	8	3.1%
<b>Total reinfection cases</b>	<b>11</b>	<b>8</b>	<b>261</b>	

**Note:** Cases identified as reinfections meeting the [provincial definition](#) as indicated by public health units selecting the reinfection checkbox. Cumulative counts include cases of COVID-19 reinfection reported starting week-45 (November 1 to 7, 2020). Not all cases have a reported age or gender. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts.

**Data Source:** CCM


**Figure 6. Rate of confirmed cases of COVID-19 per 100,000 population by quintile of neighbourhood diversity and public health unit reported week: Ontario**



**Note:** Neighbourhood diversity is measured using the ethnic concentration dimension of the Ontario Marginalization Index. The ethnic concentration dimension is based on the proportion of non-white and non-Indigenous residents and/or the proportion of immigrants that arrived in Canada within the past five years. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from weeks 9 (February 23 to 29, 2020) to week 32 (August 8 to 14, 2021). As of June 8, all rate denominators were changed to the 2021 OHIP RPDB population, and as a result, rates shown here may differ from previous reports. See Table 1A in Appendix A for a list of the weeks and corresponding start and end dates.

**Data Source:** CCM, Ontario Marginalization Index

**Figure 7. Rate of confirmed cases of COVID-19 per 100,000 population by quintile of neighbourhood material deprivation and public health unit reported week: Ontario**



**Note:** Neighbourhood material deprivation is measured using the material deprivation dimension of the Ontario Marginalization Index. The material deprivation dimension uses Canadian census data on income, quality of housing, educational attainment and family structure characteristics to assess the ability of individuals and communities to access and attain basic material needs. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from weeks 9 (February 23 to 29, 2020) to week 32 (August 8 to 14, 2021). As of June 8, all rate denominators were changed to the 2021 OHIP RPDB population, and as a result, rates shown here may differ from previous reports. See Table 1A in Appendix A for a list of the weeks and corresponding start and end dates.

**Data Source:** CCM, Ontario Marginalization Index



**Table 9: Summary of cases of COVID-19 by quintile of neighbourhood diversity and public health unit reported week: Ontario**

	Cases Reported Week 30 (August 1 to 7)	Cases Reported Week 32 (August 8 to 14)	Cumulative case count up to August 14	Cumulative rate per 100,000 population up to August 14
Quintile 1 (least diverse)	147	234	29,536	1,329.7
Quintile 2	260	331	44,153	1,864.5
Quintile 3	320	568	65,259	2,517.6
Quintile 4	471	845	111,944	3,579.2
Quintile 5 (most diverse)	655	1,084	263,480	6,095.9

**Note:** Neighbourhood diversity is measured using the ethnic concentration dimension of the Ontario Marginalization Index. The ethnic concentration dimension is based on the proportion of non-white and non-Indigenous residents and/or the proportion of immigrants that arrived in Canada within the past five years. Cumulative counts and rates include cases of COVID-19 reported starting week 9 (February 23 to 29, 2020).

**Data Source:** CCM, Ontario Marginalization Index

**Table 10: Summary of cases of COVID-19 by quintile of neighbourhood material deprivation and public health unit reported week: Ontario**


	Cases Reported Week 30 (August 1 to 7)	Cases Reported Week 32 (August 8 to 14)	Cumulative case count up to August 14	Cumulative rate per 100,000 population up to August 14
Quintile 1 (least material deprivation)	437	664	86,259	2,503.0
Quintile 2	367	602	90,609	2,918.5
Quintile 3	355	506	99,433	3,585.8
Quintile 4	284	539	109,494	4,167.1
Quintile 5 (most material deprivation)	410	751	128,577	4,797.6

**Note:** Neighbourhood material deprivation is measured using the material deprivation dimension of the Ontario Marginalization Index. The material deprivation dimension uses Canadian census data on income, quality of housing, educational attainment and family structure characteristics to assess the ability of individuals and communities to access and attain basic material needs. Cumulative counts and rates include cases of COVID-19 reported starting week 9 (February 23 to 29, 2020).

**Data Source:** CCM, Ontario Marginalization Index

## Geography


**Figure 8. Percentage of COVID-19 cases by geographic region and public health unit reported week: Ontario**



**Note:** Only weeks with more than 10 cases by public health unit reporting date are included (starting in week-9). Include cases with reported dates ranging from week-9 (February 23 and 29, 2020) to week 32 (August 8 and 14, 2021). [Table 2A](#) in Appendix A has a listing of public health units by region.

**Data Source:** CCM

**Figure 9. Rate of confirmed cases of COVID-19 in public health reported week 32 (August 8 to 14, 2021) by public health unit: Ontario**



**Note:** The provincial rate of confirmed cases of COVID-19 reported in week 32 was 21.5 cases per 100,000 population.

**Data Source:** CCM

## Outbreaks

**Table 11. Number of public health unit declared COVID-19 outbreaks by setting type: Ontario**

Setting Type	Reported week 32 (August 8 to 14)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to August 14
<b>Congregate Care</b>	<b>2</b>	<b>8</b>	<b>2,956</b>
Long-term care homes	0	2	1,494
Retirement homes	1	4	877
Hospitals	1	2	585
<b>Congregate Living</b>	<b>4</b>	<b>13</b>	<b>1,323</b>
Correctional facility	0	0	59
Shelter	0	5	272
Group Home/supportive housing	3	5	782
Short-term accommodations	1	1	39
Congregate other	0	2	171
<b>Education and Childcare</b>	<b>8</b>	<b>14</b>	<b>2,469</b>
Child care	7	11	1,025
Camp – Day*	0	1	5
Camp – Overnight*	0	0	1
Camp – Unspecified*	1	1	1
School – Elementary**	0	1	1,070
School – Elementary/secondary**	0	0	64
School – Secondary**	0	0	257
School – Post-secondary**	0	0	46
<b>Other settings</b>	<b>21</b>	<b>44</b>	<b>4,262</b>

Setting Type	Reported week 32 (August 8 to 14)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to August 14
Bar/restaurant/nightclub	8	11	353
Medical/health services	0	1	157
Personal service settings	0	2	28
Recreational fitness	1	3	94
Retail	1	4	468
Other recreation/community	1	1	217
Workplace – Farm	0	6	229
Workplace - Food processing	0	1	278
Other types of workplaces	4	9	2,402
Other	2	2	7
Unknown	4	4	29
<b>Total number of outbreaks</b>	<b>35</b>	<b>79</b>	<b>11,010</b>

**Note:** Reported week is based on the outbreak reported date, and if unavailable, the date the public health unit created the outbreak. Ongoing outbreaks includes all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'. Interpret information for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, manufacturing facilities, mines and construction sites, etc. Other recreation/community includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.

\*Cumulative counts include COVID-19 camp outbreaks reported starting week-27 of 2021 (July 4 to 10, 2021).

\*\*Cumulative counts include COVID-19 school outbreaks reported starting week-36 (August 30 to September 5, 2020).

Ongoing re-classification of settings for reported outbreaks can result in outbreak counts that may differ from previously reported counts. Outbreaks in settings outside of Ontario are excluded from all outbreak counts.

**Data Source:** CCM

**Table 12. Confirmed cases of COVID-19 associated with COVID-19 outbreaks by setting type and public health unit reported week: Ontario**

Cases associated with the outbreak setting type	Reported week 31 (August 1 to 7)	Reported week 32 (August 8 to 14)	Cumulative number of cases
<b>Congregate Care</b>	<b>13</b>	<b>20</b>	<b>40,099</b>
Long-term care homes	6	3	26,507
Retirement homes	6	12	7,204
Hospitals	1	5	6,388
<b>Congregate Living</b>	<b>19</b>	<b>20</b>	<b>9,922</b>
Correctional facility	0	0	1,753
Shelter	4	2	2,789
Group Home/supportive housing	4	3	3,639
Short-term accommodations	0	0	212
Congregate other	11	15	1,529
<b>Education and Childcare</b>	<b>59</b>	<b>31</b>	<b>10,587</b>
Child care	50	25	4,244
Camp – Day*	0	1	27
Camp – Overnight*	9	1	11
Camp – Unspecified*	0	3	3
School – Elementary**	0	0	4,434
School – Elementary/secondary**	0	0	343
School – Secondary**	0	1	1,107
School – Post-secondary**	0	0	418
<b>Other settings</b>	<b>89</b>	<b>127</b>	<b>34,717</b>
Bar/restaurant/nightclub	37	44	1,577
Medical/health services	2	0	727

Cases associated with the outbreak setting type	Reported week 31 (August 1 to 7)	Reported week 32 (August 8 to 14)	Cumulative number of cases
Personal service settings	0	3	110
Recreational fitness	4	12	745
Retail	6	1	2,532
Other recreation/community	6	15	2,923
Workplace - Farm	7	13	3,143
Workplace - Food processing	0	0	3,731
Other types of workplaces	17	8	19,016
Other	9	17	55
Unknown	1	14	158
<b>Total number of cases</b>	<b>180</b>	<b>198</b>	<b>95,325</b>

**Note:** Interpret case counts for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, manufacturing facilities, mines, and construction sites, etc. Other recreation/community includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.


\*Cumulative counts include COVID-19 camp outbreaks reported starting week-27 of 2021 (July 4 to 10, 2021).

\*\*Cumulative counts include cases of COVID-19 associated with school outbreaks reported starting week-36 (August 30 to September 5, 2020).

Ongoing re-classification of settings for reported outbreaks can result in case counts that may differ from previously reported counts. Cases associated with outbreaks outside of Ontario are excluded from case counts in this table.

**Data Source:** CCM

**Figure 10. Public health unit declared COVID-19 outbreaks by outbreak setting type and public health unit reported week: Ontario**



**Note:** If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Week 8 refers to February 16 and 22, 2020 and week 32 refers to August 8 and 14, 2021. Congregate living include group homes, shelters, correctional facilities, etc. Other settings include outbreaks within workplaces, childcare, schools, restaurants, recreation etc.

**Data Source:** CCM



## Variant COVID-19 Cases

**Table 13. Summary of confirmed COVID-19 cases with a mutation or VOC detected by age group and gender: Ontario**

	Lineage B.1.1.7 (Alpha)*	Lineage B.1.351 (Beta)**	Lineage P.1 (Gamma)***	Lineage B.1.617.2 (Delta)†	Mutations‡	Mutation not detected§	Cumulative case count as of August 14, 2021
Gender: Male	73,575	735	2,700	3,411	12,174	8,581	101,176
Gender: Female	71,206	756	2,473	3,174	11,218	8,397	97,224
Ages: 19 and under	27,689	248	903	1,520	4,749	3,239	38,348
Ages: 20-39	55,299	482	1,932	2,727	9,209	6,773	76,422
Ages: 40-59	42,593	489	1,567	1,597	6,482	4,653	57,381
Ages: 60-79	17,333	236	667	664	2,780	2,027	23,707
Ages: 80 and over	2,781	41	137	145	459	408	3,971

**Note:** Not all cases have an age or gender reported. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts. Data for cases with a B.1.1.7 (Alpha), B.1.351 (Beta), P.1 (Gamma) and B.1.617.2 (Delta) lineage detected or a mutation are determined using the Investigation Subtype field only. Changes to the VOC testing algorithm may impact counts and trends. Further details can be found in the data caveats section.

\*Includes all confirmed COVID-19 cases where lineage B.1.1.7 (Alpha) was identified by genomic analysis and those presumed to be B.1.1.7 based on a positive N501Y and negative E484K mutation in the Investigation Subtype field.

\*\*Includes B.1.351 (Beta) cases identified by genomic analysis and those presumed to be B.1.351 based on 'Mutation K417N+ and N501Y+ and E484K+' in the Investigation Subtype field.

\*\*\*Includes P.1 (Gamma) cases identified by genomic analysis and those presumed to be P.1 based on 'Mutation K417T+ and N501Y+ and E484K+' in the Investigation Subtype field.

†Includes B.1.617.2 (Delta) cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.

‡Mutations includes all confirmed COVID-19 cases with the following mutations detected, reported from the Investigation Subtype field: N501Y and E484K, N501Y (E484K unknown), E484K (N501Y negative), E484K (N501Y unknown).

§Includes cases identified as 'Mutation not detected' or 'Mutation N501Y- and E484K-' in the Investigation Subtype field only.

**Data Source:** CCM

**Table 14. Summary of confirmed COVID-19 cases with a mutation or VOC detected by likely source of acquisition: Ontario**

	Lineage B.1.1.7 (Alpha)*	%	Lineage B.1.351 (Beta)**	%	Lineage P.1 (Gamma)***	%	Lineage B.1.617.2 (Delta)†	%	Mutations ‡	%	Cumulative case count up to August 14, 2021	Cumulative percentage
Travel	827	0.6%	38	2.5%	65	1.2%	455	6.8%	311	1.3%	1,696	0.9%
Outbreak-associated or close contact of a confirmed case	80,995	55.6%	947	62.3%	3,301	63.4%	4,142	62.3%	15,376	64.9%	104,761	57.3%
Epidemiological link – type unspecified	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
No known epidemiological link	52,180	35.8%	413	27.6%	1,608	30.9%	1,864	28.0%	6,891	29.1%	62,956	34.5%
Information missing or unknown	11,702	8.0%	98	6.6%	232	4.5%	198	2.9%	1,102	4.7%	13,326	7.3%
<b>Total</b>	<b>145,704</b>		<b>1,496</b>		<b>5,206</b>		<b>6,653</b>		<b>23,680</b>		<b>182,739</b>	

**Note:** Information for how cases are grouped within each category is available in the technical notes. Data for cases with a B.1.1.7 (Alpha), B.1.351 (Beta), and P.1 (Gamma) lineage detected are determined using the Investigation Subtype field only.

\*Includes all confirmed COVID-19 cases where lineage B.1.1.7 (Alpha) was identified by genomic analysis and those presumed to be B.1.1.7 based on a positive N501Y and negative E484K mutation in the Investigation Subtype field.

\*\*Includes B.1.351 (Beta) cases identified by genomic analysis and those presumed to be B.1.351 based on ‘Mutation K417N+ and N501Y+ and E484K+’ in the Investigation Subtype field.


\*\*\*Includes P.1 (Gamma) cases identified by genomic analysis and those presumed to be P.1 based on ‘Mutation K417T+ and N501Y+ and E484K+’ in the Investigation Subtype field.

†Includes B.1.617.2 (Delta) cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.

‡Mutations includes all confirmed COVID-19 cases with the following mutations detected, reported from the Investigation Subtype field: N501Y and E484K, N501Y (E484K unknown), E484K (N501Y negative), E484K (N501Y unknown)

**Data Source:** CCM

**Figure 11. Rates of confirmed cases of COVID-19 with lineage B.1.617.2 (Delta)\* detected in public health reported week 32 (August 8 to 14, 2021) by public health unit: Ontario**



**Note:** The provincial rate of confirmed cases of COVID-19 with lineage B.1.617.2 (Delta)\* reported in week 32 was 1.5 cases per 100,000 population. Data for cases with a B.1.617.2\* lineage are determined using the Investigation Subtype field only. Changes to the VOC testing algorithm may impact counts and trends. Further details can be found in the data caveats section.

\*Includes B.1.617.2 (Delta) cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.

**Data Source:** CCM

# Technical Notes

## Data Sources

- The data for this report were based on:
  - Information successfully extracted from the Public Health Case and Contact Management Solution (CCM) for all PHUs by PHO as of **August 17, 2021 at 1 p.m.** for cases reported from February 1, 2021 onwards and as of **August 16, 2021 at 9 a.m.** for cases reported up January 31, 2021.
  - VOC data was successfully extracted from CCM for all PHUs by PHO as of **August 17, 2021 at 1 p.m.** for cases reported from April 1, 2021 onwards and as of **August 16, 2021 at 9 a.m.** for cases reported up to March 31, 2021.
  - COVID-19 vaccination data were based on information successfully extracted from the Ontario Ministry of Health's COVaxON application as of **August 16, 2021 at approximately 7 a.m.** COVaxON data was subsequently linked to COVID-19 case data based on information successfully extracted from the Public Health Case and Contact Management Solution (CCM) for all PHUs by PHO as of **August 16, 2021 at 1 p.m.**
- CCM and COVaxON are dynamic disease reporting systems, which allow ongoing updates to data previously entered. As a result, data extracted from CCM and COVaxON represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population estimate data were sourced from Statistics Canada. Population estimates 2001-2020: Table 1 annual population estimates by age and sex for July 1, 2001 to 2020, health regions, Ontario [unpublished data table]. Ottawa, ON: Government of Canada; 2021 [received April 22, 2021].
- Statistics Canada Postal Code Conversion File Plus (PCCF+), version 7B.
- The health equity (neighbourhood-level diversity and material deprivation) analyses use data from the 2016 Ontario Marginalization Index (ON-Marg), and population counts from the Ontario Health Insurance Plan (OHIP) Registered Person Database (RPDB) as of May 1, 2021 (provided by the Institute for Clinical Evaluative Sciences [ICES]):
  - Matheson FI; van Ingen T. 2016 Ontario marginalization index. Toronto, ON: Providence St. Joseph's and St. Michael's Healthcare; 2018. Joint publication with Public Health Ontario.
  - Chung H, Fung K, Ishiguro L, Paterson M, et al. Characteristics of COVID-19 diagnostic test recipients, Applied Health Research Questions (AHRQ) # 2021 0950 080 000. Toronto: Institute for Clinical Evaluative Sciences; 2020.

## Data Caveats and Methods: Case Data

- The data represent case and vaccination information reported to public health units and recorded in CCM or COVaxON. As a result, all counts are subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking

behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.

- Observed trends over time should be interpreted with caution for the most recent period due to reporting and/or data entry lags.
- Only cases meeting the confirmed case classification as listed in the [MOH Case Definition – Coronavirus Disease \(COVID-19\) document](#) are included in the report counts from CCM. This includes persons with:
  - laboratory confirmation by a validated NAAT assay
  - a validated point-of-care (POC) assay deemed acceptable to provide a final result
  - a validated laboratory-based serological assay SARS-CoV-2
- Cases of confirmed reinfection, as defined in the provincial case definitions, are counted as unique investigations. Reinfection cases include cases for persons (CCM clients) with two or more confirmed case investigations where the case investigations after the first one have the reinfection checkbox marked as 'Yes'.
- Case classification information may be updated for individuals with a positive result issued from a point-of-care assays.
- COVID-19 cases from CCM for which the Classification and/or Disposition was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, IGNORE, DUPLICATE, or any variation on these values have been excluded. The provincial case count for COVID-19 may include some duplicate records, if these records were not identified and resolved.
- Reported date is the date the case was reported to the public health unit. This is different than the daily change in cases released by the Province for the same time period, which reflects the difference in cumulative counts reported to the Province between one day and the next.
- Reported weeks were created to align with the Public Health Agency of Canada (PHAC) influenza surveillance weeks.
- Case episode date represents an estimate of disease onset. This date is calculated based on the earliest date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
- Cases with unknown or missing ages were excluded from age-specific analyses.
- Health care worker includes cases that reported 'Yes' to any of the following occupations: health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are considered resolved:
  - Cases that are reported as 'recovered' in CCM based on local public health unit assessment

- Cases that are not hospitalized and are 14 days past their symptom onset date or specimen collection date (where symptom onset date is not known)
- Cases that are currently hospitalized (no hospitalization end date entered) and have a case status of 'closed' indicating that public health follow up is complete and are 14 days past their symptom onset date or specimen collection date
- Data on hospital admissions, ICU admissions and deaths are likely under-reported as these events may occur after the completion of public health follow up of cases. Cases that were admitted to hospital or died after follow-up was completed may not be captured in CCM.
- Deaths are determined by using the outcome field in CCM. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.
  - The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.
- Hospitalization includes all cases for which a hospital admission date was reported or hospitalization/ICU was reported as 'Yes' at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM and local systems. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with a confirmed outbreak, was a contact of a case, had an Epidemiological link with type unspecified, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
  - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
  - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of a long-term care home'; or 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility'. 'Long-term care home residents' excludes cases that reported 'Yes' to any of the health care worker occupational risk factors.

- 'Health care workers associated with long-term care outbreaks' includes 'health care workers' reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.
- 'Cases associated with school outbreaks' includes cases that are linked to an outbreak, by school classification type (Elementary, Elementary/Secondary, Secondary, Post-Secondary), that met the definition of a [school outbreak](#).
- School classification types are defined by the Ministry of Education.
  - Elementary/Secondary schools include public or private schools educating children in a combination of elementary and secondary grades (e.g., Kindergarten to Grade 8, Grades 9 to 12, and Kindergarten to Grade 12).
- Orientation of case counts by geography is based on the permanent health unit. This is equivalent to the diagnosing health unit (DHU) in iPHIS. DHU refers to the case's public health unit of residence at the time of illness onset and not necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a case that is not a resident of Ontario) have been excluded from the analyses.
  - GTA health units include: Durham Region Health Department, Peel Public Health, Toronto Public Health and York Region Public Health
- Ongoing outbreaks are those that are reported in CCM as 'Open' and without a 'Declared Over Date' recorded. Closed outbreaks are 'Closed' or have a 'Declared Over Date' recorded in CCM or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'.
- Outbreaks are declared by the local medical officer of health or their designate in accordance to the Health Protection and Promotion Act and criteria outlined in [Ministry guidance documents](#).
- School outbreaks include outbreaks declared on or after week-36 (August 30 to September 5, 2020).
- Public Health Ontario conducts testing and genomic analyses for SARS-CoV-2 positive specimens using the criteria outlined here: <https://www.publichealthontario.ca/en/laboratory-services/test-information-index/covid-19-voc>
- Lineage nomenclature is dynamic. PANGO lineage naming and assignment may change as more samples are sequenced and analyzed.
- Variant status may be updated based on scientific evidence. Variants designated as a VOC in Canada is available on the [Public Health Agency of Canada's SARS-CoV-2 Variants webpage](#).
- Changes to the VOC testing algorithm may occur over time and trends should be interpreted with caution. Since February 3, 2021 all PCR positive SARS-CoV-2 specimens with Ct values  $\leq 35$  are tested for a N501Y mutation. As of March 22, 2021, positive specimens with a Ct  $\leq 35$  are tested for both the N501Y and E484K mutation, with all E484K positive specimens with a Ct  $\leq 30$  forwarded for further genomic analysis. If found to be positive for the N501Y mutation only, no

further genomic analysis are performed as these are presumed to be B.1.1.7 (alpha). As of May 26, 2021, cases where an E484K mutation is detected will no longer be reflexed for sequencing as VOC testing labs switched to a representative sampling method where only a proportion of all positives with a Ct  $\leq$  30 are forwarded for further genomic analysis. The laboratory detection of a variant of concern is a multi-step process. Samples that test positive for SARS-CoV-2 and have a cycle threshold (Ct) value  $\leq$  35 can be tested for mutations common to variants of concern. If positive for the mutation of interest these samples may then undergo genomic analyses to identify the VOC. VOC lineages may still be confirmed using genomic analysis despite specific S gene mutation(s) being documented as 'unable to complete' due to poor sequence quality at the genome position.

- If a VOC is identified through genomic analysis cases initially classified as a mutation may be updated and moved to the appropriate lineage [B.1.1.7 (Alpha), B.1.351 (Beta), P.1 (Gamma) and B.1.617.2 (Delta)].

## Data Caveats and Methods: COVaxON

- Linking COVaxON and CCM data is dependent on availability of personal identifiers reported in both databases. For example, if a client was reported in both COVaxON and CCM, but personal identifiers (e.g. such as health card number, date of birth) were not available, then sufficient information would not have been available to identify the client and the client would not have been included in the linkage.
- The following COVID-19 cases were excluded from the primary analysis as the timing of infection (i.e. date of symptom onset) relative to vaccination (i.e. date of dose administration) could not be determined.
  - Cases reported as asymptomatic and where no symptom information was reported.
  - Cases where no symptoms onset date was reported.
  - Cases reported as re-positive or remote positive.
    - Re-positive cases are defined as cases that test positive again after a negative test result based on an approved method or after being cleared/resolved (based on either time from symptom onset or having two negative tests). This may include cases that were asymptomatic at the time of the initial positive result and later developed symptoms which lead to subsequent testing. As a result, the timing of infection may be unclear.
    - Remote positive cases are defined as asymptomatic positive cases with a low pre-test probability (e.g., no epidemiologic link to a confirmed case or an outbreak) and a repeat test that is negative. For these cases, the timing of infection may be unclear.
- The definitions for partially vaccinated and breakthrough cases used in this report were modelled after proposed national definitions, and do not necessarily align with those used in other jurisdictions. Further, the definitions may be revised over time.
  - **Cases not yet protected by vaccination:** Individuals with a symptom onset date that was 0 to <14 days following the first dose of a COVID-19 vaccine. This time period from



vaccination is not sufficient to develop immunity, therefore these cases are not considered protected from vaccination.

- **Partially vaccinated case:** Individuals with a symptom onset date that was 14 or more days following the first dose of a COVID-19 vaccine or 0 to <14 days after receiving the second dose of a 2-dose COVID-19 vaccine series. This time period from vaccination may be sufficient to develop some degree of immunity, but these cases are not considered fully protected as they have not yet received the second dose or have only recently received the second dose.
- **Breakthrough (i.e., fully vaccinated) case:** Cases with a symptom onset date that was 14 or more days following receipt of the second dose of a 2-dose COVID-19 vaccine series or 14 or more days following the first dose of a COVID-19 vaccine product with a 1-dose schedule. These cases are considered fully protected from vaccination, however, as VE is not 100%, it is expected that a small number of cases will occur following complete vaccination.
- For breakthrough cases, the time interval between doses was not assessed to determine if the second dose was administered as per the product-specific recommended minimum interval.

## Data Caveats and Methods: ON-Marg

- ON-Marg is a data tool that combines a wide range of demographic indicators into multiple distinct dimensions of marginalization. It is an area-based index which assigns a measure of marginalization based on neighbourhood versus individual characteristics. As such, the broader demographic trends of an area may not reflect all residents of a neighbourhood owing to the inherent heterogeneity of demographic characteristics which can vary substantially especially across large rural geographies. For more information, please visit [PHO's ON-Marg website](#).
- Neighbourhood diversity is defined using the ethnic concentration dimension of ON-Marg, which measures populations who may experience marginalization related to racism and discrimination. It is based on the proportion of non-white and non-Indigenous residents (visible minority) and/or the proportion of immigrants that arrived in Canada within the past five years. 'Visible minority' is a term used by Statistics Canada that, although is considered to be outdated, is used here to be consistent with the Canadian census.
- Neighbourhood material deprivation is defined using the material deprivation dimension of ON-Marg, which is closely connected to poverty. It refers to the inability of individuals and communities to access and attain basic material needs. The indicators included in this dimension measure income, quality of housing, educational attainment and family structure characteristics.
- "Neighbourhoods" are considered to be Statistic Canada dissemination areas (DA). Cases were probabilistically matched to a DA based on their postal code using Statistics Canada's PCCF+ version 7B file, and subsequently assigned to a quintile of marginalization that contained 20% of Ontario neighbourhoods. The quintiles for the ethnic concentration and the material deprivation dimensions are ordered from quintiles 1 to 5, with quintile 1 having the lowest level of marginalization (i.e., least diverse or least deprived) and quintile 5 having the highest level of marginalization (i.e., most diverse or most deprived).
- The following were not included in analyses that summarize the impact of COVID-19 among Ontarians who may experience marginalization:

- People who have tested positive for COVID-19 that reside in institutional and congregate settings are not included in the census data from which the marginalization indicators (ethnic concentration and material deprivation) are derived. Although these cases represent a large number of cases overall and deaths, their exclusion ensures appropriate comparisons since institutional and congregate setting residents are excluded from ON-Marg.
- People who have tested positive for COVID-19 that reside in census dissemination areas where data has been suppressed, and cases that have missing or invalid postal codes could not be assigned to a quintile of marginalization.
- Due to data suppression for some census indicators on Indian Reserves in Ontario, residents of Indian Reserves could not be included in ON-Marg and therefore people who have tested positive for COVID-19 and are living on Indian Reserves could not be assigned to a quintile of marginalization. While Indigenous individuals living off reserves are included in this analysis, Indigeneity data is not currently collected or captured in dimensions of ON-Marg.
- Population counts used in rate denominators were provided by ICES. Individuals alive and eligible for the Ontario Health Insurance Plan (OHIP) as of January 1st, 2021 using the OHIP RPDB were included.
  - Individuals residing in long-term care (LTC) homes were excluded. Recent health care transaction records (e.g., OHIP physician billings, Ontario Drug Benefit [ODB] Plan claims) and Resident Assessment Instrument (RAI) assessments from the Continuing Care Reporting System (CCRS) were used to identify individuals residing in a LTC home near the period prior to the index date.
  - Postal codes were assigned to individuals according to the most recent residential address available in the OHIP RPDB.
- This work is supported by the Applied Health Research Questions (AHRQ) Portfolio at ICES, which is funded by the Ontario Ministry of Health, and Ontario Health Data Platform (OHDP), a Province of Ontario initiative to support Ontario's ongoing response to COVID-19 and its related impacts. Parts of this material are based on data and information compiled and provided by the Ontario Ministry of Health. The analyses, conclusions, opinions and statements expressed herein are solely those of the authors and do not reflect those of ICES, the OHDP or the funding or data sources; no endorsement is intended or should be inferred. For more information on AHRQ and how to submit a request, please visit [www.ices.on.ca/DAS/AHRQ](http://www.ices.on.ca/DAS/AHRQ).

## Appendix A

**Table 1A. Confirmed cases of COVID-19 by public health unit reported week: Ontario**

Reported Week	Start date	End date	Number of cases	Cumulative count
2	January 5, 2020	January 11, 2020	0	0
3	January 12, 2020	January 18, 2020	0	0
4	January 19, 2020	January 25, 2020	3	3
5	January 26, 2020	February 1, 2020	0	3
6	February 2, 2020	February 8, 2020	0	3
7	February 9, 2020	February 15, 2020	0	3
8	February 16, 2020	February 22, 2020	1	4
9	February 23, 2020	February 29, 2020	13	17
10	March 1, 2020	March 7, 2020	15	32
11	March 8, 2020	March 14, 2020	148	180
12	March 15, 2020	March 21, 2020	447	627
13	March 22, 2020	March 28, 2020	1,326	1,953
14	March 29, 2020	April 4, 2020	2,797	4,750
15	April 5, 2020	April 11, 2020	3,168	7,918
16	April 12, 2020	April 18, 2020	4,265	12,183
17	April 19, 2020	April 25, 2020	3,653	15,836
18	April 26, 2020	May 2, 2020	2,903	18,739
19	May 3, 2020	May 9, 2020	2,353	21,092
20	May 10, 2020	May 16, 2020	2,222	23,314
21	May 17, 2020	May 23, 2020	2,617	25,931
22	May 24, 2020	May 30, 2020	2,612	28,543
23	May 31, 2020	June 6, 2020	2,303	30,846

Reported Week	Start date	End date	Number of cases	Cumulative count
24	June 7, 2020	June 13, 2020	1,472	32,318
25	June 14, 2020	June 20, 2020	1,227	33,545
26	June 21, 2020	June 27, 2020	1,250	34,795
27	June 28, 2020	July 4, 2020	1,085	35,880
28	July 5, 2020	July 11, 2020	867	36,747
29	July 12, 2020	July 18, 2020	931	37,678
30	July 19, 2020	July 25, 2020	993	38,671
31	July 26, 2020	August 1, 2020	807	39,478
32	August 2, 2020	August 8, 2020	592	40,070
33	August 9, 2020	August 15, 2020	610	40,680
34	August 16, 2020	August 22, 2020	729	41,409
35	August 23, 2020	August 29, 2020	851	42,260
36	August 30, 2020	September 5, 2020	976	43,236
37	September 6, 2020	September 12, 2020	1,503	44,739
38	September 13, 2020	September 19, 2020	2,373	47,112
39	September 20, 2020	September 26, 2020	3,123	50,235
40	September 27, 2020	October 3, 2020	4,222	54,457
41	October 4, 2020	October 10, 2020	5,035	59,492
42	October 11, 2020	October 17, 2020	5,277	64,769
43	October 18, 2020	October 24, 2020	6,037	70,806
44	October 25, 2020	October 31, 2020	6,386	77,192
45	November 1, 2020	November 7, 2020	7,605	84,797
46	November 8, 2020	November 14, 2020	10,433	95,230
47	November 15, 2020	November 21, 2020	9,991	105,221
48	November 22, 2020	November 28, 2020	11,134	116,355

Reported Week	Start date	End date	Number of cases	Cumulative count
49	November 29, 2020	December 5, 2020	12,683	129,038
50	December 6, 2020	December 12, 2020	13,058	142,096
51	December 13, 2020	December 19, 2020	15,654	157,750
52	December 20, 2020	December 26, 2020	15,630	173,380
53	December 27, 2020	January 2, 2021	20,442	193,822
1	January 3, 2021	January 9, 2021	24,872	218,694
2	January 10, 2021	January 16, 2021	21,383	240,077
3	January 17, 2021	January 23, 2021	16,394	256,471
4	January 24, 2021	January 30, 2021	12,767	269,238
5	January 31, 2021	February 6, 2021	9,782	279,020
6	February 7, 2021	February 13, 2021	7,899	286,919
7	February 14, 2021	February 20, 2021	7,456	294,375
8	February 21, 2021	February 27, 2021	7,682	302,057
9	February 28, 2021	March 6, 2021	7,933	309,990
10	March 7, 2021	March 13, 2021	9,478	319,468
11	March 14, 2021	March 20, 2021	11,024	330,492
12	March 21, 2021	March 27, 2021	14,386	344,878
13	March 28, 2021	April 3, 2021	18,942	363,820
14	April 4, 2021	April 10, 2021	25,575	389,395
15	April 11, 2021	April 17, 2021	30,896	420,291
16	April 18, 2021	April 24, 2021	28,336	448,627
17	April 25, 2021	May 1, 2021	25,214	473,841
18	May 2, 2021	May 8, 2021	20,750	494,591
19	May 9, 2021	May 15, 2021	16,518	511,109
20	May 16, 2021	May 22, 2021	12,655	523,764

Reported Week	Start date	End date	Number of cases	Cumulative count
21	May 23, 2021	May 29, 2021	7,759	531,523
22	May 30, 2021	June 5, 2021	5,211	536,734
23	June 6, 2021	June 12, 2021	3,482	540,216
24	June 13, 2021	June 19, 2021	2,418	542,634
25	June 20, 2021	June 26, 2021	1,883	544,517
26	June 27, 2021	July 3, 2021	1,471	545,988
27	July 4, 2021	July 10, 2021	1,226	547,214
28	July 11, 2021	July 17, 2021	1,046	548,260
29	July 18, 2021	July 24, 2021	1,107	549,367
30	July 25, 2021	July 31, 2021	1,349	550,716
31	August 1, 2021	August 7, 2021	1,911	552,627
32	August 8, 2021	August 14, 2021	3,174	555,801

**Table 2A. Confirmed cases of COVID-19 by public health unit and region: Ontario**

Public Health Unit Name	Cases reported week 31	Rate per 100,000 population Reported week 31	Cases reported week 32	Rate per 100,000 population Reported week 32
Northwestern Health Unit	4	4.9	9	11.1
Thunder Bay District Health Unit	2	1.3	2	1.3
<b>TOTAL NORTH WEST</b>	<b>6</b>	<b>2.5</b>	<b>11</b>	<b>4.6</b>
Algoma Public Health	2	1.7	2	1.7
North Bay Parry Sound District Health Unit	2	1.5	4	3.1
Porcupine Health Unit	4	4.7	1	1.2
Public Health Sudbury & Districts	16	7.8	18	8.8
Timiskaming Health Unit	1	3.0	0	0.0
<b>TOTAL NORTH EAST</b>	<b>25</b>	<b>4.4</b>	<b>25</b>	<b>4.4</b>
Ottawa Public Health	65	6.2	118	11.3
Eastern Ontario Health Unit	9	4.2	25	11.6
Hastings Prince Edward Public Health	24	13.9	23	13.3
Kingston, Frontenac and Lennox & Addington Public Health	8	3.8	6	2.9
Leeds, Grenville & Lanark District Health Unit	4	2.2	19	10.6
Renfrew County and District Health Unit	2	1.8	0	0.0
<b>TOTAL EASTERN</b>	<b>112</b>	<b>5.8</b>	<b>191</b>	<b>9.9</b>
Durham Region Health Department	87	12.2	136	19.1

Public Health Unit Name	Cases reported week 31	Rate per 100,000 population Reported week 31	Cases reported week 32	Rate per 100,000 population Reported week 32
Haliburton, Kawartha, Pine Ridge District Health Unit	17	8.9	15	7.9
Peel Public Health	235	15.0	388	24.8
Peterborough Public Health	2	1.4	4	2.7
Simcoe Muskoka District Health Unit	37	6.1	105	17.4
York Region Public Health	232	19.3	336	28.0
<b>TOTAL CENTRAL EAST</b>	<b>610</b>	<b>13.8</b>	<b>984</b>	<b>22.3</b>
Toronto Public Health	461	15.4	772	25.8
<b>TOTAL TORONTO</b>	<b>461</b>	<b>15.4</b>	<b>772</b>	<b>25.8</b>
Chatham-Kent Public Health	6	5.6	25	23.4
Grey Bruce Health Unit	32	18.2	38	21.6
Huron Perth Public Health	10	6.8	25	17.1
Lambton Public Health	3	2.3	15	11.3
Middlesex-London Health Unit	58	11.4	100	19.6
Southwestern Public Health	35	16.0	30	13.7
Windsor-Essex County Health Unit	127	29.5	221	51.3
<b>TOTAL SOUTH WEST</b>	<b>271</b>	<b>15.7</b>	<b>454</b>	<b>26.4</b>
Brant County Health Unit	23	15.0	45	29.3
City of Hamilton Public Health Services	151	26.0	300	51.6
Haldimand-Norfolk Health Unit	15	12.5	9	7.5
Halton Region Public Health	58	9.5	141	23.1



Public Health Unit Name	Cases reported week 31	Rate per 100,000 population Reported week 31	Cases reported week 32	Rate per 100,000 population Reported week 32
Niagara Region Public Health	23	4.8	77	16.0
Region of Waterloo Public Health and Emergency Services	121	20.0	134	22.1
Wellington-Dufferin-Guelph Public Health	35	11.2	31	9.9
<b>TOTAL CENTRAL WEST</b>	<b>426</b>	<b>14.9</b>	<b>737</b>	<b>25.7</b>
<b>TOTAL ONTARIO</b>	<b>1,911</b>	<b>13.0</b>	<b>3,174</b>	<b>21.5</b>

**Note:** Interpret information for the most recent week with caution due to reporting lags.

**Table 3A. Confirmed COVID-19 variants of concern by public health unit and region: Ontario**

Public Health Unit Name	Cumulative case count up to August 14 for Lineage B.1.1.7 (Alpha)*	Cumulative case count up to August 14 for Lineage B.1.351 (Beta)**	Cumulative case count up to August 14 for Lineage P.1 (Gamma)***	Cumulative case count up to August 14 for Lineage B.1.617.2 (Delta)†	Cumulative count up to August 14 for Mutations‡
Northwestern Health Unit	58	0	1	7	16
Thunder Bay District Health Unit	104	1	2	7	74
<b>TOTAL NORTH WEST</b>	<b>162</b>	<b>1</b>	<b>3</b>	<b>14</b>	<b>90</b>
Algoma Public Health	68	0	14	6	26
North Bay Parry Sound District Health Unit	235	28	3	35	14
Porcupine Health Unit	1,096	2	0	50	8
Public Health Sudbury & Districts	691	13	10	13	268
Timiskaming Health Unit	83	1	0	1	0
<b>TOTAL NORTH EAST</b>	<b>2,173</b>	<b>44</b>	<b>27</b>	<b>105</b>	<b>316</b>
Ottawa Public Health	6,843	515	55	108	462
Eastern Ontario Health Unit	657	46	20	9	267
Hastings Prince Edward Public Health	80	0	17	7	396

Public Health Unit Name	Cumulative case count up to August 14 for Lineage B.1.1.7 (Alpha)*	Cumulative case count up to August 14 for Lineage B.1.351 (Beta)**	Cumulative case count up to August 14 for Lineage P.1 (Gamma)***	Cumulative case count up to August 14 for Lineage B.1.617.2 (Delta)†	Cumulative count up to August 14 for Mutations‡
Kingston, Frontenac and Lennox & Addington Public Health	457	2	35	14	132
Leeds, Grenville & Lanark District Health Unit	295	19	0	1	43
Renfrew County and District Health Unit	232	8	7	4	12
<b>TOTAL EASTERN</b>	<b>8,564</b>	<b>590</b>	<b>134</b>	<b>143</b>	<b>1,312</b>
Durham Region Health Department	9,518	65	267	201	1,211
Haliburton, Kawartha, Pine Ridge District Health Unit	443	0	23	54	309
Peel Public Health	31,171	161	1,770	963	2,836
Peterborough Public Health	629	4	8	24	161
Simcoe Muskoka District Health Unit	3,858	35	173	165	831
York Region Public Health	15,871	79	477	318	2,727
<b>TOTAL CENTRAL EAST</b>	<b>61,490</b>	<b>344</b>	<b>2,718</b>	<b>1,725</b>	<b>8,075</b>
Toronto Public Health	45,574	375	1,523	1,274	7,937

Public Health Unit Name	Cumulative case count up to August 14 for Lineage B.1.1.7 (Alpha)*	Cumulative case count up to August 14 for Lineage B.1.351 (Beta)**	Cumulative case count up to August 14 for Lineage P.1 (Gamma)***	Cumulative case count up to August 14 for Lineage B.1.617.2 (Delta)†	Cumulative count up to August 14 for Mutations‡
<b>TOTAL TORONTO</b>	<b>45,574</b>	<b>375</b>	<b>1,523</b>	<b>1,274</b>	<b>7,937</b>
Chatham-Kent Public Health	130	5	16	20	103
Grey Bruce Health Unit	310	0	6	502	55
Huron Perth Public Health	277	0	12	64	28
Lambton Public Health	438	0	18	53	126
Middlesex-London Health Unit	3,381	2	122	172	187
Southwestern Public Health	679	3	21	69	165
Windsor-Essex County Health Unit	1,852	5	17	74	133
<b>TOTAL SOUTH WEST</b>	<b>7,067</b>	<b>15</b>	<b>212</b>	<b>954</b>	<b>797</b>
Brant County Health Unit	670	2	97	66	496
City of Hamilton Public Health Services	5,057	66	104	369	2,088
Haldimand-Norfolk Health Unit	368	3	23	36	408
Halton Region Public Health	5,087	30	166	261	616

Public Health Unit Name	Cumulative case count up to August 14 for Lineage B.1.1.7 (Alpha)*	Cumulative case count up to August 14 for Lineage B.1.351 (Beta)**	Cumulative case count up to August 14 for Lineage P.1 (Gamma)***	Cumulative case count up to August 14 for Lineage B.1.617.2 (Delta)†	Cumulative count up to August 14 for Mutations‡
Niagara Region Public Health	4,285	4	20	74	1,100
Region of Waterloo Public Health and Emergency Services	3,123	21	98	1,420	267
Wellington-Dufferin-Guelph Public Health	2,084	1	81	212	178
<b>TOTAL CENTRAL WEST</b>	<b>20,674</b>	<b>127</b>	<b>589</b>	<b>2,438</b>	<b>5,153</b>
<b>TOTAL ONTARIO</b>	<b>145,704</b>	<b>1,496</b>	<b>5,206</b>	<b>6,653</b>	<b>23,680</b>

**Note:** Interpret the VOC and mutation trends with caution due to the varying time required to complete VOC testing and/or genomic analysis following the initial positive test for SARS-CoV-2. Data for calculating the cumulative case count uses data from the Investigation Subtype field only. Data for cases with a B.1.1.7 (Alpha), B.1.351 (Beta), P.1 (Gamma) and B.1.617.2 (Delta) lineage detected or a mutation are determined using the Investigation Subtype field only.

\*Includes all confirmed COVID-19 cases where lineage B.1.1.7 (Alpha) was identified by genomic analysis and those presumed to be B.1.1.7 based on a positive N501Y and negative E484K mutation in the Investigation Subtype field.

\*\*Includes B.1.351 (Beta) cases identified by genomic analysis and those presumed to be B.1.351 based on 'Mutation K417N+ and N501Y+ and E484K+' in the Investigation Subtype field

\*\*\*Includes P.1 (Gamma) cases identified by genomic analysis and those presumed to be P.1 based on 'Mutation K417T+ and N501Y+ and E484K+' in the Investigation Subtype field

†Includes B.1.617.2 (Delta) cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.

‡ Mutations includes all confirmed COVID-19 cases with the following mutations detected, reported from the Investigation Subtype field: N501Y and E484K, N501Y (E484K unknown), E484K (N501Y negative), E484K (N501Y unknown)

## Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Weekly epidemiologic summary: COVID-19 in Ontario – focus on August 8, 2021 to August 14, 2021. Toronto, ON: Queen’s Printer for Ontario; 2021.

## Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario’s government, public health organizations and health care providers. PHO’s work is guided by the current best available evidence at the time of publication. The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use. This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

## For Further Information

For more information, email [cd@oahpp.ca](mailto:cd@oahpp.ca).

## Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit [publichealthontario.ca](http://publichealthontario.ca).

©Queen’s Printer for Ontario, 2021

