

The 2004 Public Survey About Health and the Health System in Alberta

Conducted by the
Population Research Laboratory
University of Alberta

Report Prepared by
Herbert C. Northcott, PhD
and
Jennifer L. Northcott, BSc
Social Science Consulting

for
Alberta Health and Wellness

June 2004

The 2004 Survey About Health And the Health System in Alberta

For research or technical inquiries, contact:

Alberta Health and Wellness
Standards and Measures Branch
22nd Floor, 10025 Jasper Avenue
Edmonton, AB T5J 2N3
Phone: (780) 427-0407
Fax: (780) 422-2880

ISSN	1480-0020
Printed	June 2004
Number Printed	200

Table of Contents

Executive Summary	iv
1 Introduction	1
2 Methods	2
2.1 Survey Instrument	2
2.2 Changes in Regional Health Authority Boundaries	3
2.3 Sampling	3
2.4 Response Rate	4
2.5 Data Collection and Analysis	4
2.6 Profile of Respondents	5
3 Health and Health Service Needs	8
3.1 Health Status	8
3.2 Health Habits and Lifestyle	10
3.3 Health Service Needs	13
4 Knowledge of Health Services	17
5 Quality of Health Care Services	18
5.1 Quality of Health Care Services in the Community	18
5.2 Quality of Care Personally Received	19
5.3 Quality of Care Personally Received from a Physician	25
5.4 Quality of Care Personally Received from a Hospital	27
5.5 Quality of Hospital Care Received by a Household Member	29

6	Complaints	30
7	Availability and Accessibility of Health Care Services	31
7.1	Availability of Services in the Community	31
7.2	Ease of Access to Needed Health Care Services	32
7.3	Waiting for Health Care Services	38
7.4	Inability to Obtain Needed Health Care Services	38
7.5	Ease of Access to Physician	42
7.6	Ease of Access to Hospital	43
8	Satisfaction With the Health Care System	47
8.1	Satisfaction with the Provision of Services	47
8.2	Overall Satisfaction with the Health Care System	48
8.3	Overall Rating of the Health Care System	50
	Appendix A: Methods	53
	A.1 Sampling	53
	A.2 Response Rate	55
	Appendix B: Questionnaire	57

Executive Summary

Introduction

The Alberta Health Survey has been conducted annually since 1995 to gather information about public perceptions of health and the health system in Alberta. Public survey information is used for developing, monitoring and reporting on several performance measures identified in the Ministry of Health and Wellness three-year Business Plan.

Method

- A representative sample of 4,000 adult Albertans participated in the telephone survey. A survey this size is accurate to within $\pm 2\%$, 19 times out of 20. Interviews were conducted from February 10 to March 31, 2004.
- A high response rate of 72% was achieved. A high response rate means that one can have confidence that the results of the survey represent the views of all Albertans.
- The survey provides information for each of the 9 Regional Health Authorities for their own planning, monitoring and performance measurement requirements. Accuracy of results for individual regions varies from $\pm 3\%$ to $\pm 6\%$, depending on regional sample size.

Results

- **Health Status.** Sixty per cent (60%) of Albertans reported in 2004 that their health was either very good or excellent compared to 61% in 2003.
- **Chronic Health Problems.** Twenty-nine per cent (29%) of respondents reported having a chronic health problem or condition requiring regular health services.
- **Knowledge of Health System.** Sixty-four per cent (64%) of respondents in 2004 said that their knowledge of the health services available to them was excellent or good. Thirty-six per cent (36%) indicated that they needed more information about available services.
- **Rating of Health System.** Sixty-five per cent (65%) of Albertans rated the health system as either excellent or good in 2004, the same percentage as in 2003.

- **Quality of Care Received.** Eighty-six per cent (86%) of respondents who received health services in the past year reported that quality of care was either excellent or good, compared to 85% in 2003. Eighty-five per cent (85%) of respondents reported that the results of the care they received were excellent or good, the same percentage as in 2003.
- **Quality of Care Received from a Physician.** Albertans who reported receiving health services from a physician rated the quality of care of their most recent visit very highly: 91% indicated that quality of care was excellent or good, and 87% indicated that the results of the care received were either excellent or good. Eighty-one per cent (81%) of respondents reported on the care that they had received from general practitioners while 19% reported on care received from specialists.
- **Quality of Care in Hospital.** Eighty-one per cent (81%) of respondents who had received care at a hospital reported that quality of care received was excellent or good, compared to 83% in 2003. Eighty-five per cent (85%) of respondents reported that the results of the hospital care they received were excellent or good, compared to 84% in 2003. Respondent ratings of the quality of care received in hospital by another household member were 79% excellent or good in 2004, compared to 81% in 2003.
- **Complaints about Health Services.** Twenty per cent (20%) of respondents reported wanting to make a complaint about services received, but only 6% reported actually complaining (compared to 5% in 2002). Most (62%) made their complaints directly to the health service provider. Thirty-eight per cent (38%) reported being satisfied with the response to their complaint (compared to 33% in 2002).
- **Availability of Services.** Fifty-nine per cent (59%) rated the availability of services in their community as excellent or good in 2004, compared to 61% in 2003.
- **Ease of Access to Health Services.** Sixty-one per cent (61%) of Albertans reported that it was easy or very easy to obtain health services in 2004, compared to 62% in 2003. Respondents most often mentioned long waits as the reason for difficult access.
- **Ease of Access to Physician.** Eighty-seven per cent (87%) of persons who had recently visited their family doctor said it had been easy or very easy to obtain this service. Eighty per cent (80%) of persons who had recently visited a medical specialist said it had been easy or very easy to obtain this service. Respondents most often mentioned long waits for appointments and long waits in the doctor's office as reasons for difficult access.

- **Waiting for the Family Physician.** Regarding their most recent visit to a physician, Albertans were asked to indicate how long they waited to see the doctor from the time they made the appointment. Of those respondents whose most recent visit was to a family physician (n=2386), 34% saw their family doctor on the same day, and an additional 38% saw the doctor in less than one week. Five per cent (5%) reported waiting more than one month.
- **Waiting for the Specialist Physician.** Of those respondents whose most recent visit to a doctor was to a specialist (n=546), 30% of respondents saw the specialist in less than one week from the time that they made an appointment and an additional 34% saw the specialist in less than one month. Three per cent (3%) reported waiting six or more months.
- **Ease of Access to Hospital.** For those persons who had received emergency care, 69% said that it had been easy or very easy to obtain this service. Seventy-seven per cent (77%) of those who received outpatient hospital care said that it had been easy or very easy to obtain this service and 75% of inpatients indicated that it had been easy or very easy to obtain admission to the hospital. Respondents most often mentioned long waiting times as the reason for difficult access.
- **Waiting for Health Services.** Twenty-two per cent (22%) of respondents reported that they or a member of their household were waiting for medical treatment, consultation or tests, surgery, or other health services, compared to 20% in 2003. Fifty-eight per cent (58%) of these persons in 2004 were waiting for consultations or tests, 22% were waiting for surgery, 17% were waiting for some other treatment, and 3% were waiting for home care services or long term care placement.
- **Inability to Receive Care.** Eleven per cent (11%) of Albertans reported being unable to receive needed care in 2004, the same percentage as in 2003. However, most of these respondents indicated that they did eventually get the service they needed, either at a later time or at a different location. Close to three per cent said that there was an occasion during the past year when they never received the care they needed.
- **Satisfaction with Health Care.** Eighty-nine per cent (89%) of Albertans were very satisfied or somewhat satisfied with the way the health service they had most recently received was provided to them in 2004, compared to 87% in 2003. Seventy-four per cent (74%) of Albertans were very satisfied or somewhat satisfied with the health care system in Alberta in 2004, compared to 73% in 2003.

1 Introduction

The 2004 Public Survey About Health and the Health System in Alberta follows similar surveys conducted annually beginning in 1995. Since 1996, Alberta Health and Wellness has contracted the Population Research Laboratory (PRL) at the University of Alberta to conduct the annual survey of 4000 adult Albertans. The purpose of the surveys is to obtain the views of the public on the performance of the health system in Alberta.

The 2004 survey questionnaire was administered to a stratified sample of Albertans in each of the province's nine health regions. The PRL's computer assisted telephone interviewing (CATI) system was used to conduct the survey which took place from February 10 to March 31, 2004. This report details the findings from the survey.

2 Methods

2.1 Survey Instrument

Alberta Health and Wellness established a number of objectives for the survey including the assessment of:

- self-reported health status and health needs
- behavioural and lifestyle contributions to health
- knowledge of health services
- quality of health care services received
- complaints about health services
- availability and accessibility of health care services
- failure to receive needed care
- satisfaction with the health care system and services received
- awareness of statistics or reports on health service performance
- variation by age, gender, and health region

The 2004 survey follows similar surveys conducted annually since 1995. In order to allow for comparison with the data collected in previous years, a number of questions asked in earlier surveys were repeated in the 2004 survey.

A draft form of the 2004 survey instrument was developed by Alberta Health and Wellness and the PRL. This instrument was formatted for use in the PRL's CATI system, and then pretested on a random sample of 20 residents of the Capital Regional Health Authority on February 5, 2004. The purpose of the pretest was to assess the questionnaire for clarity, for ability to generate a strong response rate, and to test the programming of the CATI system. On the basis of the results, minor changes were made in order to better meet the needs of Alberta Health and Wellness. The complete questionnaire is in Appendix B of this report.

The 2004 questionnaire contained several changes from 2003 including the following:

- In the 2002 survey, respondents were asked about complaints that they had wanted to make or had made about health services that they or a household member had received during the past year (questions 19a-e). These questions were not asked in the 2003 survey but were asked again in the 2004 survey.
- In the 2003 survey, respondents were asked about health care support they had provided to family members (questions 21a-f). These questions were not asked in the 2004 survey.

2.2 Changes in Regional Health Authority Boundaries

Regional Health Authority boundaries changed effective April 1, 2003, when the 17 RHAs were re-configured into nine RHAs. The 2003 survey data, which had previously been reported for the 17 RHAs, were re-analyzed for the nine RHAs to enable comparison from 2003 to 2004.

2.3 Sampling

The 4000 survey respondents were stratified by RHA, chosen according to age and gender quotas, and weighted in order to provide a representative sample of Albertans 18 or more years of age. It was decided that a minimum of 250 interviews should be conducted in each of the regions. This sample size provides an approximate accuracy level of $\pm 6\%$, nineteen times out of twenty. In the Calgary RHA, the largest health region, the accuracy level is approximately $\pm 3\%$ while for the entire province the accuracy level is approximately $\pm 2\%$, nineteen times out of twenty. When examining differences between years, a difference of 3% or larger is significant for provincial estimates, while significant differences for changes within a region range from 5% for the Calgary RHA to 9.5% for the smallest RHA, depending on the regional sample size. (For more details on the sampling procedure, see Appendix A.)

2.4 Response Rate

The response rate for the 2004 survey was 72%. The response rates for the surveys from 1996 to 2004 are shown below. (For more details on the calculation of response rates, see Appendix A.) The response rates for these surveys varied from 72% to 84% during the 1996-2004 period. Given the increasing use of the telephone for telemarketing and with the increased use of answering machines and call display to screen calls, response rates have tended to decline. Nevertheless, the quota sampling design used in this study and repeated call attempts of all telephone numbers in the sample result in a selection of respondents who are representative of the population in terms of age and sex (see Figure 1). Furthermore, comparisons of survey findings from 1996 to 2004 indicate consistency of responses despite fluctuations in the response rate. It is thought that the modest decline in response rates will have minimal impact on the representativeness, generalizability, and validity of the findings of this current survey.

	2004	2003	2002	2001	2000	1999	1998	1997	1996
Completed	4000	4000	4000	4000	4000	4000	4000	4000	4000
Refused	1430	1333	1056	826	898	939	695	961	1125
Incomplete	0	24	39	42	37	38	35	31	29
Language barrier	111	74	134	65	77	77	60	117	81
Response rate	72%	74%	77%	81%	80%	79%	84%	78%	76%

2.5 Data Collection and Analysis

The PRL conducted data collection from its research facility at the University of Alberta in Edmonton. Interviewing took place from February 10 to March 31, 2004. Interviewing was scheduled from 9:00 a.m. until 9:00 p.m. on weekdays and from 10:00 a.m. to 4:00 p.m. on Saturdays and 11:00 a.m. until 9:00 p.m. on Sundays.

Experienced research staff and supervisors monitored the work of the interviewers and any inconsistent data were validated. A small oversample of interviews was completed for use should any of the 4000 surveys not pass the data verification phase. It was not necessary to use the oversample.

Data collected were automatically tabulated using the PRL's CATI system. The data were converted into SPSS-Windows for data analysis. The data were analyzed for wild codes and inconsistencies. "Other" open-ended responses were coded where feasible.

For purposes of province-wide analysis, weights were assigned as described in Appendix A. The weights are not used when the analysis focuses on separate health regions or on the characteristics of the sample itself. The weights are used when the analysis focuses on the province as a whole. A set of weighted province-wide responses was provided to Alberta Health. The data were also provided to Alberta Health and Wellness in machine-readable form.


The Chi-square statistic is calculated where appropriate to assess the statistical significance of trends or relationships between variables. A statistically significant pattern is unlikely to be obtained by chance.

2.6 Profile of Respondents

Unweighted data were used to provide a profile of the participants in the survey. The numbers of males and females interviewed were almost equal (1993 males and 2007 females).


Figure 1 shows the distribution of the population by age groups for persons 18 years of age and older in Alberta for both the 2004 survey sample and the 2001 census. The index of dissimilarity indicates that the survey sample accurately represents the adult population of Alberta. The average respondent was between 25 and 44 years of age.

Figure 1




The median household size was 3 persons and 96% of respondents indicated that their household was made up of from 1 to 5 persons including children (see Figure 2). Median household income was \$60,000-64,999 before taxes. The typical respondent had completed high school and had obtained some post-secondary education.

Figure 2



Seventy-eight per cent (78%) of respondents reported that they had personally received health care services in Alberta in the past twelve months.

Thirty-eight per cent (38%) of respondents said that they had seen or read statistics or reports on health service performance in Alberta in the past year. Forty-two per cent (42%) of these respondents said that the statistics or reports that they had seen were produced by the Ministry of Alberta Health and Wellness. Twenty-four per cent (24%) of respondents said that the statistics or reports were not produced by Alberta Health and Wellness while 34% did not know the origin of the statistics or reports that they had seen.



3 Health and Health Service Needs

Respondents were asked about their health status, current health-related habits and lifestyle, recent changes made to improve health, chronic health problems and need for health services (see questions 1 to 7 in Appendix B).

3.1 Health Status

Overall, 59.7% of Albertans rated their health as very good or excellent in 2004 (compared to 60.5% in 2003 and 61.2% in 2002; see Figure 3). In 2004, 21.6% indicated that their health was excellent, 38.1% said that it was very good, 27.0% rated their health as good, 9.8% said it was fair, and 3.5% rated their health as poor.

Figure 4 shows self-reported health status, by health region and year of survey (2004, 2003). In general in 2004, residents in the south of the province tended to report higher health status than residents in the remainder of the province. In particular, health status in the Calgary, Palliser and Chinook health regions was higher than the provincial average.

Figure 3






Figure 4



Males and females reported similar health levels. However, older persons reported lower health levels than younger respondents (see Figure 5).

Figure 5



The average respondent reported that over the last thirty days they had enjoyed 26.2 days in good physical health, 26.7 days in good mental health, and 27.7 days when they were able to do their usual activities unimpeded by poor physical or mental health.

3.2 Health Habits and Lifestyle

Most respondents considered their habits and lifestyle to be healthy (see Figure 6a). Furthermore, Figure 6b shows that half (52%) of respondents said that they had made changes in the past twelve months to improve their health. Figure 7 indicates that females were more likely than males to have made changes in the past twelve months to improve their health and that younger adults were most likely to have made such changes. Figure 8 shows that the most common changes made in the past twelve months by respondents to improve their health were increased exercise (34% of females and 25% of males), changed diets (32% of females and 22% of males), and quitting or reducing smoking (4% of females and 7% of males).

Figure 6a




Figure 6b




Figure 7





Figure 8



Note: The “Other” category includes respondents who made at least one other change in the past twelve months to improve their health. Less than 5% of respondents made any one of the changes included in the “Other” category.

3.3 Health Service Needs

Twenty-nine per cent (29%) of respondents in 2004 (28% in 2003 and 29% in 2002) reported a chronic health problem that requires regular health services (see Figure 9a). Respondents reported the following health conditions:

• Heart and circulatory diseases (including hypertension)	8.0%
• Muscular or skeletal diseases/conditions (including skin diseases, arthritis, multiple sclerosis)	7.4%
• Diabetes, thyroid, and other endocrine diseases	4.6%
• Asthma and other chronic respiratory diseases	4.3%
• Mental health	2.4%
• Chronic pain	2.4%
• Gastro-intestinal diseases (affecting liver, pancreas, stomach, intestines, and gall bladder)	2.3%
• Neurological diseases (including CNS degeneration, fibromyalgia, Parkinson's)	1.5%
• Cancer (all types)	1.2%
• Sensory System	0.7%
• Genito-urinary (kidneys, bladder, urinary tract)	0.6%
• Allergies	0.4%
• Reproductive (e.g., impotence, fertility)	0.1%

Most respondents (88.6%) with a chronic health problem or condition requiring regular health services said that they had the information they needed to take care of their problem. The remainder (11.4%, n=131) said that they did not have the information they needed. Of those respondents needing more information, 37% said they needed information about the chronic condition, 49% needed information about how to take care of the condition, 18% needed information about the use of medications, 5% about self-testing and self-monitoring, and 12% on behavioural and lifestyle factors. Another 25% wanted information about alternative therapies, 17% on supports available in their community and 4% on self-help groups.

Respondents with a chronic health problem or condition were asked what services they currently use to take care of their problem. The most commonly used services included the general practitioner (61%), medical specialist (24%), diagnostic and testing services (14%), pharmacy and medications (55%) and rehabilitation therapy (7%). Less commonly used services included mental health services (4%), hospital outpatient services (4%), Aids to Daily Living supplies and supports (3%), home care (2%), nutrition services/advice (2%) and emergency hospital services (1%).

Respondents with a chronic health problem were asked what other services, that they were not currently using, would help them to take care of their chronic health problem. Twenty-six percent (26%) said that they did not know of any other services that would be helpful, 9% did not give a response, and 34% indicated that no other services were needed. Respondents with chronic health problems who listed additional needed services that they were not currently using selected the following: rehabilitation therapy (7%), alternative therapy (7%), medical specialist (5%), testing and diagnostic services (2%), general practitioner (2%), mental health services (2%), pharmacy/medications (3%), nutrition services/advice (2%), home care (2%) and Aids to Daily Living supplies and supports (1%).

Nine per cent (9)% of respondents in 2004 (compared to 8% in 2003 and 9% in 2002) reported that their need for health services was high (see Figure 9b). Figure 9c shows that 18% of households (compared to 17% in 2003 and 19% in 2002) had a member who had a high level of need for health services.

Females and older age groups were more likely to report chronic health problems which require regular health services (see Figure 10). Figure 11 shows that female respondents under age 65 and 75 years of age and older were more likely than males to report a high level of need for health services in the past year. Finally, the percentage of respondents reporting a high level of need tended to rise with age for males although not for females.

Figure 9a




Figure 9b




Figure 9c




Figure 10






Figure 11



4 Knowledge of Health Services

Respondents were asked several questions about their knowledge of health services (see questions 8, 9 and 20 in Appendix B). Respondents said their knowledge of the health services available to them was either excellent (16%) or good (47%). Thirty-six per cent (36%) of respondents said that they needed more information about the health services that are available to them. Twenty-six per cent (26%) of respondents felt that they always had enough information to make informed decisions about needed health care services while 42% and 28% respectively felt that they often or sometimes had enough information (see Figure 12). These results were similar to those reported in 2003 and 2002.

Figure 12




5 Quality of Health Care Services

Respondents were asked to rate the overall quality of health care available in their community, the quality of care personally received, the quality of care received from a physician, and the quality of care received at a hospital (see questions 11 and 14 to 17 in Appendix B.)

5.1 Quality of Health Care Services in the Community

Overall, 68.4% of Albertans rated the quality of health care services available in their community as either good or excellent in 2004 (compared to 71.4% in 2003 and 68.7% in 2002; see Figure 13). These ratings changed significantly from 2003 to 2004. In 2003 respondents were more likely to rate services as good. Ratings in 2004 were similar to ratings in 2002. In 2004, 16.8% of respondents rated the quality of health care services in their community as excellent, 51.6% said quality was good, 24.3% chose fair, while 7.3% said quality was poor.

Figure 13



5.2 Quality of Care Personally Received

A total of 3100 of the 4000 survey respondents (77.5%) said that they had personally received health care service in Alberta in the past twelve months. Overall, 86.2% of Albertans rated the quality of health care services personally received as good or excellent in 2004 (compared to 85.3% in 2003 and 86.0% in 2002; see Figure 14). These ratings did not change significantly from 2002 to 2004. In 2004, 33.2% of respondents said that the quality of health services that they had personally received was excellent, 53.0% said good, 11.3% chose fair, while 2.5% said quality was poor.

Figure 14






Figure 15 shows ratings of the quality of health care personally received by health region and year of survey (2004, 2003). Ratings of the quality of health care personally received by respondents was lower than the provincial average in Northern Lights, David Thompson, Peace Country, and Chinook regional health authorities.

Figure 15




Ratings of the quality of health care personally received in the past twelve months did not vary noticeably by gender. Older Albertans, however, tended to give higher ratings of quality of care received (see Figure 16).

Figure 16




The reasons given by the 14% of respondents who had received care and rated it as either fair or poor are shown in Figure 17 (multiple responses were recorded). The most frequent complaint concerned having to wait too long (41%) or feeling too rushed (32%). Others complained that they received poor service (22%) or that there were not enough staff or that staff were overworked (20%). Some said that they lacked confidence in the provider of care (18%), experienced poor communication (20%), did not get the desired treatment (13%), were not treated with courtesy and respect (11%), had problems with access to care (14%), were given incorrect information or incorrect treatment (4%), or did not have the opportunity to ask questions (10%). A few felt that their health did not get better (2%) or that it got worse (2%).

Figure 17



Overall, 85.3% of Albertans rated the results of health care services personally received as good or excellent in 2004 (compared to 84.9% in 2003 and 83.9% in 2002; see Figure 18). These ratings did not change significantly from 2002 to 2004. A total of 27.5% of respondents in 2004 said that the results of health care services that they had received were excellent, 57.9% said good, 10.7% chose fair, while 3.9% said results were poor.

Figure 18



Ratings of the quality of care personally received were significantly related to the respondent's health status and level of need for health services (see Tables 1 and 2). That is, respondents with better health tended to rate the quality of care received higher than respondents with poorer health. Similarly, respondents with a low level of need for health services tended to rate the quality of care received higher than respondents with a high level of need. Nevertheless, 36% of respondents with a high level of need for health services rated the quality of care received as excellent and another 41% rated care received as good.

Table 1 Rating of Quality of Care Personally Received in Past 12 Months, by Self-Reported Health Status

Rating of Quality of Care Personally Received in Past 12 Months	Self-Reported Health Status (%)									
	Excellent		Very Good		Good		Fair		Poor	
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
Excellent	47.7	41.9	33.1	35.0	27.7	26.3	24.1	32.2	31.5	23.2
Good	42.7	49.6	53.4	54.6	57.0	57.3	51.9	44.2	45.6	50.7
Fair	8.1	7.0	11.2	8.7	12.8	14.0	20.7	18.2	15.9	19.6
Poor	1.5	1.6	2.3	1.7	2.4	2.4	3.3	5.4	7.0	6.5
Total (n)	100 (617)	100 (614)	100 (1163)	100 (1143)	100 (868)	100 (853)	100 (324)	100 (343)	100 (90)	100 (134)

χ^2 2003 = 112, df = 12, p < .000; χ^2 2004 = 112, df = 12, p < .000

Table 2 Rating of Quality of Care Personally Received in Past 12 Months, by Own Level of Need for Health Services in Past Year

Rating of Quality of Care Personally Received in Past 12 Months	Own Level of Need for Health Services in Past Year (%)					
	Low		Moderate		High	
	2003	2004	2003	2004	2003	2004
Excellent	35.6	35.1	28.2	29.1	38.3	36.4
Good	51.7	53.5	54.3	56.2	45.5	41.0
Fair	10.4	9.6	15.6	12.5	12.3	15.9
Poor	2.4	1.8	1.9	2.3	4.0	6.7
Total (n)	100 (1777)	100 (1697)	100 (961)	100 (1027)	100 (323)	100 (358)

χ^2 2003 = 34, df = 6, p < .000; χ^2 2004 = 61, df = 6, p < .000

5.3 Quality of Care Personally Received from a Physician

Respondents who had personally received health care services in Alberta in the past twelve months were asked if they had received health services from a physician in Alberta during that time. Ninety-six per cent (96%) of respondents who had received some form of care had received health services from a physician (n=2964). For those receiving physician services, the most recent service was obtained from a family doctor (81.0%) or from a specialist (19.0%).

Overall, 91.1% of Albertans rated the quality of health care service received from a physician as either excellent or good in 2004 (compared to 89.4% in 2003 and 88.4% in 2002; see Figure 19). In 2004, 50.8% of respondents rated the quality of physician care most recently received as excellent, 40.4% rated it as good, 6.6% indicated fair, and 2.3% said poor.

Nine per cent (9%) of those respondents receiving physician care (n=262) rated the quality of care received as fair or poor. The reasons these persons gave for their rating of physician care (multiple responses were recorded) included feeling too rushed (47%), lack of attention to respondent's needs (33%), lack of confidence in physician (32%), poor communication (32%), having no time to ask questions/not involved in decisions (17%), waiting too long to get the appointment (14%), or lack of courtesy and respect (11%). Others complained they did not get desired treatment (23%), were not given adequate instructions on self-care (5%), or they got incorrect treatment (4%). Some respondents (4%) indicated that the doctor was late for the appointment.

Overall, 87.3% of Albertans rated the effect of health services received from their doctor as good or excellent in 2004 (compared to 88.4% in 2003 and 85.1% in 2002; see Figure 20). In 2004, 36.3% of respondents who had received physician services in the past twelve months said that the results of physician care were excellent, 51.0% indicated good, 9.1% selected fair, and 3.6% said the results were poor.

Figure 19





Figure 20



5.4 Quality of Care Personally Received from a Hospital

Respondents who had personally received health care services in Alberta in the past twelve months were asked if they had received health services at a hospital in Alberta during that time. Thirty-nine per cent (39%) of respondents who had received some form of care had received health services at a hospital (n=1211). For those receiving hospital services, the most recent services utilized were emergency care (46%), day (outpatient) services (35%), and overnight (inpatient) care (20%).

Overall, 81.3% of respondents who had personally received health care services at a hospital rated the care they had most recently received in 2004 as good or excellent (compared to 83.3% in 2003 and 80.7% in 2002; see Figure 21). In 2004, 43.1% of respondents rated the quality of hospital care most recently received as excellent, 38.2% rated it as good, 11.9% indicated fair, and 6.8% said poor.

Nineteen per cent (19%) of those respondents receiving hospital care (n=225) rated the quality of care received as fair or poor. The reasons these persons gave for their rating of hospital care (multiple responses were recorded) included waiting too long at the hospital before service was provided (44%) and waiting too long to get into the hospital (21%). Others complained that care was too rushed (30%), or that there was a shortage of staff and overworked staff (20%). Some complained of a lack of confidence in the provider of care (16%), a lack of attention to respondent's needs from staff (17%) and from doctors (15%), lack of courtesy and respect from staff (16%) and from doctors (11%), or that there was poor communication (10%). Others said that they did not get desired treatment (16%), got incorrect treatment (4%), were not given adequate instructions on self-care (3%), or were sent home too soon (7%). Some said that the hospital was too crowded (11%) while (7%) said that the hospital environment was poor (e.g. messy, noisy).

Overall, 84.5% of respondents who had personally received health services in a hospital rated the effect of the hospital care that they had most recently received as good or excellent (compared to 84.2% in 2003 and 85.1% in 2002; see Figure 22). In 2004, 33.3% of respondents who had received hospital services in the past twelve months said that the results of hospital care were excellent, 51.3% indicated good, 10.0% selected fair, and 5.5% said the results were poor.

Figure 21





Figure 22



5.5 Quality of Hospital Care Received by a Household Member

Respondents were asked if any members of their household other than the respondent had received health services at a hospital in Alberta during the past twelve months. Thirty-nine per cent (39%) of respondents living in households of two or more persons (n=1421) reported that at least one household member had received health services at a hospital. Thirty-nine per cent (39%) of the household members who had most recently received health services at a hospital were children, 41% were the spouse of the respondent, 10% were a parent of the respondent, and 10% were other household members. For those receiving hospital services, the most recent services utilized were emergency care (48%), day (outpatient) services (31%), and overnight (inpatient) care (21%).

Thirty-eight per cent (38%) of respondents who had a household member who had received hospital services rated the quality of care that member had received as excellent, 41% rated it as good, 12% indicated fair, and 9% said poor.

Twenty-one per cent (21%) of respondents who had a household member who had received hospital care (n=297) rated the care as either fair or poor. The most frequent complaints (multiple responses were recorded) concerned waiting too long at the hospital before service was provided (53%), waiting too long to get into the hospital (19%), and care being too rushed (18%). Others complained of a shortage of staff or overworked staff (14%) or of a lack of confidence in the provider of care (19%). Some complained that they did not get desired treatment (14%), got incorrect treatment (7%) or were sent home too soon (7%). Others complained of a lack of attention to patients' needs from staff (9%) and from doctors (10%), lack of courtesy and respect from staff (5%) and from doctors (7%), poor communication (14%) and no time to ask questions or discuss decisions (5%).

Thirty-four per cent (34%) of respondents who had a household member who had received hospital services in the past twelve months said that the results were excellent, 46% indicated good, 11% selected fair, and 9% said the results were poor.

6 Complaints

Respondents were asked if they had wanted to complain or had made a complaint about health services received in the past year either by themselves or a member of their household (see questions 19a to 19e in Appendix B). These questions were asked of all persons who had personally received health services during the past year and/or had a member of their household who had received health services at a hospital during the past year.

Twenty per cent (20%) of respondents had wanted to make a complaint about health services that they or someone in their household had received during the past year. Of the 678 persons who had wanted to complain, 190 (28%) did make a complaint. The 190 complainants represented 5.5% of the 3424 respondents who had personally received health services during the past year and/or had a member of their household who had received health services at a hospital during the past year.

The 190 complainants made their complaints to the following: their doctor (24%), the person in charge of the health care facility or unit (23%), the person providing the service (15%), the regional health authority (7%), a professional group such as the College of Physicians and Surgeons (4%), an appeals body such as the Health Services Review Committee (3%), Alberta Health and Wellness (5%), and elected government officials (10%). Some complained to more than one person or agency. Some complained informally to family or friends (30%).

Of 131 respondents who had made a formal complaint, 12% said that they were very satisfied with the response to their complaint and another 26% indicated they were satisfied. However, 23% said they were dissatisfied and 39% indicated that they were very dissatisfied. An additional 13 respondents made formal complaints but declined to comment on whether or not they were satisfied with the response to their complaint.

A total of 534 respondents had wanted to complain but did not make a formal complaint. Reasons given for not formally complaining included believing that nothing would be done about the complaint (39%), not knowing how to make a formal complaint (27%), feeling it was too much trouble (17%), perceiving that there was no one to complain to (10%), feeling that their complaint was not important enough (12%), solved the problem in some other way than by complaining (3%), fearing that complaining would make things worse (3%), and/or changed service provider/location instead (2%). (Note that respondents could give more than one reason for not making a formal complaint.) Another 7% indicated that they were planning to complain.


7 Availability and Accessibility of Health Care Services

Respondents were asked to rate the availability of health care services in their community and to comment on the ease or difficulty of obtaining health care services when needed. Respondents were also asked if they or a person in their household was currently waiting for health care services or if they had been unable to obtain health care services when needed (see questions 10, 12, 13, 15 c, 15 g and h, 16 f and g, and 22 in Appendix B).

7.1 Availability of Services in the Community

Overall, 59.4% of Albertans rated the availability of health care services in their community as good or excellent in 2004 (compared to 60.9% in 2003 and 60.2% in 2002; see Figure 23). In 2004, 13.6% of respondents rated the availability of health services in their community as excellent, 45.8% said good, 27.8% chose fair, and 12.8% said availability was poor.

Figure 23



7.2 Ease of Access to Needed Health Care Services

Overall, 61.2% of Albertans rated health care accessibility as easy or very easy in 2004 (compared to 62.4% in 2003 and 61.6% in 2002; see Figure 24). In 2004, 15.8% of respondents said access was very easy, 45.5% said easy, 31.3% indicated access was a bit difficult, while 7.5% said it was very difficult.

Figure 24




Figure 25





Figure 25 shows ratings of health care accessibility by health region and year of survey (2004, 2003). Ratings of accessibility were lower in the northern regions of the province (Northern Lights and Peace Country regional health authorities).


Figure 26 shows that ratings of accessibility were slightly lower for females under 75 years of age than for males of comparable age and were slightly higher for the younger and older adult age groups.

Figure 26




About eight per cent (7.5%) of respondents said that it was "very difficult" for them to get the health care services they needed when they needed them and another 31.3% said that it was "a bit difficult." For those respondents who reported a degree of difficulty accessing services, Figure 27 shows that the services respondents most frequently reported having difficulty obtaining were general practitioners, medical specialists, emergency care, tests and diagnostic services, and hospital admission or surgery. Figure 28 shows that the most frequently mentioned reason given for rating access to services difficult was long waits (67%). Other reasons given were: not enough health professionals, difficulty getting quality care or advice from service providers, long distances to travel for service, service not available at certain times or at a convenient time, and transportation problems.

Figure 27



Note: The “Other” category includes respondents who had some difficulty accessing at least one other needed service. Less than 5% of respondents mentioned any one of the services included in the “Other” category.

Figure 28



Note: The “Other” category includes respondents who gave at least one other reason for access difficulty. Less than 5% of respondents mentioned any one of the reasons included in the “Other” category.

Ease of access is significantly related to self-reported health status (see Table 3). That is, respondents in better health were more likely to say that it was easy to get the health care services that they needed when they needed them while persons in worse health were more likely to say that it was difficult to get the health care services they needed when they needed them. Similarly, Table 4 shows that the higher a respondent's level of need for health services in the past year, the more likely they were to say that it was difficult to get the health care services they needed when they needed them.

Table 3 Ease of Access to Health Care Services,
by Self-Reported Health Status

Ease of Access to Health Care Services	Self-Reported Health Status (%)									
	Excellent		Very Good		Good		Fair		Poor	
	2004	2003	2004	2003	2004	2003	2004	2003	2004	2003
Very Easy	18.8	20.3	17.8	19.6	12.7	11.8	11.7	12.0	10.3	10.2
Easy	48.2	44.0	47.7	45.7	44.7	51.0	39.9	37.7	27.7	36.1
A Bit Difficult	26.3	29.7	29.1	29.5	34.3	31.7	39.7	35.7	36.7	32.3
Very Difficult	6.6	6.0	5.4	5.2	8.3	5.6	8.8	14.7	25.2	21.5
Total	100	100	100	100	100	100	100	100	100	100
(n)	(842)	(835)	(1485)	(1501)	(1051)	(1092)	(390)	(361)	(138)	(99)

χ^2 2003 = 130, df = 12, $p < .000$; χ^2 2004 = 129, df = 12, $p < .000$

Table 4 Ease of Access to Health Care Services,
by Own Level of Need for Health Services in Past Year

Ease of Access to Health Care Services	Own Level of Need for Health Services in Past Year (%)					
	Low		Moderate		High	
	2004	2003	2004	2003	2004	2003
Very Easy	17.3	18.1	13.4	14.7	13.5	11.5
Easy	47.8	47.5	44.3	45.3	33.4	35.4
A Bit Difficult	28.3	28.5	36.4	34.1	34.9	36.6
Very Difficult	6.6	5.9	5.9	5.8	18.1	16.5
Total	100	100	100	100	100	100
(n)	(2387)	(2462)	(1142)	(1096)	(372)	(329)

χ^2 2003 = 82, df = 6, $p < .000$; χ^2 2004 = 104, df = 6, $p < .000$

7.3 Waiting for Health Care Services

One in five respondents (22%) said that they or a household member were waiting for a health care service in 2004 (compared to 20% in 2003 and 22% in 2002). Of those persons who were waiting, 58% were waiting for medical consultation, diagnosis, tests or to see a specialist. Twenty-two per cent (22%) were waiting for surgery and 15% were waiting to see a doctor or for medical treatment. Others were waiting for rehabilitation treatment (2%), home care services (2%), dental treatment (1%), or long-term care placement (1%).

7.4 Inability to Obtain Needed Health Care Services

A total of 424 respondents (10.7%) said that they were unable to obtain health care services when needed (see Table 5). Most obtained service later or elsewhere. Some got better on their own. A total of 115 respondents (27% of those unable to obtain service and 2.9% of all respondents) said that they never received the needed service.


Table 5 Over the Past 12 Months, Were You Ever Unable to Obtain Health Care Services When You Needed Them?

	1998 %	1999 %	2000 %	2001 %	2002 %	2003 %	2004 %
Unable to obtain health care service when needed	8.0	8.8	9.8	11.3	11.2	11.0	10.7
Never received the service	1.6	1.7	1.8	2.5	2.2	2.1	2.9
Obtained the service later	4.0	3.1	3.7	4.6	4.7	4.5	4.1
Obtained the service elsewhere	1.4	2.8	2.9	2.5	2.8	2.7	2.2
Obtained a different service	0.4	0.3	0.4	0.6	0.3	0.6	0.3
Health improved without service	0.5	0.9	0.9	0.9	0.9	0.8	1.0

Being unable to obtain the services of medical doctors (either general practitioners or specialists) was the most frequently reported problem (although by only 4.6% and 3.2% of respondents respectively; see Figure 29). The next most common problems were being unable to obtain emergency care and medical test services when needed (reported by 1.8% and 1.0% of respondents respectively).


The 10.7% of respondents who were unable to obtain health care services when needed in the past 12 months were asked to give one reason to explain why they could not get the service (see Figure 30). Of these respondents, 31% said that they could not get an appointment with a health professional, another 30% said that the reason was that they had to wait too long, 10% cited lack of staff, and 6% indicated that the service was not available nearby or was not conveniently located.

Figure 29




The "Other" category includes respondents who were unable to obtain at least one other health care service when needed.

Figure 30



When asked if not being able to obtain a health service when needed had any effect on themselves, 82% said “yes.” Figure 31 shows that the effects on those unable to get care when needed included emotional distress such as anxiety, worry, fear, and depression (28%), physical distress such as pain and discomfort (reported by 28%), worsening health or delayed recovery (14%), and anger and frustration (11%).

Figure 31




7.5 Ease of Access to Physician

Seventy-four per cent (74%) of Albertans who had received health care services in Alberta in the past twelve months had personally received health services from a physician in Alberta in the past twelve months. Of these, 81.0% had most recently visited a family doctor while 19.0% had visited a medical specialist. Overall, 85% said it was easy or very easy to obtain physician services. Regarding the health care most recently received from a family doctor, 87% said that it had been easy or very easy to obtain this service. Similarly, regarding the health care most recently received from a specialist, 80% said that it had been easy or very easy to obtain this service.

In 2004, 37.4% of respondents who visited a family doctor most recently said access was very easy, 49.1% said easy, 11.8% indicated access was a bit difficult, while 1.6% said it was very difficult. Regarding those respondents who last visited a medical specialist, 34.1% of said access was very easy, 46.3% said easy, 15.9% indicated access was a bit difficult, while 3.7% said it was very difficult (see Figure 32).

Figure 32



Less than two per cent (1.6%) of respondents said that it had been "very difficult" for them to get services from their family physician on their most recent visit and another 11.8% said that it was "a bit difficult." For

those respondents who reported a degree of difficulty accessing their family doctor, the most frequently mentioned reasons given for rating access to services difficult was long waiting time for appointment (59%) and long waiting time at the doctor's office (28%). Other reasons given were: difficulty finding a family physician who is taking new patients (10%) and difficulty getting to the doctor because of distance and/or transportation problems (9%).

Four per cent (3.7%) of respondents said that it had been "very difficult" for them to get services from a medical specialist on their most recent visit and another 15.9% said that it was "a bit difficult." For those respondents who reported a degree of difficulty accessing the specialist, the most frequently mentioned reasons given for rating access to services difficult was long waiting time for appointment (77%) and long waiting time at the specialist's office (11%). Other reasons given were: difficulty obtaining a referral to the specialist (26%) and difficulty getting to the specialist because of distance and/or transportation problems (12%).

Respondents who had most recently seen their family doctor indicated how long they had to wait from the time they made the appointment. Thirty-four per cent (34%) of respondents saw their doctor on the same day, an additional 38% saw their doctor in less than one week, another 14% waited from one week up to two weeks, and 8% waited from two weeks up to a month. Five per cent (5%) waited one month or more (see Figure 33).

Respondents who had most recently seen a specialist indicated how long they had to wait from the time they made the appointment. Thirty per cent (30%) of respondents saw the specialist in less than one week, an additional 34% saw the specialist in less than one month, another 24% waited up to three months, and 9% waited for up to six months. Three per cent (3%) waited six months or longer (see Figure 34).

7.6 Ease of Access to Hospital

Thirty-nine per cent (39%) of Albertans who had received health care services in Alberta in the past twelve months had personally received health services at a hospital. Of these, 46% received emergency services, 35% day (outpatient) services, and 20% stayed overnight in the hospital as an inpatient. Overall, 73% said it was easy or very easy to obtain hospital services. For those who had received emergency care, 69% said that it had been easy or very easy to obtain this service. Seventy-seven per cent (77%) of those who received outpatient hospital care said that it had been easy or very easy to obtain this service and 75% of inpatients indicated that it had been easy or very easy to obtain admission to the hospital.

Figure 33






Figure 34



In 2004, 32.2% of respondents who sought emergency hospital service said access was very easy, 36.8% said easy, 23.1% indicated access was a bit difficult, while 7.9% said it was very difficult. Regarding those respondents who had been hospital outpatients, 30.5% said access was very easy, 46.6% said easy, 19.0% indicated access was a bit difficult, while 3.9% said it was very difficult. Among hospital inpatients, 36.1% said access was very easy, 38.9% said easy, 15.1% indicated access was a bit difficult, while 9.8% said it was very difficult (see Figure 35).

Figure 35



Of respondents who had sought emergency services at the hospital, 7.9% said that it had been "very difficult" for them to get service and another 23.1% said that it was "a bit difficult." For those respondents who reported a degree of difficulty accessing emergency services, the most frequently mentioned reasons given for rating access to services difficult was long waiting time (85%), not enough doctors and nurses (17%), long waiting list for surgery or to be admitted (12%), and location of the hospital (7%).

Four per cent (3.9%) of respondents who had sought outpatient services at the hospital said that it had been "very difficult" for them to get service and another 19.0% said that it was "a bit difficult." For those respondents who reported a degree of difficulty accessing outpatient services, the most frequently mentioned reasons given for rating access

to services difficult was long waiting list for surgery or to be admitted (70%), location of the hospital (14%), long waiting time in emergency (12%), not enough doctors and nurses (8%), and getting time off work or away from family responsibilities (3%).

About ten per cent (9.8%) of respondents who had sought inpatient services at the hospital said that it had been "very difficult" for them to get service and another 15.1% said that it was "a bit difficult." For those respondents who reported a degree of difficulty accessing inpatient services, the most frequently mentioned reasons given for rating access to services difficult was long waiting list for surgery or to be admitted (69%), long waiting time in emergency (26%), location of the hospital (11%), and not enough doctors and nurses (8%).

8 Satisfaction With the Health Care System


Respondents were asked how satisfied they were with the way that the health services they had most recently received were provided to them. Respondents also indicated how satisfied they were with the health system and provided an overall rating of the health care system in Alberta (see questions 18, 23, and 24 in Appendix B).

8.1 Satisfaction with the Provision of Services

Seventy-seven per cent (77%) of Albertans had received at least one health care service in Alberta in the past twelve months. Regarding the service most recently received, 65.2% had visited a physician, 9.1% a public health clinic, 7.9% a public health laboratory, 3.2% had received rehabilitation therapy, and 13.1% had been to a hospital (6.3% to emergency, 5.0% had been outpatients, and 1.8% had been inpatients). The remaining 1.5% had received services such as home care or medical support devices such as Aids to Daily Living.

Overall, 89.1% of Albertans said that they were either very satisfied or somewhat satisfied with the way the health service they had most recently received was provided to them (see Figure 36). In 2004, 53.7% of respondents were very satisfied, 35.4% said they were somewhat satisfied, 4.3% chose neither satisfied nor dissatisfied, 4.4% were somewhat dissatisfied, while 2.2% said they were very dissatisfied.

Figure 36



The 89.1% of respondents who were very or somewhat satisfied said that what made them satisfied with the way service was provided was the following (respondents could give more than one response): the service was provided in an efficient and timely manner (49%), a good job was done (39%), service was very professional (22%), the provider explained things and answered questions (22%), the provider was friendly (21%), the provider seemed to care about the client (16%), the provider listened to the client (14%), and the provider discussed options and choices with the client (6%).

The 6.6% of respondents who were very or somewhat dissatisfied with the way service was provided made the following comments (respondents could give more than one response): waited too long for service (42%), a poor job was done (30%) or things were not done properly (13%), and service was of poor quality (29%) or was rushed (29%). Others complained that the provider did not seem to care about the client (25%), did not listen to the client (15%), did not discuss options and choices (13%), or was not friendly (10%). A few felt that they were left alone too long (4%), did not understand what was being done (3%), or found the facility untidy, crowded, or unpleasant (4%).

8.2 Overall Satisfaction With the Health Care System

Overall, 73.7% of Albertans said that they were either very satisfied or somewhat satisfied with the health care system in Alberta in 2004 (compared to 73.1 in 2003, and 68.9% in 2002; see Figure 37). Satisfaction with the health care system has increased significantly from 2002 to 2004. In 2004, 17.8% of respondents were very satisfied, 55.9% said they were somewhat satisfied, 12.0% chose neither satisfied nor dissatisfied, 10.8% were somewhat dissatisfied, while 3.5% said they were very dissatisfied.

Satisfaction with the health system in Alberta was somewhat higher among older males in comparison to older females and tended to be higher for the youngest and oldest adults in comparison to the middle age groups (see Figure 38).

Figure 37





Figure 38



8.3 Overall Rating of the Health Care System


Overall, 64.6% of Albertans rated the health care system in Alberta as either good or excellent in 2004 (compared to 64.9% in 2003 and 62.0% in 2002; see Figure 39). These ratings of the health care system did not change significantly from 2002 to 2004. In 2004, 10.7% rated the health care system in Alberta as excellent, 53.9% rated it as good, 27.7% chose fair, and 7.7% said it was poor.

Figure 39



Males tended to rate the health care system in Alberta a little higher than did females (see Figure 40).

Figure 40



Seven per cent (7.7%) of respondents rated the health care system in Alberta as "poor" while another 27.7% rated it as "fair." The respondents who rated the health care system as fair or poor were asked to provide up to three reasons for their rating. Most of the reasons given can be grouped into three categories (data not shown).

The most common category of responses focused on accessibility and availability of services. Indeed, the most frequent criticism was long waiting times given by 58% of those respondents who rated the health care system as fair or poor. Other reasons given relating to accessibility and availability included: staff shortages, services that were hard to get, hospital closures and bed shortages, fewer health services, and doctors leaving.

The second category of reasons given for a fair or poor rating of the health care system focused on dissatisfaction with quality (low quality, not satisfied with service received, system getting worse). The third category of reasons addressed funding issues (cuts, user fees, focus on costs and not health, Alberta Health Care Insurance premiums, and privatization).

Appendix A

Methods

A.1 Sampling

Since April 1, 2003 the delivery of public health care in Alberta has been the responsibility of nine health regions (previously there were seventeen health regions). These regions vary greatly in size and demographics. In order to provide accurate information for the nine regions (using 2003 boundaries), it was important that each region obtain sufficiently detailed data.

The Northern Lights Health Region (RHA 9) in the north of the province is the smallest RHA and was assigned a minimum of 250 interviews. The remaining sample of 3750 was divided between the other eight health regions. The formula used to divide the sample allocated survey quotas proportionate to the square root of the population 18 years of age and older in each of the eight regions, using 2003 Alberta Health Registration Population data provided by Alberta Health and Wellness.

In order to conduct valid analysis of the province-wide data, the responses from the various health regions were weighted appropriately. For example, although 250 interviews were conducted in the Northern Lights Health Region, the adult population of that region represents only approximately 81/4000 of the total adult population of Alberta (meaning that in a proportionate sample, only 81 interviews would have been assigned to this region). The responses from the 250 surveys conducted in that region were merged into the full Alberta data with a weight of 0.324. The calculation resulted in the following breakdown of actual surveys and weighted samples between regions:

Region	Sample size	Weighted sample
1 - Chinook	330	190.89
2 - Palliser	268	125.06
3 - Calgary	914	1461.43
4 - David Thompson	453	357.56
5 - East Central	282	139.61
6 - Capital	852	1272.32
7 - Aspen	349	212.98
8 - Peace	302	159.08
9 - Northern Lights	250	81.05
TOTAL	4000	4000

The weights attached to the data from each region for the purposes of province-wide analysis are as follows:

Region	Weighting multiplier
1 - Chinook	0.5784667272
2 - Palliser	0.4666340355
3 - Calgary	1.5989438264
4- David Thompson	0.7893206174
5 - East Central	0.4950877622
6 - Capital	1.4933368166
7 - Aspen	0.6102676094
8 - Peace	0.5267485682
9 - Northern Lights	0.3242079261

Based on the population estimates for each region, quotas were established for the number of interviews to be conducted with persons in specific age and gender categories for each of the regions. This sampling method assures proportional representation for age and gender groups which might be underrepresented in a fully random sample. Typically, underrepresented groups would include young people, especially males, and the elderly. Young people are less likely to be home and available for an interview, while some elderly Albertans take extended vacations or are living in residential facilities and may not be accessible through random digit dialing. The full quota table is reproduced below:

Quota Table By Health Region, Age and Gender											
Age	Gender	Health Region									Total
		1	2	3	4	5	6	7	8	9	
18-24	M	25	20	60	33	18	59	26	23	22	286
	F	24	19	59	32	18	58	24	23	22	279
25-44	M	59	53	199	87	49	172	69	66	63	817
	F	59	50	199	87	50	173	71	63	60	812
45-64	M	51	41	145	71	46	135	57	47	41	634
	F	52	40	141	71	44	134	52	44	32	610
65+	M	27	20	49	33	26	53	25	18	5	256
	F	33	25	62	39	31	68	25	18	5	306

A random digit dialing approach was used in each health region to contact respondents. This method ensures that a random sample of Albertans is selected. The PRL uses its databank of Alberta telephone numbers to identify which telephone banks (the first five digits of the seven digit telephone number) in each health region (xxx-xyy) are in operation. A simple program is then used to randomize the last two digits (yy) in each bank. The resultant output is loaded into the CATI system, which randomly allocates these numbers to the various interviewing stations.

As with any telephone-administered survey, certain categories of resident are excluded. These would include all those living in a household without a telephone, many of those living in long-term care facilities, and persons residing in correctional facilities.

A.2 Response Rate

One important factor in ensuring the reliability of data collected through random digit dialing surveys is the response rate achieved for the survey. Certain groups of potential respondents are less likely to be available for a telephone interview than others. While the stratified sample used in this survey compensates for age and gender bias, other potential biases can only be addressed by assuring the highest possible response rate. For example, unemployed, sick, and disabled persons may be more likely to be at home and therefore will tend to be over-represented in a random survey with a low response rate.

The PRL uses two methods to improve response rate. First, telephone numbers allocated by the CATI system were redialed at different times of the day before they were coded as “no response”. This increased the likelihood of securing an interview with busy individuals. Second, the PRL employs specially trained and experienced “refusal interviewers” to “convert” potential respondents’ initial refusals to agreement to participate.

Two methods are used to calculate response rates. The first calculation uses the following formula:

$$\text{Response rate} = \frac{\text{\# of completed interviews}}{\text{\# of completed interviews plus \# refused plus \# incompletes plus \# language barrier}}$$

Using this formula, the response rate for 2004 is 72.2% compared to 73.7% in 2003, 76.5% in 2002, 81.1% in 2001, 79.8% in 2000, 79.1% in 1999, 83.5% in 1998, 78.3% in 1997, and 76.4% in 1996.

A number of categories of uncompleted call dispositions, which are disregarded in the above formula, are incorporated in the following formula. This calculation will show a lower response rate than the above calculation. The formula uses disposition codes from the following table.

Response rate =

$$\frac{\# \text{ of completed interviews}}{\# \text{ of completed interviews plus disposition codes 1-3, 7-10, 13-15, 20, 21, 65}}$$

CATI Disposition	Final Outcome of Call Attempt	Frequencies								
		1996	1997	1998	1999	2000	2001	2002	2003	2004
1	No answer	748	932	548	711	687	628	567	974	1152
2/15	Busy	44	25	24	38	20	27	15	36	136
3	Answering machine	248	225	288	442	433	815	548	922	1227
4	Completed interviews	4000	4000	4000	4000	4000	4000	4000	4000	4000
5	Line trouble	53	32	60	162	53	131	725	662	566
14/20/21	Away or unavailable for the duration of the study	88	148	65	94	155	150	200	186	168
7	Callback - Time specified	155	136	139	111	72	110	188	175	32
8/13/65	Initial refusals/Final refusals/Refusal callbacks	1125	961	695	939	898	826	1056	1333	1430
9	Incomplete interviews	29	31	35	38	37	42	39	24	0
10	Language or communication problems	81	117	60	77	77	65	134	74	111
11	Not in service	4431	5159	4225	4241	5537	5894	6400	5797	6444
12	Business / Fax/ 2 nd Line	2956	3681	3321	3771	3597	3710	4010	3915	4525
16	No qualified respondent	34	24	64	52	69	76	79	70	103
6	Quota filled	2353	3544	2382	2353	2361	2043	3771	1998	3047
	TOTAL phone numbers allocated	16457	19015	15906	17029	17996	18517	21732	20166	22941

Using this method, the response rate for the 2004 survey is 48.4% compared to 51.8% in 2003, 59.3% in 2002, 60.0% for 2001, 62.7% for 2000, 62.0% for 1999, 68.3% for 1998, 60.8% for 1997, and 61.4% for 1996.

Appendix B

Questionnaire

2004 Public Survey about Health and the Health System in Alberta



Population Research Laboratory
University of Alberta

February 2004

The 2004 Public Survey about Health and the Health System in Alberta

TELEPHONE INTRODUCTION SHEET 2004

1. Hello, my name is _____ and I'm calling (long distance) from the Population Research Lab at the University of Alberta.

I have dialed XXX-XXXX. Is this correct?

2. Your telephone number was selected at random by computer.

The Lab is conducting a public opinion study to help Alberta Health and Wellness better understand the views of Albertans on health and the health care system in this province.

To ensure that we speak to a good cross-section of people for your health region, can you please tell me the following:

- 3a. How many women aged 18 or over live at this number?

NUMBER OF WOMEN? _____

-1 Refused

- 3b. How many men aged 18 or over live at this number?

NUMBER OF MEN? _____

-1 Refused

4. RECORD SEX OF POTENTIAL RESPONDENT

1 Male
2 Female

- 5a. In which age category do you belong? (READ CATEGORIES)

1 18 - 24 years
2 25 - 44 years
3 45 - 64 years
4 65 - 74 years
5 75 years or older

[INTERVIEWER NOTE: If respondent refused ask if someone else in the household can participate. If not Ctrl-end and code the disposition appropriately.]

[INTERVIEWER NOTE: IF AGE/GENDER QUOTAS ARE FILLED, LOOK AT QUOTA SHEET TO ASK FOR SOMEONE ELSE WHO MAY BE QUALIFIED AND BACK UP (ESC) KEY TO RE-QUALIFY. TERMINATE INTERVIEW IF AGE REFUSED OR AGE/GENDER QUOTAS ARE FILLED; OTHERWISE CONTINUE.]

6. I would like to interview you and I'm hoping that now is a good time for you. Your opinions are very important for the research that is being done for health care decision-makers in Alberta. The interview should take 10-12 minutes, depending on the questions that apply to you.

May we proceed with the interview now? (IF NO, SCHEDULE A CALLBACK OR TERMINATE CALL WITH CTRL-END AND CODE APPROPRIATELY).

7. Before we start, I'd like to assure you that your participation is voluntary and that any information you provide will be used only for the indicated purposes in conformity with the Alberta Freedom of Information and Protection of Privacy Act. If there are any questions that you do not wish to answer, please feel free to point these out to me and we'll go on to the next question. You of course have the right to terminate the interview at any time.
8. Your name is not required and no one can identify individual answers in this study. If you have any questions about the survey, you can call Rosanna Shih, Research Coordinator at the Population Research Lab (collect at 780-492-4659, ext. 233). You may also check the legitimacy of this study with the Registration Branch of Alberta Health and Wellness at 427-1432. (If long distance dial toll-free 310-0000 and then phone number.)

I WOULD LIKE TO BEGIN WITH SOME QUESTIONS ON YOUR HEALTH.

1. In general, compared with other people your age, would you say your health is...(READ)

- 1 Excellent
- 2 Very Good
- 3 Good
- 4 Fair
- 5 Poor

- 8 Don't Know (VOLUNTEERED)
- 0 No Response

- 2a. Now, thinking of your PHYSICAL HEALTH, which includes physical illness and injury, for how many days during the past 30 days was your physical health NOT good?

_____ Number of days PHYSICAL health NOT good

- 1 Don't know
- 2 No response

- 2b. Now, thinking of your MENTAL HEALTH, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health NOT good?

_____ Number of days MENTAL health NOT good

- 1 Don't know
- 2 No response

- 2c. During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

_____ Number of days health kept you from usual activities

- 1 Don't know
- 2 No response

[INTERVIEWER NOTE: BEFORE GOING ON TO THE NEXT QUESTION, AND IF RESPONSE TO THIS QUESTION WAS MORE THAN 5, READ BACK: "SO, POOR PHYSICAL OR MENTAL HEALTH KEPT YOU FROM YOUR USUAL ACTIVITIES FOR xx DAYS IN THE LAST MONTH?"]

3. In general, how would you describe your current habits and lifestyle?
Would you say they are...(READ)
- 1 Very healthy
 - 2 Healthy
 - 3 Somewhat unhealthy
 - 4 Very unhealthy
- 8 Don't Know (VOLUNTEERED)
0 No Response
- 4a. In the past 12 months, have you made any changes in your habits or lifestyle to improve your health?
- 1 Yes (ASK 4b)
 - 2 No (GO TO 5a)
- 0 No Response (GO TO 5a)
- 4b. What changes have you made? (DO NOT READ LIST. SELECT ALL THAT APPLY)
- Increased exercise/physical activity
 - Changed diet/improved diet
 - Quit/reduced smoking
 - Used vitamin or herbal remedy
 - Managed/reduced stress
 - Reduced/quit alcohol consumption
 - Lost weight
 - Changed sexual behaviour/reduced risk of STD
 - Reduced drug/medication use
 - Managed/reduced blood pressure
 - Managed/reduced cholesterol
 - Changed physical environment/moved
 - Received medical treatment (including mental health treatment)
 - Improved dental hygiene
 - Reduced risk of injury
 - Changed Sleeping Habits
 - Other (PLEASE SPECIFY) _____
 - No Response
- 5a. How would you describe your own level of need for health services during the past year? Would you say it was....(READ)
- 1 Low
 - 2 Moderate
 - 3 High
- 8 Don't Know (VOLUNTEERED)
0 No Response

(HEALTH SERVICES INCLUDE SERVICES AVAILABLE FROM HOSPITALS, PHYSICIANS' CLINICS, LONG TERM CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND COMMUNITY CARE SERVICES, AND REGIONAL HEALTH AUTHORITIES.)

5b. Think about the person LIVING in your household, including yourself, with the greatest need for health services during the past year. How would you describe this person's level of need? Would you say it was...(READ)

- 1 Low
- 2 Moderate
- 3 High

- 8 Don't Know (VOLUNTEERED)
- 0 No Response

(HEALTH SERVICES INCLUDE SERVICES AVAILABLE FROM HOSPITALS, PHYSICIANS' CLINICS, LONG TERM CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND COMMUNITY CARE SERVICES, AND REGIONAL HEALTH AUTHORITIES.)

6a. Do you have a chronic health problem which requires regular health services?

- 1 Yes (ASK 6b)
- 2 No (GO TO 8)

- 0 No Response (GO TO 8)

(IF RESPONDENT ASKS WHAT CHRONIC MEANS : BY CHRONIC WE MEAN LASTING A LONG TIME; FOR EXAMPLE LASTING ONE YEAR OR LONGER)

6b. Could you please describe your chronic health problem(s) or condition(s)? (DO NOT READ LIST. SELECT ALL THAT APPLY)

- Neurological diseases (e.g., CNS degeneration, fibromyalgia, Parkinson's)
- Mental health
- Heart and circulatory diseases (e.g., hypertension, high blood pressure)
- Asthma and other chronic respiratory diseases (e.g., emphysema, bronchitis)
- Diabetes, thyroid, other endocrine diseases
- Cancer (all types, including skin cancer)
- Gastro-intestinal (affecting liver, pancreas, stomach, intestines, gall bladder)
- Genito-urinary (kidneys, bladder, urinary tract)
- Reproductive (impotence, fertility)
- Allergies (e.g., hay fever)
- Muscular or skeletal (including skin diseases, arthritis, multiple sclerosis, spinal cord injury)
- Chronic pain
- Sensory system (vision/hearing, e.g., glaucoma, cataract, tinnitus)
- Other (PLEASE SPECIFY) _____
- No Response

- 7a. Do you believe that you have the information you need to take care of your chronic health problem or condition(s)?
- 1 Yes (GO TO 7c)
 - 2 No

 - 8 Don't Know (GO TO 7c)
 - 0 No Response (GO TO 7c)
- 7b. What information do you need? [DO NOT READ. SELECT ALL THAT APPLY.]
- Information about the chronic condition
 - Information about how to take care of the condition (general)
 - Information about the use of medications
 - Information about self-testing, self monitoring the condition
 - Information about alternative therapies
 - Information on supports available in my community
 - Information on self-help groups (others with condition like mine)
 - Information on behaviours and lifestyle factors
 - Other (PLEASE SPECIFY) _____
 - Don't Know
 - No Response
- 7c. What services do you use now to take care of your chronic health problem or condition? [DO NOT READ. SELECT ALL THAT APPLY.]
- General Practitioner
 - Medical Specialist
 - Tests, diagnostic services
 - Mental Health services
 - Hospital Outpatient (appointment)
 - Pharmacy, medications
 - Home care services
 - Aids to Daily Living (AADL) supplies & supports
 - Emergency Hospital Services
 - Rehabilitation Therapy (not in the home)
 - Nutrition services/advice
 - General, all kinds (ask for specifics; select from list above if possible)
 - Alternative Therapy (chiropractic, naturopathic, herbal remedy, acupuncture)
 - Other (PLEASE SPECIFY) _____
 - No Response

[INTERVIEWER NOTE: Aides to Daily Living can be medical supplies (eg.ostomy bags, diapers), home refits (eg. tub rails), hearing aids.]

[INTERVIEWER NOTE: Services provided by professionals, including nurses, such as IV changes and bandage changes would be Home Care Services.]

- 7d. What other services, that you don't use now, would help you to take care of your chronic health problem or condition? [DO NOT READ. SELECT ALL THAT APPLY.]

General Practitioner
Medical Specialist
Tests, diagnostic services
Mental Health services
Hospital Outpatient (appointment)
Pharmacy, medications
Home care services
Aids to Daily Living (AADL) supplies & supports
Emergency Hospital Services
Rehabilitation Therapy (not in the home)
Nutrition services/advice
General, all kinds (ask for specifics; select from list above if possible)
Alternative Therapy (chiropractic, naturopathic, herbal remedy, acupuncture)
Other (PLEASE SPECIFY) _____
Don't know
No Response

[INTERVIEWER NOTE: Aides to Daily Living can be medical supplies (eg.ostomy bags, diapers), home refits (eg. tub rails), hearing aids.]

[INTERVIEWER NOTE: Services provided by professionals, including nurses, such as IV changes and bandage changes would be Home Care Services.]

NOW I WOULD LIKE TO ASK YOU SOME GENERAL QUESTIONS ABOUT THE HEALTH SERVICES THAT ARE AVAILABLE TO YOU. HEALTH SERVICES INCLUDE SERVICES AVAILABLE FROM HOSPITALS, PHYSICIANS' CLINICS, LONG TERM CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND COMMUNITY CARE SERVICES, AND REGIONAL HEALTH AUTHORITIES.

8. In general, how would you rate your knowledge of the health services that are available to you? Would you say..(READ)

1 Excellent
2 Good
3 Fair
4 Poor

8 Don't Know (VOLUNTEERED)
0 No Response

9. Do you think you need more information about the health services that are available to you?
- 1 Yes
 - 2 No

 - 8 Don't Know (VOLUNTEERED)
 - 0 No Response

THE NEXT QUESTIONS ARE ABOUT THE HEALTH SYSTEM IN GENERAL. THE HEALTH SYSTEM INCLUDES HOSPITALS, PHYSICIANS' CLINICS, LONG TERM CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND COMMUNITY HEALTH SERVICES, REGIONAL HEALTH AUTHORITIES, AND THE PROVINCIAL DEPARTMENT OF HEALTH.

10. Overall, how would you rate the AVAILABILITY of health care services in your community? Would you say it is ...(READ)
- 1 Excellent
 - 2 Good
 - 3 Fair
 - 4 Poor

 - 8 Don't Know (VOLUNTEERED)
 - 0 No Response
11. Overall, how would you rate the QUALITY of health care services that are available in your community? Would you say...(READ)
- 1 Excellent
 - 2 Good
 - 3 Fair
 - 4 Poor

 - 8 Don't Know (VOLUNTEERED)
 - 0 No Response
- 12a. How easy or difficult is it for you to get the health care services you need when you need them? Would you say it is...(READ)
- 1 Very easy (GO TO 13a)
 - 2 Easy (GO TO 13a)
 - 3 A bit difficult (ASK 12b)
 - 4 Very difficult (ASK 12b)

 - 0 No Response (GO TO 13a)

(INTERVIEWER NOTE: respondent must be involved with getting services for family member if not answering this question about self. e.g., getting service for child or invalid spouse)

- 12b. Which services do you have difficulty obtaining?
(DO NOT READ LIST. SELECT ALL THAT APPLY)

General practitioner
Medical specialist
Tests, diagnostic services (e.g., xrays, MRIs)
Mental health services
Hospital admission, surgery
Long term care facility
Home care support
Aids to Daily Living (AADL) supplies & supports
Emergency care
Rehabilitation therapy
General, all kinds (Ask for specifics; select from list above if possible)
Other (PLEASE SPECIFY) _____
No Response

[INTERVIEWER NOTE: Aids to Daily Living can be medical supplies (e.g. ostomy bags, diapers), home refits (e.g. tub rails), hearing aids.]

[INTERVIEWER NOTE: Services provided by professionals such as IV changes and bandage changes would be Home Care support.]

- 12c. What makes it difficult for you? (DO NOT READ LIST. SELECT ALL THAT APPLY)

Transportation problems
User fees for service
Long distance to travel for service
Getting time off work
Service provided at inconvenient time; unavailable certain days
Cost of drugs, supplies, etc. is too high
Long waiting period for appointments
Hard to get quality care/advice from service providers
Not enough health professionals
Difficulty understanding what I am told by service providers
I don't know how to get what I need
Other (PLEASE SPECIFY) _____
No Response

- 13a. Over the past 12 months, were you ever unable to obtain health care services when you needed them?

- 1 Yes (ASK 13b)
2 No (GO TO 14a)
0 No Response (GO TO 14a)

(INTERVIEWER NOTE: respondent must be involved with getting services for family member if not answering this question about self. e.g., getting service for child or invalid spouse)

- 13b. What type of service or services were you unable to obtain?
(DO NOT READ LIST. SELECT ALL THAT APPLY)

Medical doctor (gp - general practitioner)
Medical doctor (specialist)
Emergency care
Ambulance service
Hospital in-patient care
Hospital out-patient care
Long-term care in a facility
Medical test services
Home care services
Therapy (Excluding mental health. e.g. physio, speech and occupational therapy)
Immunization for self/child
Mental health services or counselling
Other (PLEASE SPECIFY) _____
No Response

- 13c. Why could you not get this needed service? (DO NOT READ LIST. RECORD ONE ANSWER ONLY. HAVE RESPONDENT CHOOSE MOST RELEVANT IF MORE THAN ONE)

1 Could not afford the cost
2 Could not get an appointment with health professional
3 No emergency available/emergency closed/inconvenient hours
4 Had to wait too long and/or gave up
5 I was not given the treatment I asked for
6 Not available nearby/not convenient to get to
7 Service not covered by health system
8 No hospital bed available
9 Lack of medical staff/too busy
10 Medical staff incompetent/wrong diagnosis
11 Cutbacks (general)
12 No health card
13 Other (PLEASE SPECIFY) _____
0 Don't Know/No Response

- 13d. Did this have any effect on you?

1 Yes (ASK 13e)
2 No (GO TO 13f)
0 No Response (GO TO 13f)

13e. What effect did this have on you? (DO NOT READ LIST. RECORD ONE ANSWER ONLY. HAVE RESPONDENT CHOOSE MOST RELEVANT IF MORE THAN ONE)

- 1 Physical pain/suffering/discomfort
 - 2 Emotional stress/anxiety/worry/depression/fear
 - 3 Got angry/upset/frustrated
 - 4 Health got worse/illness untreated/recovery delayed
 - 5 Traveled/looked elsewhere for service
 - 6 Turned to family/others for support
 - 7 Treated self/refused to go back to hospital
 - 8 Inconvenience/disruptive/difficulty managing
 - 9 Affected employment (e.g. unable to work; missed work)
 - 10 Financial impact (e.g. had to pay/can't afford/lost wages)
 - 11 Loss of function (e.g., difficulty doing daily activities)
 - 12 Other (PLEASE SPECIFY) _____
- 0 No response

13f. What happened next? Did you: (READ)

- 1 Get the service you needed somewhere else
 - 2 Get a different service
 - 3 Get better on your own
 - 4 Get the service you needed at a later time
 - 5 Never receive the needed service
 - 6 Other (PLEASE SPECIFY) _____
- 0 No Response

THE NEXT QUESTIONS ARE ABOUT THE HEALTH CARE SERVICES YOU PERSONALLY HAVE RECEIVED IN ALBERTA. HEALTH SERVICES INCLUDE SERVICES AVAILABLE FROM HOSPITALS, PHYSICIANS' CLINICS, LONG TERM CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND COMMUNITY HEALTH SERVICES, AND REGIONAL HEALTH AUTHORITIES.

14a. Have you PERSONALLY received any health care services IN ALBERTA in the past 12 months?

- 1 Yes (ASK 14b)
 - 2 No (GO TO 17a)
- 0 No Response (GO TO 17a)

14b. Overall, how would you rate the quality of care you personally have received in the past 12 months? Would you say it was...(READ)

- 1 Excellent (GO TO 14d)
- 2 Good (GO TO 14d)
- 3 Fair (GO TO 14c)
- 4 Poor (GO TO 14c)

- 8 Don't Know (VOLUNTEERED) (GO TO 14d)
- 0 No Response (GO TO 14d)

14c. Why do you say that the quality of health service you received was (fair/poor)? (DO NOT READ LIST. SELECT ALL THAT APPLY)

- Care too rushed, not thorough, not complete
- Lack of confidence in provider, lack of professional competence
- Poor communication, poor follow-up, poor coord.of care, multi-referrals
- Service poor, improper, bad result
- Shortage of staff, overworked/overloaded staff
- Access issues, hard to get needed care, care not avail. (eg, distance)
- Did not get the treatment I wanted
- Had to wait too long
- Lack of courtesy and respect
- No time to ask questions/not allowed
- Did not get better
- Health got worse
- Got incorrect information/treatment
- Other (PLEASE SPECIFY) _____
- No Response

14d. How did the health care services you received in the past 12 months affect your health? Would you say the results were...(READ)

- 1 Excellent
- 2 Good
- 3 Fair
- 4 Poor

- 8 Don't Know (VOLUNTEERED)
- 0 No Response

(OPTIONAL READ: Results might include understanding your own personal health or treatment if your health didn't change)

THE NEXT QUESTIONS ARE ABOUT CARE YOU HAVE PERSONALLY RECEIVED FROM A PHYSICIAN IN ALBERTA IN THE PAST 12 MONTHS, EITHER AT THE PHYSICIAN'S OFFICE OR CLINIC. (INTERVIEWER NOTE: IF PERSON MENTIONS GOING TO THE HOSPITAL TO SEE HIS/HER DOCTOR, PROBE TO FIND OUT IF HIS/HER DOCTOR HAS AN OFFICE OR CLINIC AT THE HOSPITAL).

15a. In the past 12 months, have you personally received health services from a physician in Alberta, either a FAMILY DOCTOR or a MEDICAL SPECIALIST?

- 1 Yes (GO TO 15b)
- 2 No (GO TO 16a)

- 0 No response (GO TO 16a)

15b. Think of the most recent time that you obtained a service from a physician. Was this service from a family doctor or a specialist?

- 1 Family doctor/General practitioner (ASK 15c)
- 2 Specialist (ASK 15c)

- 8 Don't know (GO TO 16a)
- 0 No response (GO TO 16a)

15c. How long did you have to wait from the time you made the appointment until you were able to see your doctor on this occasion? Would you say it was...(READ)

(INTERVIEWER NOTE: IT DOESN'T MATTER IF SOMEONE OTHER THAN THE RESPONDENT MADE THE APPOINTMENT; WE JUST WANT TO KNOW HOW LONG HE/SHE WAITED)

- 1 Same day (e.g., walk in clinic)
- 2 Less than 1 week
- 3 1 to less than 2 weeks
- 4 2 weeks to less than 1 month
- 5 1 to less than 3 months
- 6 3 to less than 6 months
- 7 6 months or longer

- 8 Don't know
- 0 No response

15d. How would you rate the QUALITY of care you received from this physician on this occasion? Would you say it was...(READ)

- 1 Excellent (GO TO 15f)
- 2 Good (GO TO 15f)
- 3 Fair (GO TO 15e)
- 4 Poor (GO TO 15e)

- 8 Don't know (VOLUNTEERED) (GO TO 15f)
- 0 No response (GO TO 15f)

- 15e. Why do you say that the quality of health services you received from the physician was (fair/poor)? (DO NOT READ LIST. SELECT ALL THAT APPLY).

Care too rushed, not thorough, not complete
 Lack of confidence in provider, lack of professional competence
 Poor communication, poor follow-up, poor coord.of care, multi-referrals
 Waited too long to get the appointment
 The doctor was late for the appointment
 Lack of privacy
 Poor environment (e.g. messy, noisy)
 Did not get the desired treatment
 Got incorrect treatment
 Lack of courtesy, respect
 Lack of attention to my needs
 No time to ask questions/ not involved in decisions
 Not given adequate instructions on self-care
 Other (PLEASE SPECIFY) _____
 No Response

- 15f. How did the health care services you received from your doctor on this occasion affect your health? Would you say the results were...(READ)

1 Excellent
 2 Good
 3 Fair
 4 Poor

 8 Don't know
 0 No Response

(OPTIONAL READ: Results might include understanding your own personal health or treatment if your health didn't change)

- 15g. How easy or difficult was it for you to obtain this service from your physician? Would you say it was...(READ)

1 Very easy (GO TO Q16a)
 2 Easy (GO TO Q16a)
 3 A bit difficult (ASK Q15h)
 4 Very difficult (ASK Q15h)

 8 Don't know (VOLUNTEERED) (GO TO Q16a)
 0 No response (GO TO Q16a)

- 15h. What made it difficult for you? (DO NOT READ. SELECT ALL THAT APPLY)

Long waiting time at the office
 Long waiting time for appointment
 Doctor or specialist too far away/transportation problems
 Difficulty finding a family physician who is taking new patients
 Difficulty obtaining referral to specialist
 Other (PLEASE SPECIFY) _____
 No response

THE NEXT QUESTIONS ARE SPECIFICALLY ABOUT HEALTH SERVICES THAT YOU PERSONALLY RECEIVED AT A HOSPITAL IN ALBERTA IN THE PAST 12 MONTHS.

16a. In the past 12 months, have you PERSONALLY received health services at a HOSPITAL in Alberta, either as an overnight patient, a day patient, or through emergency?

- 1 Yes (Ask 16b)
- 2 No (Go to 17a)

- 0 No Response (Go to 17a)

16b. What type of hospital service did you receive?

(INTERVIEWER NOTE: If more than one, ask for the most recent service received)

- 1 Overnight (Inpatient)
- 2 Day (Outpatient)
- 3 Emergency

- 8 Don't know (VOLUNTEERED) (Go to 17a)
- 0 No response (Go to 17a)

16c. How would you rate the QUALITY of care you most recently received at the hospital? Would you say it was...(READ)

- 1 Excellent (GO TO 16e)
- 2 Good (GO TO 16e)
- 3 Fair (ASK 16d)
- 4 Poor (ASK 16d)

- 8 Don't know (GO TO 16e)
- 0 No Response (GO TO 16e)

- 16d. Why do you say that the quality of health services you received at the hospital was (fair/poor)? (DO NOT READ LIST. SELECT ALL THAT APPLY).

Care too rushed, not thorough, not complete
 Lack of confidence in provider, lack of professional competence
 Poor communic., poor follow-up, poor coord.of care, multi-referrals
 Waited too long to get into hospital (before admission)
 Waited too long at hospital before service provided
 Lack of privacy
 Too crowded
 Shortage of staff, overworked/overloaded staff
 Poor environment (e.g. messy, noisy)
 Did not get the desired treatment
 Got incorrect treatment
 Lack of courtesy, respect from doctors
 Lack of courtesy, respect from staff
 Lack of attention to my needs from doctors
 Lack of attention to my needs from staff
 No time to ask questions; not involved in decisions
 Sent home too soon
 Not given adequate instructions on self-care
 Other (PLEASE SPECIFY) _____
 No Response

- 16e. How did the health care services you received at the hospital affect your health?
 Would you say the RESULTS were...(READ)

1 Excellent
 2 Good
 3 Fair
 4 Poor

 8 Don't know
 0 No Response

(OPTIONAL READ: Results might include understanding your own personal health or treatment if your health didn't change)

- 16f. How easy or difficult was it for you to get this hospital service when you needed it? Would you say it was...(READ)

1 Very easy (GO TO Q17a)
 2 Easy (GO TO Q17a)
 3 A bit difficult (ASK Q16g)
 4 Very difficult (ASK Q16g)

 8 Don't know (VOLUNTEERED) (GO TO Q17a)
 0 No response (GO TO Q17a)

16g. What made it difficult for you? (DO NOT READ. SELECT ALL THAT APPLY)

- Location of hospital
- Getting time off work/family responsibilities
- Long waiting list for surgery or to be admitted
- Long wait in emergency
- Not enough doctors/nurses
- Other (PLEASE SPECIFY) _____
- No response

THE NEXT QUESTIONS ARE ABOUT THE HEALTH SERVICES THAT OTHER MEMBERS OF YOUR HOUSEHOLD RECEIVED AT A HOSPITAL IN ALBERTA IN THE PAST 12 MONTHS.

17a. In the past 12 months, did another person living in your household, like a spouse, child, parent or roommate receive health services at a HOSPITAL in Alberta. This could have been either as an overnight patient, a day patient, or through emergency?

- 1 Yes (ASK 17b)
- 2 No (GO TO 18a)

- 8 Don't Know (VOLUNTEERED) (GO TO 18a)
- 0 No Response (GO TO 18a)
- 9 Not applicable - no one else in the household (GO TO 18a)

17b. Which household member most recently received health services at a hospital in Alberta in the past twelve months? (DO NOT READ)

- 1 Spouse (including common-law)
- 2 Child (including step, adopted & foster)
- 3 Parent (including in-laws)
- 4 Other (Specify) _____

- 0 No response

17c. What type of hospital service did he/she receive? Was it...(READ)

- 1 Overnight (Inpatient)
- 2 Day (Outpatient)
- 3 Emergency

- 8 Don't know (VOLUNTEERED) (Go to 18a)
- 0 No response (Go to 18a)

17d. How would you rate the quality of care he/she received at the hospital? Would you say it was...(READ)

- 1 Excellent (GO TO 17f)
- 2 Good (GO TO 17f)
- 3 Fair (ASK 17e)
- 4 Poor (ASK 17e)

- 8 Don't know (GO TO 17f)
- 0 No response (GO TO 17f)

17e. Why do you say that the quality of health service your household member received was (fair/poor)? (DO NOT READ LIST, SELECT ALL THAT APPLY)

- Care too rushed, not thorough, not complete
- Lack of confidence in provider, lack of professional competence
- Poor communication., poor follow-up, poor coord.of care, multi-referrals
- Waited too long to get into hospital (before admission)
- Waited too long at hospital before service provided
- Lack of privacy
- Too crowded
- Shortage of staff, overworked/overloaded staff
- Poor environment (e.g. messy, noisy)
- Did not get the desired treatment
- Got incorrect treatment
- Lack of courtesy, respect from doctors
- Lack of courtesy, respect from staff
- Lack of attention to my needs from doctors
- Lack of attention to my needs from staff
- No time to ask questions; not involved in decisions
- Sent home too soon
- Not given adequate instructions on self-care
- Other (PLEASE SPECIFY) _____
- No Response

17f. How did the health care services your household member received at the hospital affect his/her health? Would you say the results were...(READ)

- 1 Excellent
- 2 Good
- 3 Fair
- 4 Poor

- 8 Don't know (VOLUNTEERED)
- 0 No Response

(OPTIONAL READ: Results might include understanding his/her own personal health or treatment if his/her health didn't change)

IN PREVIOUS QUESTIONS, I ASKED ABOUT THE QUALITY OF CARE. IN THESE NEXT FEW QUESTIONS, I WOULD LIKE TO KNOW IF YOU WERE SATISFIED WITH THE WAY IN WHICH THE HEALTH CARE SERVICES WERE PROVIDED TO YOU. PLEASE THINK ABOUT THE MOST RECENT OCCASION IN THE PAST 12 MONTHS WHEN YOU RECEIVED A HEALTH SERVICE PAID FOR BY THE ALBERTA HEALTH CARE INSURANCE PLAN.

[INTERVIEWER NOTE: IF RESPONSE IN V14a WAS 'NO' OR 'NO RESPONSE' SKIP TO V19a]

18a. What type of health service did you receive most recently in the past 12 months? Was it (from a) ...

(READ. SELECT ONE RESPONSE ONLY)

- 1 Physician
- 2 Hospital as a day patient
- 3 Hospital as an overnight patient
- 4 Hospital emergency
- 5 Public health clinic
- 6 Service in own home
- 7 Public health laboratory (diagnostics/testing)
- 8 Support devices (e.g., Aids to Daily Living)
- 9 Rehabilitation therapy (e.g., physio, speech)
- 10 Other (PLEASE SPECIFY)_____

- 0 No response/don't know

18b. How satisfied were you with THE WAY this health service was provided to you? Were you...(READ)

- 1 Very satisfied (ASK Q18c)
- 2 Somewhat satisfied (ASK Q18c)
- 3 Neither satisfied nor dissatisfied (GO TO Q19a)
- 4 Somewhat dissatisfied (GO TO Q18d)
- 5 Very dissatisfied (GO TO Q18d)

- 8 Don't Know (VOLUNTEERED) (GO TO Q19a)
- 0 No Response (GO TO Q19a)

18c. What made you satisfied with THE WAY the service was provided? (DO NOT READ. SELECT ALL THAT APPLY)

Provider was friendly
 Provider listened to what I said
 Provider explained things; answered my questions
 The service was efficient; did not waste my time; no waiting time
 Provider seemed to care about me
 The place was tidy and pleasant
 Service was very professional
 Provider did satisfactory/good/acceptable job/got positive result
 Provider discussed options/choices
 Other (PLEASE SPECIFY) _____
 No response

[INTERVIEWER NOTE: GO TO V19a]

18d. What made you dissatisfied with THE WAY the service was provided? (DO NOT READ. SELECT ALL THAT APPLY)

Provider was not friendly
 Provider did not listen to what I said
 Service was rushed
 I did not understand what was being done/said
 I did not think the provider was doing things properly
 Service was poor quality
 I was left alone too long
 Service took too much time; waited too long
 Provider did not seem to care about me
 The place was untidy, crowded, or unpleasant
 Provider did unsatisfactory/poor job/didn't get positive result
 Provider did not discuss options/choices
 Other (PLEASE SPECIFY) _____
 No response

(IF RESPONDENT DID NOT PERSONALLY USE HEALTH CARE SERVICES, IE. 14A NOT EQUAL TO 1, AND REPORTED THAT NO ONE IN THE HOUSEHOLD USED HEALTH SERVICES AT A HOSPITAL IN THE PAST YEAR, IE. Q17A NOT EQUAL TO 1, SKIP TO V20)

19a. Did you ever want to make a complaint about health services you or someone in your household received during the past year?

Yes 1 (ASK 19b)
 No 2 (GO TO 20)

No Response 0 (GO TO 20)
 Don't Know 8 (GO TO 20)

19b. Have you made a complaint about any health service you or someone in your household received during the past year?

- Yes 1 (ASK 19c)
 No 2 (GO TO 19e)
- No Response 0 (GO TO 20)
 Don't Know 8 (GO TO 20)

19c. To whom did you complain (DO NOT READ LIST. SELECT ALL THAT APPLY)

- 1 The person providing service (e.g., nurse in charge of care)
- 2 My doctor
- 3 The person in charge of the facility or unit
- 4 The regional health authority
- 5 Professional group (e.g., College of Physicians & Surgeons)
- 6 An appeals body (e.g., Health Services Review Committee)
- 7 Alberta Health and Wellness
- 8 The government (MLAs; Minister; Premier)
- 9 My family, friends, or neighbours
- 10 The media
- 11 Don't remember
- 0 No response

If the response is YES to any of the first eight items, ask 19d

If the response is "My family, friends or neighbours" or "The media", ask 19e

If the response is "Don't remember" or "No response", GO TO 20

19d. How satisfied were you with the response to your complaint? Were you ...
 (READ)

- Very satisfied..... 1 (GO TO 20)
 Satisfied 2 (GO TO 20)
 Dissatisfied3 (GO TO 20)
 Very dissatisfied4 (GO TO 20)
- No response 0 (GO TO 20)
 Don't know 8 (GO TO 20)

19e. Why did you not make a complaint to someone in the health system?
 (DO NOT READ LIST. SELECT ALL THAT APPLY)

- Didn't know how to go about it
 Too much trouble
 My complaint was not important enough/I cooled off/I changed my mind
 They wouldn't do anything about it anyway
 Afraid that complaining would make things worse
 There's no one to complain to
 Changed service provider/location instead
 Planning to complain (when know more/find out how/get better)
 Solved the problem in some other way
 Other (PLEASE SPECIFY) _____
 No response

THE NEXT QUESTION IS ABOUT INFORMATION AND DECISION-MAKING ABOUT HEALTH SERVICES. (OPTIONAL READ: HEALTH SERVICES INCLUDE SERVICES AVAILABLE FROM HOSPITALS, PHYSICIANS' CLINICS, LONG TERM CARE FACILITIES, PUBLIC HEALTH SERVICES, HOME AND COMMUNITY HEALTH SERVICES, AND REGIONAL HEALTH AUTHORITIES).

20. In general, do you believe you have enough information to make informed decisions about the health care services you need? Would you say....(READ)

- 1 Always
- 2 Often
- 3 Sometimes
- 4 Never

- 8 Don't know (VOLUNTEERED)
- 0 No response

22a. At this time, are you or a person LIVING in your household waiting for a medical treatment, consultation, surgery, home care services, or long term care placement?

- 1 Yes (GO TO 22b)
- 2 No (GO TO 23a)

- 0 No Response (GO TO 23a)

22b. What are you or the person in your household waiting for? (DO NOT READ. SELECT ONE RESPONSE)

- 1 Surgery/cataract removal
- 2 Consultation/diagnosis/tests/see specialist
- 3 Medical treatment/see doctor
- 4 Home care services
- 5 Long-term placement
- 6 Community rehab. services-physiotherapy, audiology, speech therapy
- 7 Dental treatment/surgery
- 8 Other (PLEASE SPECIFY) _____

- 0 No Response

(INTERVIEWER NOTE: If person is waiting for more than one service, choose the lowest number on the list. So, if person is waiting for surgery and medical treatment, select surgery (number 1))

THE NEXT QUESTIONS ARE AGAIN ABOUT ALBERTA'S HEALTH SYSTEM OVERALL.

(OPTIONAL READ: The health system includes hospitals, physicians' clinics, long term care facilities, public health services, home and community health services, regional health authorities, and the provincial department of health).

- 23a. Thinking now about the health care system in Alberta, overall, how would you rate it? Would you say it is...(READ)
- 1 Excellent (GO TO 24)
 - 2 Good (GO TO 24)
 - 3 Fair (ASK 23b)
 - 4 Poor (ASK 23b)

 - 8 Don't Know (VOLUNTEERED) (GO TO 24)
 - 0 No Response (GO TO 24)
- 23b. What is it about the health system that makes you rate it (fair/poor)? (DO NOT READ LIST. SELECT A MAXIMUM OF 3 RESPONSES)
- Not satisfied with service received
 - Cuts in funding
 - Hospital closures, bed shortages
 - Fewer health services
 - Staff shortage (doctors,nurses,other health personnel,staff overworked)
 - Doctors leaving
 - Low quality of care (includes all interactions with staff e.g. no time)
 - User fees/have to pay for some services
 - It is getting worse
 - Health system should be privatized (support Bill C-11)
 - Health system should NOT be privatized (oppose Bill C-11)
 - Abortion funding
 - Focus on costs, not health
 - Hard to get services (IE. access problems like travel)
 - Long wait time for service (IE. long wait to see professional)
 - Alberta Health Care Insurance premiums (all comments)
 - Board members should be elected (not appointed)
 - Lack of information where services are
 - Other (PLEASE SPECIFY) _____
 - No response
24. Overall, how satisfied are you with the health system in Alberta? Would you say you are... (READ)
- 1 Very satisfied
 - 2 Somewhat satisfied
 - 3 Neither satisfied nor dissatisfied
 - 4 Somewhat dissatisfied
 - 5 Very dissatisfied

 - 0 No Response

THE NEXT QUESTION IS ABOUT HEALTH SERVICE PERFORMANCE INFORMATION. HEALTH SERVICE PERFORMANCE INFORMATION INCLUDES STATISTICS OR REPORTS ABOUT THE QUALITY OF SERVICES, ACCESS TO SERVICES, NUMBER OF SERVICES PROVIDED, SATISFACTION WITH CARE, AND SIMILAR TOPICS RELATED TO THE DELIVERY OF HEALTH SERVICES IN ALBERTA.

25a. In the past year, have you seen or read any statistics or reports on health service performance in Alberta?

- 1 Yes
- 2 No (GO TO 26a)

- 8 Don't Know (VOLUNTEERED) (GO TO 26a)
- 0 No Response (GO TO 26a)

25b. Were these statistics or reports produced by the Ministry of Alberta Health and Wellness (Alberta government department of Health)?

- 1 Yes
- 2 No

- 8 Don't Know (VOLUNTEERED)
- 0 No Response

THESE FINAL QUESTIONS WILL GIVE US A BETTER PICTURE OF THE PEOPLE WHO TOOK PART IN THIS STUDY.

26a. Including yourself (and including children), how many people NORMALLY live in your household?

_____ Total number of people INCLUDING CHILDREN

-1 No Response

26b. How many of these people are under 18 years of age?

_____ Number of children

-1 No Response

27. What is the highest level of education you have attended or completed?
(DO NOT READ LIST)

- 1 No schooling
- 2 Some Elementary
- 3 Completed Elementary
- 4 Some Secondary
- 5 Completed Secondary
- 6 Some college, technical, or nurse's training
- 7 Completed college, technical, or nurse's training
- 8 Some University
- 9 Completed University
- 10 Other education or training (PLEASE SPECIFY) _____
- 0 No Response

29. What was your total HOUSEHOLD income before taxes last year? (IF NECESSARY, PROBE WITH CATEGORIES)

- | | | |
|----------------|------------------|------------------|
| 1 UNDER \$6000 | 12 \$26000-27999 | 23 \$60000-64999 |
| 2 6000-7999 | 13 28000-29999 | 24 65000-69999 |
| 3 8000-9999 | 14 30000-31999 | 25 70000-74999 |
| 4 10000-11999 | 15 32000-33999 | 26 75000-79999 |
| 5 12000-13999 | 16 34000-35999 | 27 80000-84999 |
| 6 14000-15999 | 17 36000-37999 | 28 85000-89999 |
| 7 16000-17999 | 18 38000-39999 | 29 90000-94999 |
| 8 18000-19999 | 19 40000-44999 | 30 95000-99999 |
| 9 20000-21999 | 20 45000-49999 | 31 100000+ |
| 10 22000-23999 | 21 50000-54999 | 32 Don't know |
| 11 24000-25999 | 22 55000-59999 | 0 No response |

30. To ensure that we reach respondents in all areas of the province, would you please tell me your postal code?

(IF DON'T KNOW, PRESS "2" TO OPEN A WINDOW AND ASK:

What is the name of your city/town?)

- 1 ENTER POSTAL CODE (Opens a window)
- 2 Don't know (Ask: What is the name of your city/town?)
- 0 No Response

INTERVIEWER NOTE: POSTAL CODE FORMAT: LETTER # LETTER (space) # LETTER #.
IF RESPONDENT DOESN'T WISH TO GIVE ALL 6 DIGITS OF POSTAL CODE, ASK FOR FIRST THREE. IF RESPONDENT WILL NOT PROVIDE POSTAL CODE AT ALL, PLEASE ASK FOR THE NAME OF THE CITY/TOWN.)

31. Finally, if you could change ONE thing in the health care system, what would it be? (OPEN ENDED. DO NOT LEAVE BLANK.)

[HAVE RESPONDENT CLARIFY AMBIGUOUS INFORMATION. GET SPECIFIC SUGGESTIONS AND COMMENTS FROM RESPONDENT.]

WE'VE REACHED THE END OF THE INTERVIEW. I WOULD LIKE TO THANK YOU VERY MUCH FOR YOUR TIME AND COOPERATION.